

Intelligence of Dogs

Kimberly Cable

05-14-2022

Final Project - Step 2

How to import and clean my data

```
##
## Attaching package: 'dplyr'

## The following objects are masked from 'package:stats':
##
##   filter, lag

## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
```

Load and read each of the datasets: * dog_intelligence.csv

```
##           Breed Classification obey reps_lower reps_upper
## 1   Border Collie Brightest Dogs  95%           1           4
## 2         Poodle Brightest Dogs  95%           1           4
## 3 German Shepherd Brightest Dogs  95%           1           4
## 4  Golden Retriever Brightest Dogs  95%           1           4
## 5  Doberman Pinscher Brightest Dogs  95%           1           4
## 6  Shetland Sheepdog Brightest Dogs  95%           1           4
```

- AKC Breed Info.csv

```
##           Breed height_low_inches height_high_inches weight_low_lbs
## 1           Akita                26                 28             80
## 2  Anatolian Sheepdog            27                 29            100
## 3  Bernese Mountain Dog          23                 27             85
## 4           Bloodhound            24                 26             80
## 5             Borzoi              26                 28             70
## 6       Bullmastiff              25                 27            100
## weight_high_lbs
## 1              120
## 2              150
## 3              110
## 4              120
## 5              100
## 6              130
```

- Table_4_Heterozygosity_85_breeds.csv

##		Population Heterozygosity
## 1	Bedlington Terrier	0.312842
## 2	Miniature Bull Terrier	0.321619
## 3	Boxer	0.343151
## 4	Clumber Spaniel	0.363595
## 5	Greater Swiss Mountain Dog	0.364943
## 6	Airedale Terrier	0.372793

- Table_5_Expected_Heterozygosity_60_breeds.csv

##		Breed Heterozygosity_x10_4
## 1	Scottish Deerhound	2.0683
## 2	Field Spaniel	2.3165
## 3	Flat-coated Retriever	2.6474
## 4	Bernese Mountain Dog	2.8129
## 5	Standard Schnauzer	2.8129
## 6	Boxer	3.0611

Create New Dataframe from the Intelligence data

##		Breed Classification	obey	reps_lower	reps_upper
## 1	Border Collie	Brightest Dogs	95%	1	4
## 2	Poodle	Brightest Dogs	95%	1	4
## 3	German Shepherd	Brightest Dogs	95%	1	4
## 4	Golden Retriever	Brightest Dogs	95%	1	4
## 5	Doberman Pinscher	Brightest Dogs	95%	1	4
## 6	Shetland Sheepdog	Brightest Dogs	95%	1	4

Inner Join Breed data to new combined df on key Breed

##		Breed Classification	obey	reps_lower	reps_upper
## 1	Border Collie	Brightest Dogs	95%	1	4
## 2	Golden Retriever	Brightest Dogs	95%	1	4
## 3	Doberman Pinscher	Brightest Dogs	95%	1	4
## 4	Labrador Retriever	Brightest Dogs	95%	1	4
## 5	Papillon	Brightest Dogs	95%	1	4
## 6	Rottweiler	Brightest Dogs	95%	1	4

##	height_low_inches	height_high_inches	weight_low_lbs	weight_high_lbs
## 1	19	21	40	40
## 2	21	24	55	75
## 3	26	28	60	100
## 4	21	24	55	80
## 5	8	11	5	10
## 6	22	27	90	110

Inner Join Heterozygosity 4 to new combined df on key Breed = Population

##	Breed	Classification	obey	reps_lower	reps_upper
## 1	Border Collie	Brightest Dogs	95%	1	4
## 2	Golden Retriever	Brightest Dogs	95%	1	4

## 3	Doberman Pinscher	Brightest Dogs	95%	1	4
## 4	Labrador Retriever	Brightest Dogs	95%	1	4
## 5	Rottweiler	Brightest Dogs	95%	1	4
## 6	Schipperke	Excellent Working Dogs	85%	5	15
##	height_low_inches	height_high_inches	weight_low_lbs	weight_high_lbs	
## 1	19	21	40	40	
## 2	21	24	55	75	
## 3	26	28	60	100	
## 4	21	24	55	80	
## 5	22	27	90	110	
## 6	10	13	12	18	
##	Heterozygosity				
## 1	0.549583				
## 2	0.517779				
## 3	0.383763				
## 4	0.560590				
## 5	0.456510				
## 6	0.445437				

Inner Join Heterozygosity 5 to new combined df on key Breed

##	Breed				
## 1	Golden Retriever				
## 2	Labrador Retriever				
## 3	Rottweiler				
## 4	German Shorthaired Pointer				
## 5	Standard Schnauzer				
## 6	Bernese Mountain Dog				
## 7	Welsh Springer Spaniel				
## 8	Newfoundland				
## 9	Irish Setter				
## 10	Bedlington Terrier				
## 11	Saluki				
## 12	Cavalier King Charles Spaniel				
## 13	American Water Spaniel				
## 14	Bichon Frise				
## 15	Greyhound				
## 16	Boxer				
## 17	Dachshund				
## 18	Alaskan Malamute				
## 19	Ibizan Hound				
## 20	Akita				
## 21	French Bulldog				
## 22	Italian Greyhound				
## 23	Tibetan Terrier				
## 24	Saint Bernard				
## 25	Bullmastiff				
## 26	Basset Hound				
## 27	Mastiff				
## 28	Beagle				
## 29	Borzoi				
##		Classification	obey	reps_lower	reps_upper
## 1		Brightest Dogs	95%	1	4
## 2		Brightest Dogs	95%	1	4

## 3	Brightest Dogs	95%	1	4
## 4	Excellent Working Dogs	85%	5	15
## 5	Excellent Working Dogs	85%	5	15
## 6	Excellent Working Dogs	85%	5	15
## 7	Above Average Working Dogs	70%	16	25
## 8	Above Average Working Dogs	70%	16	25
## 9	Above Average Working Dogs	70%	16	25
## 10	Average Working/Obedience Intelligence	50%	26	40
## 11	Average Working/Obedience Intelligence	50%	26	40
## 12	Average Working/Obedience Intelligence	50%	26	40
## 13	Average Working/Obedience Intelligence	50%	26	40
## 14	Average Working/Obedience Intelligence	50%	26	40
## 15	Average Working/Obedience Intelligence	50%	26	40
## 16	Average Working/Obedience Intelligence	50%	26	40
## 17	Average Working/Obedience Intelligence	50%	26	40
## 18	Average Working/Obedience Intelligence	50%	26	40
## 19	Average Working/Obedience Intelligence	50%	26	40
## 20	Average Working/Obedience Intelligence	50%	26	40
## 21	Fair Working/Obedience Intelligence	30%	41	80
## 22	Fair Working/Obedience Intelligence	30%	41	80
## 23	Fair Working/Obedience Intelligence	30%	41	80
## 24	Fair Working/Obedience Intelligence	30%	41	80
## 25	Fair Working/Obedience Intelligence	30%	41	80
## 26	Lowest Degree of Working/Obedience Intelligence	n/a	81	100
## 27	Lowest Degree of Working/Obedience Intelligence	n/a	81	100
## 28	Lowest Degree of Working/Obedience Intelligence	n/a	81	100
## 29	Lowest Degree of Working/Obedience Intelligence	n/a	81	100
##	height_low_inches	height_high_inches	weight_low_lbs	weight_high_lbs
## 1	21	24	55	75
## 2	21	24	55	80
## 3	22	27	90	110
## 4	20	27	50	80
## 5	17	19	33	33
## 6	23	27	85	110
## 7	16	19	35	45
## 8	26	28	100	150
## 9	25	27	60	70
## 10	15	16	18	23
## 11	23	28	35	70
## 12	10	15	15	20
## 13	15	18	25	45
## 14	9.5	11.5	10	18
## 15	27	30	60	70
## 16	21	25	65	70
## 17	7	10	16	32
## 18	na	na	na	na
## 19	22	29	42	55
## 20	26	28	80	120
## 21	11	12	17	28
## 22	12	15	6	10
## 23	14	17	20	30
## 24	25	28	110	190
## 25	25	27	100	130
## 26	14	14	40	50

## 27	27	30	175	190
## 28	13	16	18	30
## 29	26	28	70	100
##	Heterozygosity	Heterozygosity_x10_4		
## 1	0.517779	7.0323		
## 2	0.560590	8.4388		
## 3	0.456510	4.9640		
## 4	0.538761	6.6186		
## 5	0.450041	2.8129		
## 6	0.399599	2.8129		
## 7	0.473917	6.4532		
## 8	0.490617	5.5431		
## 9	0.446656	6.7014		
## 10	0.312842	3.9712		
## 11	0.563037	4.1366		
## 12	0.427633	4.2194		
## 13	0.540183	4.5503		
## 14	0.528271	4.9640		
## 15	0.513409	6.0395		
## 16	0.343151	3.0611		
## 17	0.483817	5.8740		
## 18	0.489877	6.8668		
## 19	0.503981	4.7158		
## 20	0.510396	5.9568		
## 21	0.439855	6.0395		
## 22	0.468797	5.5431		
## 23	0.519535	6.4532		
## 24	0.465724	5.7913		
## 25	0.509243	5.1294		
## 26	0.441171	4.9640		
## 27	0.455126	3.8057		
## 28	0.549119	4.7985		
## 29	0.487909	5.7913		

Convert n/a or na to empty cell

Convert obey to numeric

Convert height and weight to numeric

What does the final data set look like?

##	Breed	Classification	obey	reps_lower	reps_upper
## 1	Golden Retriever	Brightest Dogs	0.95	1	4
## 2	Labrador Retriever	Brightest Dogs	0.95	1	4
## 3	Rottweiler	Brightest Dogs	0.95	1	4
## 4	German Shorthaired Pointer	Excellent Working Dogs	0.85	5	15
## 5	Standard Schnauzer	Excellent Working Dogs	0.85	5	15
## 6	Bernese Mountain Dog	Excellent Working Dogs	0.85	5	15
##	height_low_inches	height_high_inches	weight_low_lbs	weight_high_lbs	
## 1	21	24	55	75	
## 2	21	24	55	80	
## 3	22	27	90	110	
## 4	20	27	50	80	

```
## 5          17          19          33          33
## 6          23          27          85          110
## Heterozygosity Heterozygosity_x10_4
## 1      0.517779      7.0323
## 2      0.560590      8.4388
## 3      0.456510      4.9640
## 4      0.538761      6.6186
## 5      0.450041      2.8129
## 6      0.399599      2.8129
```

What information is not self-evident?

- Initially I do not know exactly what Heterozygosity and Heterozygosity (x10-4) are and the difference between the two columns.

What are different ways you could look at this data?

One could strictly look at the obey percentage without looking at the number of reps a dog can do. You can also just look at the upper and lower reps versus taking the average number of reps a dog can do. Same problem with height and weight if I were to look at if intelligence is strictly by the weight of a breed or how tall a breed is.

How do you plan to slice and dice the data?

- Add average weight to dataframe

```
##          Breed          Classification obey reps_lower reps_upper
## 1      Golden Retriever      Brightest Dogs 0.95          1          4
## 2      Labrador Retriever      Brightest Dogs 0.95          1          4
## 3          Rottweiler      Brightest Dogs 0.95          1          4
## 4 German Shorthaired Pointer      Excellent Working Dogs 0.85          5          15
## 5      Standard Schnauzer      Excellent Working Dogs 0.85          5          15
## 6      Bernese Mountain Dog      Excellent Working Dogs 0.85          5          15
## height_low_inches height_high_inches weight_low_lbs weight_high_lbs
## 1          21          24          55          75
## 2          21          24          55          80
## 3          22          27          90          110
## 4          20          27          50          80
## 5          17          19          33          33
## 6          23          27          85          110
## Heterozygosity Heterozygosity_x10_4 avg.weight avg.height
## 1      0.517779      7.0323      65.0      22.5
## 2      0.560590      8.4388      67.5      22.5
## 3      0.456510      4.9640     100.0      24.5
## 4      0.538761      6.6186      65.0      23.5
## 5      0.450041      2.8129      33.0      18.0
## 6      0.399599      2.8129      97.5      25.0
```

How could you summarize your data to answer key questions?


```
##      Breed          Classification          obey          reps_lower
```

```
## Length:29      Length:29      Min.   :0.30  Min.   : 1.00
## Class :character Class :character 1st Qu.:0.50 1st Qu.:16.00
## Mode  :character Mode  :character Median :0.50 Median :26.00
##                                     Mean  :0.58 Mean  :30.38
##                                     3rd Qu.:0.70 3rd Qu.:41.00
##                                     Max.   :0.95 Max.   :81.00
##                                     NA's   :4
##  reps_upper  height_low_inches height_high_inches weight_low_lbs
## Min.   : 4.00 Min.   : 7.00 Min.   :10.00 Min.   : 6.00
## 1st Qu.:25.00 1st Qu.:14.00 1st Qu.:16.00 1st Qu.:19.50
## Median :40.00 Median :21.00 Median :24.50 Median :46.00
## Mean   :47.31 Mean   :19.05 Mean   :22.12 Mean   :53.04
## 3rd Qu.:80.00 3rd Qu.:25.00 3rd Qu.:28.00 3rd Qu.:72.50
## Max.   :100.00 Max.   :27.00 Max.   :30.00 Max.   :175.00
##                                     NA's   :1 NA's   :1 NA's   :1
## weight_high_lbs Heterozygosity Heterozygosity_x10_4 avg.weight
## Min.   :10.00 Min.   :0.3128 Min.   :2.813 Min.   : 8.00
## 1st Qu.:31.50 1st Qu.:0.4500 1st Qu.:4.550 1st Qu.:24.75
## Median :70.00 Median :0.4879 Median :5.543 Median :58.75
## Mean   :72.64 Mean   :0.4789 Mean   :5.312 Mean   :62.84
## 3rd Qu.:102.50 3rd Qu.:0.5178 3rd Qu.:6.040 3rd Qu.:88.12
## Max.   :190.00 Max.   :0.5630 Max.   :8.439 Max.   :182.50
## NA's   :1 NA's   :1
## avg.height
## Min.   : 8.50
## 1st Qu.:15.25
## Median :22.75
## Mean   :20.59
## 3rd Qu.:26.00
## Max.   :28.50
## NA's   :1
```

What types of plots and tables will help you illustrate the findings to your questions?


- Histogram of obey

```
## Warning: Removed 4 rows containing non-finite values (stat_bin).
```




- Histogram of average weight

```
## Warning: Removed 1 rows containing non-finite values (stat_bin).
```





- Histogram of average height


```
## Warning: Removed 1 rows containing non-finite values (stat_bin).
```



- Histogram of Heterozygosity



- Histogram of Heterozygosity_x10_4




- Scatter Plot of obey and avg.weight

```
## 'geom_smooth()' using formula 'y ~ x'
```

```
## Warning: Removed 5 rows containing non-finite values (stat_smooth).
```

```
## Warning: Removed 5 rows containing missing values (geom_point).
```




* Scatter Plot of obey and Heterozygosity_x10_4

```
## 'geom_smooth()' using formula 'y ~ x'
```

```
## Warning: Removed 4 rows containing non-finite values (stat_smooth).
```

```
## Warning: Removed 4 rows containing missing values (geom_point).
```



Correlation between obey percentage and avg.weight

```
##
## Pearson's product-moment correlation
##
## data: combined_df$obey and combined_df$avg.weight
## t = 0.88343, df = 22, p-value = 0.3866
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
## -0.2359190 0.5476023
## sample estimates:
## cor
## 0.1850928
```

Since the correlation is 0.19 and the p-value is 0.39 we can say that the correlation between the two variables is not significant. Also, the intervals cross 0 so as one goes up the other goes up but then it is reversed.

Correlation between obey percentage and Heterozygosity_x10_4

```
##
## Pearson's product-moment correlation
##
## data: combined_df$obey and combined_df$Heterozygosity_x10_4
## t = 0.43369, df = 23, p-value = 0.6686
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
```

```
## -0.3163255 0.4685203
## sample estimates:
##      cor
## 0.09006233
```

Since the correlation is 0.09 and the p-value is 0.66 we can say that the correlation between the two variables is not significant. Also, the intervals cross 0 so as one goes up the other goes up but then it is reversed.

Do you plan on incorporating any machine learning techniques to answer your research questions? Explain.

```
##
## Call:
## lm(formula = obey ~ avg.weight + avg.height + Heterozygosity_x10_4,
##     data = combined_df)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.31265 -0.16426 -0.00432  0.14696  0.34899
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.2566674  0.2573047   0.998   0.330
## avg.weight     -0.0008206  0.0020733  -0.396   0.696
## avg.height      0.0142519  0.0129588   1.100   0.284
## Heterozygosity_x10_4 0.0155575  0.0340134   0.457   0.652
##
## Residual standard error: 0.2256 on 20 degrees of freedom
## (5 observations deleted due to missingness)
## Multiple R-squared:  0.09806,    Adjusted R-squared:  -0.03723
## F-statistic: 0.7248 on 3 and 20 DF,  p-value: 0.549
```

Looking at the Adjusted R-squared of -0.37 and all p-values for the variables are not significant it does not look like any other the variables help with the percentage a dog can obey.

Questions for future steps.