

CSCI 341 Problem Set 2

Language Acceptance; Finite and Infinite Automata; Finitely Recognizable Languages

Due Friday, September 12

Language Acceptance

Problem 1 (Cooking with Gas). In each of the following questions, you are asked to design an automaton with a state that accepts a given language. Draw its state diagram and its transition table, and briefly explain why the automaton works.

- (1) Over the alphabet $A_1 = \{1, 2\}$ of input letters, define the function $\text{sum}: A^* \rightarrow \mathbb{N}$ by

$$\text{sum}(\varepsilon) = 0 \quad \text{sum}(a_1 a_2 \cdots a_n) = a_1 + a_2 + \cdots + a_n$$

So, for example, $\text{sum}(1221) = 1 + 2 + 2 + 1 = 6$. Design an automaton with a state that accepts the language

$$L_1 = \{w \in A^* \mid \text{sum}(w) \text{ is a multiple of } 3\}$$

- (2) Over the alphabet $A_2 = \{a, c, t\}$ of input letters, design an automaton with a state that accepts the language

$$L_2 = \{w \in A_2^* \mid w \text{ contains the word } cat\}$$

- (3) Over the alphabet $A_3 = A_1 \cup A_2$ of input letters, design an automaton with a state that accepts the language

$$L_3 = L_1 \cdot L_2 = \{wu \in A_3^* \mid w \in L_1 \text{ and } u \in L_2\}$$

Problem 2 (Pythonic Automaton III). Write a Python script in the same format as the Pythonic Automaton I that implements state s_1 in abstract state diagram (1) from the games and puzzles section. Submit your program as a .py file.




Figure 1: Abstract state diagram (1).

Finite and Infinite Automata

Problem 3 (Unravelling a Language). Draw a state diagram of all of the languages that are reachable from the language $L = \{\varepsilon, aa, ba, cab, c, acab\}$ in the Brzowski automaton (by taking derivatives). Include all of the double-circles to indicate which languages are accepting states of the Brzowski automaton. What language is accepted by L ?

Problem 4 (Language Accepts Itself). Let $L \subseteq A^*$ be any language. Prove that $\mathcal{L}(\mathcal{A}_{Brz}, L) \subseteq L$.

Finitely Recognizable Languages

Problem 5 (Languages as Trees). Let $A = \{0, 1\}$, and let $L \subseteq A^*$ be a language from A . Prove that if L is finite, i.e., $L = \{w_1, \dots, w_n\}$ for some $n \in \mathbb{N}$, then L is finitely recognizable.

Problem 6 (Total vs Partial). Prove that $\text{DFin} = \text{TDFin}$ by describing how to turn a deterministic automaton into a total deterministic automaton without changing the languages accepted by the states.