Sinn und Bedeutung 24 Universität Osnabrück Thursday 5 September 2019

Rethinking scope islands

(and some Managing Multidimensional Meaning)


Chris Barker

New York University
Department of Linguistics

September 2, 2019
Slides and code at https://github.com/cb125/scope-islands

Scope islands

- A **SCOPE ISLAND** is a syntactic context that traps a scopetaker inside of it.
- (1) Someone asked everyone to leave. [multiple askers: ok]



Slides and code at https://github.com/cb125/scope-islands

What's at stake?

- Assuming that clauses are scope islands has driven major design decisions for the semantic analysis of
 Focus
 - Questions
 - Indefinites
 - more...
 - Today: clauses are not scope islands
- We must rethink scope islands empirically and theoretically
- A sufficiently flexible strategy for enforcing islands can help manage multi-dimensional meaning (focus, expressives, etc.)

Slides and code at https://github.com/cb125/scope-islands

- - Radford: relative clauses are islands
- May: clauses are islands
- Data: clauses, tensed clauses, relative clauses: not islands
- Rethinking focus, questions, and indefinites as scope
- What scope islands are there?
- How can we build a general account of scope islands?
- What about managing multidimensional meaning?

Two limitations: ignoring DP; guiltily avoiding negation and DE

Marr: algorithmic level only today, sadly

Challenging the standard wisdom

Rodman 76: Relative clauses are scope islands

6/52

It's not about relative clauses, it's about embedded clauses mea culpa: Barker 2015 *Handbook of Contemporary Semantics* "Relative clauses are particularly strong scope islands."

May 1977: clauses are scope islands p. 2: [I] propose a rule, QR, which generates represen-

tations at Logical Form for sentences containing quantifiers. Well-formedness of representations at this level is determined by universal principles on the output of the rules of core grammars; specifically, the Predication Condition, the Condition on Quantifier Binding and the Subjacency Condition are all argued to be general conditions on well-formed representations at Logical Form... [I]t follows from the Subjacency Condition that quantification is clause bounded, in the unmarked case.

Subjacency (roughly): movement cannot cross more than one bounding node (bounding nodes == S, DP).

```
(3.2) [S_i] John hissed [S_j] Smith liked [NP_Q] every painting]]]]
```

May 1977 The Grammar of Quantification. MIT Dissertation.

May's 1977:171 data that QR is clause bounded

- (3.1)a Jones hissed that Smith liked every painting in the Metropolitan
 - b John quoted Bill as saying that someone had left
 - c His mother said loudly that everyone had to go
 - d Susan didn't forget that many people had refused to contribute
 - e Helen grieved that each of the monkeys had been experimented upon
 - f It is instructive for someone to play the piece first
 - g It's impossible for The Kid to fight a contender
 - h It's false that all the men left the party
 - i John asked whether he had bought some shuttlecocks at Abercrombie's
 - j Carol wondered why everyone was reading Gravity's Rainbow
 - k Mark regretted Sam's having invited so few people

The beautiful idea: scope islands == syntactic islands

Dayal 2012. Cambridge Handbook of Generative Syntax

"Conceiving of Quantifier Raising as a syntactic rule provides a general explanation for some of the restrictions on quantifier scope... whatever principles of syntax rule out the formation of overt dependencies in these constructions can be tapped to rule out the creation of problematic covert dependencies at LF."

Ruys & Winter 2011. Handbook of Philosophical Logic

"evidence for QR exists to the extent that generalizations on quantifier scope can be stated in terms of syntactic properties of the relevant constructions, and to the extent that these generalizations apply to other purported movement operations as well. Ultimately, on the QR approach, a unified theory explaining properties of both overt and covert movement should be possible."

A few related ideas

- Chomsky 1975: Relativization is not clause bounded, but QR is; "thus it seems that very different principles are at work"
 Farkas 1981 CLS: OR ignores syntactic islands
- Farkas 1981 *CLS*: QR ignores syntactic islands
- Huang 1982 diss: in-situ wh scopes out of syntactic islands QR obeys the ECP, but not Subjacency
- Cecchetto 2003 WCCFL: phases are scope islands
- Wurmbrand 2017 ms.: it's processing difficulty
- White, Charlow, Needle & Bumford 2017 TAG+13: it's parsing difficulty

Hulsey and Sauerland 2006, NALS 14:131

Claim: Relative Clauses are not scope islands

11/52

"Relative clauses are not scope islands" The picture of himself [that everyone sent in] annoyed the teacher. Szabolcsi 2010, CUP p. 107

(9)assic, Jurassic, etc.) and some of the dinosaurs or other animals/bacteria [that lived in each].

May 1977:223

(6)

(8)

γA timeline poster should list the different ages/periods (Tri-

 γ = naturally-occurring example (γ for Google). Cf. also Hintikka's copular connectivity sentences New data: relative clauses are not scope islands

12/52

(11) $^{\gamma}$ The papers are all laid out by alphabetical order, so you can see the grade [that every person got]. (12) $^{\gamma}$ What is the absolute earliest [that each character can die]?

(13) $^{\gamma}$ Give the name [that corresponds to each abbreviation]: (a)

GTP; (b) dCDP; (c) dTTP; (d) UDP. (14) ^{\gamma}Classroom time and content vary based on the job [that each person does]. (15) $^{\gamma}$ For the experiment, measure the time [that each person

took to travel 20 meters]. (16) ^{\gamma} Include the name of the person [that each volunteer must report to]. Some quantifiers are in non-subject position.

13/52

Each is a stronger island-escaper

So what explains Rodman's examples?

Indefinite head nouns make it harder

Pragmatic manipulations can help

(17) John has dated a woman who loves every man.

ground investigation,]

FBI agents tracked down and interviewed a woman who had dated each man.

(19) [As part of the usual painstaking security clearance back-

(18) Guinevere has **a bone** that is in every corner of the house.

• In any case, all that matters today is whether there are any quantifiers that scope out of relative clauses—and there are

More research needed

14/52

Claim: (tensed) clauses are not scope islands (20) Fox and Sauerland 1995 NELS 26

- In general, a guide ensures that [every tour to the Louvre is fun].
- (21) Farkas and Giannakidou 1996 SALT 6
 A student made sure that [every invited speaker had a ride].
 (22) Szabolcsi 2010 CUP p. 107

Determine whether [each number in the list is even or odd].

- "distributive scope is not always clause-bounded: each NP supplies solid counterexamples"
 And of course, in all of the relative clause examples given
 - above the crucial universal is also within a tensed clause!

(23) Someone needs to clean the room after each guest has left.(24) γ After [each person had been taken], we heard a shot—one for each.

New data: clauses are not scope islands: before and atter52

- (25) γ After [each person had eaten], they had a spot of kunkumam (colored powder) placed on their foreheads.
 (26) γ Henceforth you will see a draw method call after [each
- object is created] (27) $^{\gamma}$ [B]efore [each person had a turn doing the DB thrusters], that person had to do a farmer's carry of 40 meters
- (28) γ After [each person had a turn of leading the horse, they were given a debrief on their communication style which ranged from bored, quiet, ...
 (29) γ after [each person had written down his opinion on an issue] he was handed back a slip of paper presumably containing a tabulation of the opinions in the group

New data: universals are not clause-bounded: when

16/52

- (31) γ When [each person finishes], thank them for sharing. Take a few seconds to pause in silence before the next person shares.
 (32) γ When [each person finishes filling out the form], they
- should place it back on a table and remain or leave the space.

 (33) Y When [each person finishes speaking], they pass the foot-
- ball to someone else.

New data: clauses are not scope islands: unless

- (34) γ Unless [each person thinks that the others will cooperate], he himself will not.
 (35) γ Unless [each person communicates their needs], the other
- (35) $^{\gamma}$ Unless [each person communicates their needs], the other family members aren't likely to help them satisfy ...

New data: clauses are not scope islands: make sure/ensure

- (36) A student made sure that [every invited speaker had a ride] == Farkas and Giannakidou's (21) above
- (37) γBut someone has to make sure that [each actor has what is needed at the time it is needed].
- (38) ^γOn a global scale, someone has to make sure that [each application, when introduced, doesn't send ... shock waves through the economy].
 (39) ^γSomeone needs to make sure that [each incoming report
- or complaint of abuse is actually being investigated]. (40) $^{\gamma}$ Someone should ensure that [each tool has been returned
- to its proper storage location]...

 (41) γOnce the responsibilities are clarified, someone should make sure that [each group is doing what it is supposed to do].

18/52

Set aside untensed clauses in (f) and (g)

So what explains May's examples?

plement to scope out

Set aside wh complements (i), (j) and the DP in (k)

verbs is a scope island for every and each

In (a) through (e) and (h), all communication verbs or attitude verbs: hissed, quoted, said, forget, grieved, be false

is not a verb of communication, nor is it an attitude verb and as Farkas and Giannakidou realize, and as the previous slide shows, easily allows universals embedded in its com-

Possible alternative hypotheses: the complement of attitude

Note that make sure is a rare sentence-embedding verb that

• In any case, what matters today is whether there are any universals that scope out of a tensed clause—and there are.

So why should the complements of attitude verbs be islands?

What I've argued so far

- Universal quantifiers systematically scope out of clauses, tensed causes, and relative clauses
- So clauses (taken as a class) are not scope islands
- Whether a universal can scope out of a clause depends on the embedding predicate: *thought*, no, but *make sure*, yes.
- So scope islands are created on a per-predicate basis.

What's at stake: the "exceptional scope" conspiracy

"Exceptional" scope: If the standard wisdom were right, and Quantifier Raising were clause bounded, then whenever a scope-taker appears to take scope outside of an island, it must be via some

Defending the standard wisdom: "Exceptional" Scope 21/52

- Indefinites: choice functions, Skolem functions, singleton sets, alternatives with pointwise functional application, etc.
- Focus: alternative sets

mechansim other than QR.

- Pair-list readings of universals inside embedded questions
- Functional relative clauses

The "Exceptional Scope" Conspiracy: At the end of the day, non-QR scoping mechansims deliver the same truth conditions that QR would deliver if we ignored islands.

Interesting test case: functional indefinites

22/52

• each > every > a [overachieving student]

Ordinary indefinites can take arbitrarily wide scope

- each > a > every [specialist student]
- a > each > every [departmental monoculture]

(44) Schwarz 2001 Amsterdam Colloquium

from a syntactic island."

"Indefinites can often be interpreted as if they had scoped

Fodor and Sag 1982, Farkas 1981, Abusch 1994, Kratzer/Reinhart 1998, Chierchia 2001, Schwarz 2001, Schlenker 2006, ...

Explaining the wide scope of indefinites

- Abusch 1994 NALS: the reason that indefinites behave differently than distributive predicates is because indefinites are not quantificational (building on Heim's 1982 diss)
- Different behavior, therefore different mechanism
- Yes, but it's choice functions (Kratzer/Reinhart/Winter 1998)
- Yes, but it's singleton indefinites (Schwartzschild 2002)
- Yes, but it's alternatives with pointwise function composition
 - Charlow 2018 Linguistics & Philosophy
 - Universals, indefinites all clause-bounded (!)
 - But clauses can take scope ("roll-up", "snowballing")
- In each case, the net result is equivalent to allowing indefinites to take scope via Quantifier Raising
- So Quantifier Raising is perfectly adequate for interpreting indefinites, if we have a way of managing scope islands

Functional indefinites

- Winter, Schwarz, Schlenker, Solomon, Bumford
- (45) If every student improves in a (certain) area, no one will fail. $\exists f.if(\forall x.improves(x)(f(x)(area)))(no-fail)$
 - not equivalent to any configuration of if, \forall , \exists
 - Skolemized choice function will work: $f :: e \rightarrow (e \rightarrow t) \rightarrow e$
 - Non-QR mechanisms for indefinties aren't any better suited at managing choice functions than Quantifier Raising is
 - Bumford 2015 Semantics & Pragmatics
 - functional reading only arise near universals, e.g., every
 - independently-motivated sequence-forming every:
 Every year I buy a faster car
 - indefinites have their ordinary simple existential meaning

Compositional focus Rooth's 1985 diss. builds focus meanings compositionally

- alternative sets, composed via pointwise composition
- Why not use QR? Rooth 85 gives two arguments:
 - Scope is clause-bounded (standard wisdom)
 - Multiple foci just work (*Ann only introduced BILL to SUE*)
- But scope is not clause-bounded!
- Multiple foci easy to handle via scope (Krifka 92, Rooth 96)
- Quantifier Raising works great for computing focus sets!
- (46) Ann only gave a book to BILL. [* $\exists > only$]

• BTW, indefinites do not have completely unrestricted scope

 The complement of only appears to be a scope island for indefinites

Details in fragment below

Functional Relative Clauses

- (47) The woman who hugged every man pinched him.
 - Sharvit 1999 L&P: "If Scoping (Quantifier Raising or "quantifying in") is clause-bounded, as is often argued, it cannot be the mechanism responsible for these readings."
 - Proposes a special-purpose relativization operator

[Op QNP]
$$\rightarrow \lambda K \lambda P \lambda T \lambda R \exists A[W([QNP], A) \& \forall x \in A[R(T(\lambda g[Dom(g) = A \& \forall y \in A[P(g(y)) \& K(g, y)]])(x), x)]]$$

Delivers truth conditions as if the universal had wide scope

Scope islands and weak Negative Polarity Items

- What else should we expect from a theory of scope islands?
- Weak NPIs must occur in a suitable licensing context
- In addition, must take scope inside the licening context

(48) If [a relative of mine dies], I'll inherit a house. [ambiguous]

- (49) If [any relative of mine dies], I'll inherit a house. [unambig]
 - But requiring scope inside a licensor is not enough it must be the *closest* potential licensor:
- (50) Ann doubts Bill didn't see anyone. [*doubt $> \exists > not$]

Claim: licensing contexts are scope islands for NPIs

What I've argued so far


- Clauses are not scope islands
- Scope islands are created on a per-predicate basis
- Scope islands trap some scope-takers but not others: e.g., universals escape from fewer islands than indefinites do
- So: whether a scope-taker is trapped in a context depends both on the specific predicate that created the contex, and on the identity of the scope-taker in question

Towards an algorithmic description

Formal accounts of scope islands

- Montague grammar: Rodman 1976
 - Not clear how to generalize to other island phenomena
- Type Logical Grammar: Moortgat and associates
 - Kurtonina, Hepple, Morrill, Bernardi, Kokke, others:
 - Per-predicate islands easy, per-scoper sensitivity harder
 - Kokke's per-scoper solution related to today's proposal
- Quantifier cartography
 - Beghelli and Stowell 1997 Ways of scope taking
 - Bernardi and Szabolcsi 2008 JoLLI
- Continuation Hierarchy: Kiselyov & Shan 2014 (see below)
- Today's proposal: modes of syntactic composition
 - Quantifier Raising as a general scoping mechanism
 - Fine-grained lexical control over islands and scopers

Bernardi and Szabolcsi: scope-takers in Hungarian



Light lines: derivability; dark lines: lexical operators Like Beghelli and Stowell, B&S assume QR is clause-bounded

Kiselyov & Shan's 2014 Continuation Hierarchy

```
Syntax
                                                     Semantic type
                                                                                                   Denotation [\cdot]
VP \rightarrow Vs \text{ that } S \qquad et^n \text{ or } ((et)^n \rightarrow \{\alpha\}) \rightarrow \{\beta\} \qquad [Vs] > ([S])_0
\mathsf{NP} \to \mathsf{that} \mathsf{S} \qquad e^n \text{ or } (e^n \to \{\alpha\}) \to \{\beta\}
                                                                                          That .([S])_2
NP \rightarrow NP_1 \text{ and } NP_2 \quad e^n \text{ or } (e^n \rightarrow \{\alpha\}) \rightarrow \{\beta\}
                                                                                                   alongWith . [NP_1] . [NP_2]
N \rightarrow max
                                                                                                   max
N \rightarrow lady
                                                                                                   lady
                                   (et) \rightarrow (e^{n+1} \rightarrow \{\beta_3(n+1)\gamma\}) \lambda z. \uparrow [some_2] z
\mathsf{Det} \to \mathsf{some}_3, \mathsf{a}_3
                                                                           \rightarrow \{\beta_3 n \gamma\}
                                  (et) \rightarrow (e^{n+1} \rightarrow \{\beta_4(n+1)\gamma\}) \lambda z. \uparrow [some_3] z
\mathsf{Det} \to \mathsf{some}_4, \mathsf{a}_4
                                                                            \rightarrow \{\beta_4 n \gamma\}
```

Fig. 13. Adjustments to the syntax and the multi-level direct-style continuation semantics for the additional fragment, to account for wide-scope indefinites. If the size of the sequence γ is j, the size of β_3 is 3(j+2) and of β_4 is 7(j+2).

- Excellent theoretical and computational properties
- Fine-grained control: per-predicate, per-scoper

Comparison with Kiselyov & Shan 2014 Similarities with the account here (spiritual siblings!):


- continuation-based, directly compositional, per-predicate/perscoper flexibility, islands and scopers correspond to integer strength levels
- Conceptual differences: for K&S, quantifier scope ambiguity is due to polysemy in the scope takers, instead of being purely syntactic, as here
- Practical limitations of the K&S system (as they present it): only clauses can be islands, scope takers must take scope only over clauses, the result type must be a clause, no parasitic scope, weaker scope takers must be uniformly weaker with respect to all islands
- Practical advantages of mode approach: the familiarity of Quantifier Raising, more expressive flexibility, super easy to verify a derivation by hand

34/52

- For each functional type, choose a specific flavor of syntactic combination
- Example: the complement of thought is an island for everyone, but not for someone
- thought creates a VP that is a strength-2 island: $\langle t, \langle e, t \rangle \rangle^2$
- Scope of *someone* is a strength-4 island escaper: $\langle \langle e, t \rangle^4, t \rangle$ • Scope of *everyone* is a strength-1 island escaper: $\langle \langle e, t \rangle^1, t \rangle$
- If the path between a quantifier and its trace crosses a structure with an equal or higher index, that's an island violation.
- Bigger == stronger: stronger island, stronger island-escaper

Kokke 2016. NLQ: a modular type-logical grammar for quantifier movement, scope islands, and more. Utrecht MS thesis

Follow the chain from each lambda to its trace:



think specifies composition mode 2 someone gives its trace an island-escaping strength of 4 everyone gives its trace an island-escaping strength of just 1

$\frac{\Gamma \vdash A \quad \Sigma[B] \vdash C}{\Sigma[B/A \cdot \Gamma] \vdash C} / L \quad \frac{\Gamma \cdot A \vdash B}{\Gamma \vdash B/A} / R \quad \Sigma[\Delta] \equiv_{QR} \Delta \cdot \lambda \alpha \Sigma[\alpha]$ DP DP\S Ann (DP\S)/DP DP


 $\frac{\Gamma \vdash A \quad \Sigma[B] \vdash C}{\Sigma[\Gamma \cdot A \setminus B] \vdash C} \setminus L \qquad \frac{A \cdot \Gamma \vdash B}{\Gamma \vdash A \setminus B} \setminus R$

 $\frac{\mathsf{DP} \vdash \mathsf{DP} \quad \frac{\mathsf{S} \vdash \mathsf{S}}{\mathsf{DP} \bullet \mathsf{DP} \backslash \mathsf{S} \vdash \mathsf{S}} \backslash L}{\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S}) / \mathsf{DP} \bullet \mathsf{DP}) \vdash \mathsf{S}} / L$

 NL_{QR} : Non-associative Lambek with Quantifier Raising 36/52

Lambek's 1958, 1961 non-associative, sequent presentation Barker 2007, Barker and Shan 2014, Barker 2018: decidable

37/52



The logic guarantees that the QR derivation type-checks

someone

ann

thought

Some technical details: successful derviation

(52) Ann thought someone left.

38/52

left

Ann • (thought • (someone • left)) ⊢ s

 $\frac{S/(\mathsf{DP}\backslash_{4}\mathsf{S}) \bullet \lambda x(\mathsf{DP} \bullet ((\mathsf{DP}\backslash\mathsf{S})/_{2}\mathsf{S} \bullet_{2} (x \bullet \mathsf{DP}\backslash\mathsf{S}))) \vdash \mathsf{S}}{\mathsf{DP} \bullet ((\mathsf{DP}\backslash\mathsf{S})/_{2}\mathsf{S} \bullet_{2} (S/(\mathsf{DP}\backslash_{4}\mathsf{S}) \bullet \mathsf{DP}\backslash\mathsf{S})) \vdash \mathsf{S}}$

 $\frac{ \frac{\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (\mathsf{DP} \bullet \mathsf{DP} \backslash \mathsf{S})) \vdash \mathsf{S}}{\mathsf{DP} \bullet_4 \lambda x (\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (x \bullet \mathsf{DP} \backslash \mathsf{S}))) \vdash \mathsf{S}} \mathsf{QR}}{\lambda x (\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (x \bullet \mathsf{DP} \backslash \mathsf{S}))) \vdash \mathsf{DP} \backslash_4 \mathsf{S}} \setminus \mathsf{R}$

Crucial inference: top QR: $trace_4$ crosses \bullet , \bullet_2 , \bullet . 4 > 2, ok.

everyone

ann

thought

Some technical details: failed derviation

(53) Ann thought everyone left.

39/52

left

 $\frac{\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (\mathsf{S}/(\mathsf{DP} \backslash_1 \mathsf{S}) \bullet \mathsf{DP} \backslash \mathsf{S})) \vdash \mathsf{S}}{\mathsf{Ann} \bullet (\mathsf{thought} \bullet (\mathsf{someone} \bullet \mathsf{left})) \vdash \mathsf{S}}$

 $\underline{\mathsf{S}/(\mathsf{DP}\backslash_1\mathsf{S})}\bullet\lambda\underline{x}(\overline{\mathsf{DP}\bullet((\mathsf{DP}\backslash\mathsf{S})/_2\mathsf{S}\bullet_2(x\bullet\mathsf{DP}\backslash\mathsf{S})))}\vdash \mathsf{S}$

 $\frac{ \frac{\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (\mathsf{DP} \bullet \mathsf{DP} \backslash \mathsf{S})) \vdash \mathsf{S}}{\mathsf{DP} \bullet_1 \lambda x (\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (x \bullet \mathsf{DP} \backslash \mathsf{S}))) \vdash \mathsf{S}} \mathsf{QR}}{\lambda x (\mathsf{DP} \bullet ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 (x \bullet \mathsf{DP} \backslash \mathsf{S}))) \vdash \mathsf{DP} \backslash_1 \mathsf{S}} \setminus \mathsf{R}$

Crucial inference: top QR: trace₁ crosses \bullet , \bullet ₂, \bullet . 1 $\not>$ 2, not ok.

 $\frac{p}{p \bullet_{i}} I \qquad \frac{(p \bullet_{j} q) \bullet_{i} r}{p \bullet_{i} (q \bullet_{i} (r \bullet_{0} B))} B \qquad \frac{p \bullet_{i} (q \bullet_{j} r)}{q \bullet_{i} (p \bullet_{i} (r \bullet_{0} C))} C$

• p, q, r schematize over arbitrary structures; i, j over ints

 NL_{QR} , combinator implementation, with scope islands $^{40/52}$

Each mode corresponds to a different flavor of island

• Multiple modes, indexed by integers: $\setminus_1 \bullet_1 /_1$, $\setminus_2 \bullet_2 /_2$...

• I, B, C: zero-ary structural logical connectives (combinators)

- If i > i, then mode i is an island wrt mode i
- Given a set of indexes, the grammar will contain every instantiation of these inferences that satisfies the condition

"Modes of syntactic combination", not the usual linguistic modals

41/52

Strength 4 trace DP successfully climbs out of a strength 2 island:

 $\frac{\frac{\mathsf{DP} \bullet ((\mathsf{DP} \backslash S)/_2 S \bullet_2 (\mathsf{DP} \bullet \mathsf{DP} \backslash S)) \vdash S}{\mathsf{DP} \bullet ((\mathsf{DP} \backslash S)/_2 S \bullet_2 ((\mathsf{DP} \bullet_4 \mathsf{I}) \bullet \mathsf{DP} \backslash S)) \vdash S} \, \mathsf{I}}{\mathsf{DP} \bullet ((\mathsf{DP} \backslash S)/_2 S \bullet_2 (\mathsf{DP} \bullet_4 (\mathsf{I} \bullet (\mathsf{DP} \backslash S \bullet B)))) \vdash S} \, \mathsf{B}}$

 $\frac{\frac{\mathsf{DP} \bullet (\mathsf{DP} \bullet_4 ((\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 ((\mathsf{I} \bullet (\mathsf{DP} \backslash \mathsf{S} \bullet \mathsf{B})) \bullet \mathsf{C}))) \vdash \mathsf{S}}{\mathsf{DP} \bullet_4 (\mathsf{DP} \backslash \mathsf{S})/_2 \mathsf{S} \bullet_2 ((\mathsf{I} \bullet (\mathsf{DP} \backslash \mathsf{S} \bullet \mathsf{B})) \bullet \mathsf{C})) \bullet \mathsf{C}) \vdash \mathsf{S}}{\mathsf{C}} \mathsf{C}$ (55) Ann thought everyone left. [* \forall > thought]

Strength 1 trace DP fails to climb out of a strength 2 island:

The crucial inferences using combinators

 $\frac{\frac{\mathsf{DP} \bullet ((\mathsf{DP} \backslash S)/_2 S \bullet_2 (\mathsf{DP} \bullet \mathsf{DP} \backslash S)) \vdash S}{\mathsf{DP} \bullet ((\mathsf{DP} \backslash S)/_2 S \bullet_2 ((\mathsf{DP} \bullet_1 \mathsf{I}) \bullet \mathsf{DP} \backslash S)) \vdash S} \, \mathsf{I}}{\mathsf{DP} \bullet ((\mathsf{DP} \backslash S)/_2 S \bullet_2 (\mathsf{DP} \bullet_1 (\mathsf{I} \bullet (\mathsf{DP} \backslash S \bullet \mathsf{B})))) \vdash S} \, \mathsf{B}}$

Final sequent: $1 \gg 2$, so there is no instance of the C inference that would allow the trace to escape the complement of thought

dog: DP

Island Stre ngth

Enlarging the fragment a bit

only

6 5 $(DP\S)/_5F$

 $(S/S)/_3S$

anyone $S/(DP\setminus_3S)$ thought $(DP\S)/_2S$ everyone $S/(DP\setminus_1S)$

left: DP\S

2

3

4

Some other lexical items:

ann, bill, carl: DP

damn FOCUS $(F/(DP \setminus 5(DP \setminus S)))/DP$ someone $S/(DP\setminus_4S)$

Scoper

 $T/((N/N)\backslash_6 S)$

the: DP/N

```
but not for ordinary indefinites:

if anyone left, ann left:
   ((if (anyone left)) (left ann))
```

```
((if (anyone left)) (left ann))
if someone left, ann left:
```

((if (someone left)) (left ann))
(someone (\x ((if (left x)) (left ann))))

Runable code available at github.com/cb125/scope-islands

Weak NPIs such as *anyone* can escape a *thought* complement, but not the antedent of a conditional.

if ann thought anyone left, bill left:

An ordinary indefinite can escape both: if ann thought someone left, bill left:

**NPI licensing not implemented here; see Barker 2018 *L&P*

(left bill))))

```
The complement of only traps even indefinites:

Ann only thought someone saw FOC Carl:

((only ((foc carl)

(\x (\y ((thought (someone (\z ((saw x) z))))))
```

45/52

But nothing traps an expressive like *damn*:

ann)

y)))))

Towards a theory of multidimensional meaning

What dimensions of meaning can and should be included?

- Nominal quantifiers
- NPIs
- focus
- expressives
- interrogatives and in-situ wh
- appositives
- same and different
- comparatives (Nouwen and Dotlačil 2017 S&P)
- adverbial quantifiers, modals
- negation
- DE quantifiers (Few people know 3 languages: *3 > few)
- negative concord (Kuhn 2019 SALT)
- linear bias
- crossover and weak crossover
- inverse linking and DPs in general
- ...?

Are island strengths really fully ordered?

- Indefinites can escape the antecedent of a conditional, but universals cannot.
- Can there ever be a context in which a universal can escape, but not an indefinite?

(57) I know who someone likes. [choice reading: *?∃ > Q]
It's easy to model this using the combinator grammar: just

(56) I know who everyone likes. [pair list reading ok: $\forall > 0$]

- It's easy to model this using the combinator grammar: just add structural rules allowing a universal to escape from the flavor of island that characterizes an interrogative context.
- But it raises the possibility that the full picture will require arbitrary relations among composition modes

Doubts about downward entailing quantifiers

Can *no one* ever take scope outside of a tensed clause?

(58) Someone left after no one arrived.*'No one's arrival preceded a departure'

(59) Someone made sure that no one left.

- *'No one was forced to leave'
- Wise not to jump to conclusions too quickly...
- But probably not.
- Easy to implement in the proposed system
- But a generalization may be missed.
- Truth conditional whiplash: unlike wide scope indefinites, it's surprisingly difficult to compute the truth conditions of the inverse scope reading

• I have concentrated today on When and How: - When is a scoper trapped? (Not inside a clause!)

Towards a more explanatory theory

- What about Why?
- Indefinites take wide scope because of their meaning - How: indefinite alternatives ignore QR
- Licensing contexts are scope islands for NPIs because that's the point of getting licensed??
- Universals (unlike indefinites) can scope over questions
- because (only) conjoining speech acts makes sense
- In other cases, the answer is much less clear:
- Why is realize but not make sure an island for everyone? – Why do DE operators resist undergoing inverse scope?

We're in the business of answering the Why question. But first we have to get the empirical picture right, and then we have to have a way of describing the patterns we find explicitly and precisely.

Conclusions

- Despite long-established standard wisdom, neither clauses, tensed clauses, nor relative clauses are scope islands.
 Therefore decisions metivated by the belief that scope is
- Therefore decisions motivated by the belief that scope is clause-bounded need to be rethought
- Whenever Quantifier Raising can deliver appropriate denotations, QR should be the presumptive scoping mechanism
- of scope constraints looks like (current gold standard: Szabolcsi 2010).
 Scope islands are per-predicate and per-scope taker

We have only a hazy idea what the empirical landscape

- Composition modes provide a simple and practical fine-graine
- tool for describing scope islands.
- In addition, composition modes can help manage multiple dimensions of meaning

THANKS!!

Special thanks to Dylan Bumford, Simon Charlow, Rueben Cohn-Gordon, Svetlana Godjevac, Wen Kokke, Elisa Kreiss, Jeremy Kuhn, Michèle Lowrie, Anna Szabolcsi, and audiences in Dubrovni and Stanford.