Estimated runtimes of different solution methods

Solution technique	TT-solve, baseline, O(log(n))	1.20e+31	7.21e+26	2.65e+21	8.88e+13	2.17e+19	6.22e+19	5.05e+23	Runtime estimate (FLOPs) e+30
	TT-solve, baseline, O(1)	1.02e+26	3.14e+22	9.77e+16	4.92e+10	7.54e+14	9.48e+14	2.40e+19	
	Gaussian elimination	2.17e+12	5.36e+09	<u>9.34e+09</u>	<u>1.10e+10</u>	<u>1.13e+10</u>	2.16e+11	4.03e+09	
	Conjugate Gradient	<u>1.02e+09</u>	8.78e+09	5.23e+10	4.24e+10	2.61e+12	2.90e+11	6.84e+09	e+20
	TT-solve, improved, O(log(n))	6.46e+15	4.43e+13	1.91e+13	3.95e+13	2.62e+13	1.55e+14	2.57e+13	
	TT-solve, improved, O(1)	3.27e+12	1.12e+11	4.30e+10	3.47e+10	5.33e+10	2.22e+11	2.33e+10	e+10
		Pres_Poisson	bcsstk13	ex10	ex10hs	ex13	ex15	ex3	
Matrix name									