

Contents

1 Week 2 Module 2: Vector Spaces	1
1.0.1 Operationl Definitions	1
1.0.2 Some Examples	2
1.1 Hilbert Space	3
1.2 Signal Spaces	3
1.3 TODO Vecotor Bases	3
1.4 TODO Subspace Approximations	3

1 Week 2 Module 2: Vector Spaces



Vector Space

Vector spaces build among others a common framework to work with the four classes of signals:

- Finite Length Signal
- Infinte Length Signal
- Periodic Signal
- Finite Support Signal

Finite length and periodic signal, i.e. the "practical signal processing" live in the \mathbb{C}^N Space. To represent infinite length signals we need something more. We require sequeces to be square-summabe $\sum_{n=-\infty}^{\infty} |x[n]|^2$

$\mathbb{R}^2, \mathbb{R}^3$	Euclidean space, geomtery
$\mathbb{R}^n, \mathbb{C}^n$	Linear algebra
$\ell_2(\mathbb{Z})$	Square-Summable infinite sequences
$L_2([a, b])$	Square-integrable functions over an interval

1.0.1 Operationl Definitions



Inner Product

↗ Measure of similarity between vectors

Inner Product

$$\langle \mathbf{x}, \mathbf{y} \rangle := \sum_{n=0}^{N-1} x_n y_n$$

A vector space with an inner product is called an **inner product space**

Inner Product in \mathbb{R}^2

$$\langle \mathbf{x}, \mathbf{y} \rangle = x_0 y_0 + x_1 y_1 = \|\mathbf{x}\| \|\mathbf{y}\| \cos(\alpha)$$

Inner Product in $\mathbb{L}_{[-1,1]}$

$$\langle \mathbf{x}, \mathbf{y} \rangle = \int_{-1}^1 x(t) y(t) dt$$

Norm of a Vector

$$\|\mathbf{v}\| := \sqrt{\langle \mathbf{v}, \mathbf{v} \rangle} = \|\mathbf{v}\|$$

self inner product

Orthogonal

$$\langle \mathbf{p}, \mathbf{q} \rangle = 0$$

maximal different vectors

inner product = 0

Distance


$$d(\mathbf{x}, \mathbf{y}) = \|\mathbf{x} - \mathbf{y}\|$$

1.0.2 Some Examples

Not all vector spaces have got a graphical representation. The following table shows the graphical representation of vector spaces

graphical representation	no graphical representation
\mathbb{R}^2	\mathbb{C}^N for $N > 1$
\mathbb{R}^3	\mathbb{R}^N for $N > 3$
$\mathbb{L}_{[-1,1]}$	


Scalar Multiplication in $\mathbb{L}_2[-1, 1]$



Summation of two Vectors in $\mathbb{L}_2[-1, 1]$

Inner Product in $\mathbb{L}_2[-1, 1]$ - The Norm:
with $x = \sin(\pi t)$

$$\begin{aligned}\langle \mathbf{x}, \mathbf{x} \rangle &= \|\mathbf{x}\|^2 \\ &= \int_{-1}^1 \sin^2(\pi t) dt = 1\end{aligned}$$



1.1 Hilbert Space

A hilbert space is an **inner product space** which fulfills completeness.

1.2 Signal Spaces

Finite length signal live in \mathbb{C}^N

- all operations well defined and intuitive
- space of N-periodic signals sometimes indicated by $\tilde{\mathbb{C}}^N$

1.3 TODO Vecotor Bases

1.4 TODO Subspace Approximations