Exam I Practice Problems


 Conve 	rt 84.124°	into Degrees	Minutes	Seconds.
---------------------------	------------	--------------	---------	----------


2. Calculate the $38^{\circ}27' + 13^{\circ}52'$.

3. Find the complimentary angle to $27^{\circ}34'$

4. Solve for the unknown variable for each pair of similar triangles.


a.







5. Solve for the unknown variables in the following figures.

a.






c.




6. Sketch the angle θ CCW from the positive x-axis (this is called the standard position for θ in the book) given from the point. Then fill in the values for the six trigonometric functions.

Trig functions $\sin \theta$ $\cos \theta$ $\tan \theta$ $\csc \theta$ $\sec \theta$ $\cot \theta$



7. Sketch the line described below and fill in the values for the six trigonometric functions.

 $\begin{array}{c|c} \text{Trig functions} \\ \sin \theta & \\ \cos \theta & \\ \tan \theta & \\ \csc \theta & \\ \sec \theta & \\ \cot \theta & \\ \end{array}$



8. Fill in the table of all the trigonometric functions given a trigonometric value and a quadrant.

$$\cos \theta = \frac{-1}{5}$$
 with θ in quadrant II

$\sin \theta$	$\cos \theta$	an heta	$\csc \theta$	$\sec heta$	$\cot \theta$
	$\frac{-1}{5}$				

$$\tan \theta = \frac{2}{3}$$
 with θ in quadrant III

$\sin heta$	$\cos \theta$	an heta	$\csc \theta$	$\sec \theta$	$\cot heta$
		$\frac{2}{3}$			