

1 Lab 1: ER Diagram

1.1 What is an ER Diagram

An Entity Relationship Diagram (ER-Diagram) is a visual representation of different entities within a system and how they relate to each other.

1.2 ER Diagram Conventions




Component	Description
	An entity is denoted by a rectangle. An entity is an object that exists and is distinguishable from other objects. An entity may be concrete (a person or a book, for example) or abstract (like a holiday or a disease or a concept).
	An attribute is denoted by a oval. Each entity is represented by a set of attributes. (e.g. name, SSN, Phone Number for 'customer' entity.)
	A relationship between two or more entities is denoted by a diamond.

Table 1: ER Diagram

An entity should have a unique attribute which uniquely identifies each entry in the entity set. These are called strong entities. For example, if we have a entity student with attributes SID, name, and phone. Then this is a strong entity because SID can uniquely identify each item in the entity. An attribute that uniquely identifies an item in the entity is called a primary key, and is denoted using an underline.

There are some entities exists some entity type for which key attribute cant be defined. These are called Weak Entity type. As the weak entities do not have any primary key, they cannot be identified on their own, so they depend on some other entity (known as owner entity). Weak entity types have partial keys. Partial Keys are set of attributes with the help of which the tuples of the weak entities can be distinguished and identified. Weak entities are represented with double rectangular box in the ER Diagram and the identifying relationships are represented with double diamond. Partial Key attributes are represented with dotted lines.




Figure 1: Strong Entity




Figure 2: Weak Entity

Next, we shall define cardinality constraints between entities.









Component	Description
	In a one-one relationship , each entity of either entity set is related to at most one entity of the other set.
	In a many-many relationship , an entity of either set can be connected to many entities of the other set.
	A many-to-one relationship means that each entity of the second set is connected to zero, one or many entities of the first set.
	A one-to-many relationship means that each entity of the first set is connected to zero, one or many entities of the second set.
	Relationships can also be denoted as optional or mandatory. This denotes that we have a mandatory one-to-one relationship.
	Relationships can also be denoted as optional or mandatory. This denotes that we have a optional one-to-one relationship.
	Relationships can also be denoted as optional or mandatory. This denotes that we have a optional many-to-many relationship.
	Relationships can also be denoted as optional or mandatory. This denotes that we have a mandatory many-to-many relationship.

Table 2: ER Diagram Relationships

1.3 Lab Goals

The goal of this lab is to practice the ER-modeling techniques. You need to draw the ER diagrams for each exercise. You can use <https://erdplus.com/> to generate the ER Diagrams. This tool allows you to export the diagram in PDF or image format. Alternatively, you can use 'Dia Diagram Editor' (choose the 'ER' catalog) which is available on lab machines in Applications-Graphics menu, or another diagram editing online tool, like <https://www.draw.io>

For each given problem:

- Work individually to draw out the ER-Diagram on paper

- When you have a draft, discuss with your lab partner. Does your design agree? Do you have suggestions for each other? Its okay to share thoughts and have a discussion.
- Once you are confident with your design, go ahead and draw your diagram using a graphics tool
- Finally, upload your solution to iLearn as a PDF file or any image format.

1.4 Part 1 - University

Design and draw an ER diagram that captures the information about the university. Use only the basic ER model here, that is include only entities, relationships and attributes. Dont forget to indicate any key and participation constraints. Consider the following information about a university database:

- Professors have an SSN, a name, an age, a rank and a research specialty.
- Projects have a project number, a sponsor name (e.g., NSF), a starting date, an ending date and a budget.
- Graduate students have an SSN, a name, an age and a degree program (e.g., M.S. or Ph.D.).
- Each project is managed by one professor (known as the projects principal investigator).
- Each project is worked on by one or more professors (known as the projects co-investigators).
- Professors can manage and/or work on multiple projects.
- Each project is worked on by one or more graduate students (known as the projects research assistants).
- When graduate students work on a project, a professor must supervise their work on the project. Graduate students can work on multiple projects, in which case they will have a (potentially different) supervisor for each one.
- Departments have a department number, a department name and a main office.
- Departments have a professor (known as the chairman) who runs the department.
- Professors work in one or more departments and for each department that they work in, a time percentage is associated with their job.
- Graduate students have one major department in which they are working on their degree.
- Each graduate student has another, more senior graduate student (known as a student advisor) who advises him or her on what courses to take.

1.5 Part 2 - Notown

Design and draw an ER diagram for your schema. Be sure to indicate all key and cardinality constraints and any assumptions that you make. Identify any constraints that you are unable to capture in the ER diagram and briefly explain why you could not express them. The following information describes the situation that the Notown database must model. Notown Records has decided to store information about musicians who perform on its albums (as well as other company data) in a database.

- Each musician that records at Notown has an SSN, a name, an address and a phone number. Poorly paid musicians often share the same address, and no address has more than one phone.
- Each instrument that is used in songs recorded at Notown has a name (e.g., guitar, synthesizer, flute) and a musical key (e.g., C, E).
- Each album that is recorded on the Notown label has a title, a copyright date, a format (e.g., CD or MC), and an album identifier.
- Each song recorded at Notown has a title and an author.
- Each musician may play several instruments, and a given instrument may be played by several musicians.

- Each album has a number of songs on it, but no song may appear on more than one album.
- Each song is performed by one or more musicians, and a musician may perform a number of songs.
- Each album has exactly one musician who acts as its producer. A musician may produce several albums, of course.

1.6 Turn-in

For each problem, export figure as a PDF or JPEG file and upload to iLearn under Lab 1 assignment.