



Building real-time compositing tools?







Layers or Passes?




@dpredie

Layers:






Layers or Passes?




Passes:




- Each Layer can have multiple passes
- Each Pass can access result of any child Layers (but not passes inside it)

Layers or Passes?




Passes:



- 1. Each Layer can have multiple passes
- Each Pass can access result of any child Layers (but not passes inside it)
- 3. Each Pass can access result of 1 pass preceding it

Why Build Multi Layers?



Tex Object:

Full Texture information (can loop/access neighboring pixel)


Texture Sample: single pixel's color (cannot access neigboring pixel for manipulation)

You can generate Sample from Tex Obj, but you cannot make Tex Obj from a sample in single Blueprint.

Why Build Multi Layers?


Tex Object

With Tex Object Parameter you can access neighboring pixel for manipulation (for Blur, Erode, etc).



result of these mathematical nodes are Texture Sample, so you cannot perform multiple Tex Object manipulation in 1 Material BP

Why Build Multi Layers?



Tex Object

For compositing workflow you need to do multiple manipulation passes (preblur → Erode → blur, etc), which is not possible within single BP


as each Layer/Pass will output another Tex
Object available for the next Layer/Pass to

manipulate



Why Build Multi Layers?

Tex Object




... and so on

@dpredie

Why Build Multi Layers?








Concerns on Performance

This workflow is best for **prototyping** the keyer/compositor

you have instant feedback on the layers and can go back to enable/disable each layer/passes

Once finalized, you can build the compositor in fewer materials to optimize performance (fewer renders to Tex Obj)




@dpredie


Compositing CX - Workflow

https://github.com/dpredie/ComposureX


Copy Paste Content/ComposureX folder to Windows Explorer UE Project Content/



Compositing CX - Utilities Composure



Each CX Utilities can be used in Composure Layers/Passes as Materials similar to offline compositor nodes



CX_AdditiveKeyer Level CX_CleanPlateEqualizer Level CX_CleanPlateKeyer Level CX_Lightwrap Level CX_PlateEqualizer Level CX_PlateEqualizer Level Level Level Level Level Level Level CX_TransparencyKeyer Level

Compositing CX - Samples

Included Samples:

- 1. Additive Keyer
- 2. Screen Equalizers
 - a. Clean Plate Equalizer (if Clean Plate image is provided)
 - b. Plate Equalizer (Clean Plate estimated)
- Clean Plate Keyer
- 4. Transparency Keyer (based on 2.b)
- 5. Lightwrap



@dpredie

Compositing CX - Additive Keyer

Keying without Alpha Channel, also known as Straight Dry Key/Despill Based Keyer











Compositing CX - Clean Plate Equalizer

1. Provide Clean Plate Image & Equalize uneven background (Luma Based)



@dpredie




Compositing CX - Plate Equalizer

2. Estimate Clean Plate Image & Equalize uneven background (Luma Based)









@dpredic

Compositing CX - Clean Plate Keyer

Luma difference between provided Clean Plate & Media

```
Search Compositing Elements

PreMult

Matte

Matte


Luma_Media

Luma_Clean

Media


CleanPlateMedia
```

@dpredie



Compositing CX - Transparency Keyer

Difference Based Keyer using 2.b. Equalized Plate






Compositing CX - Lightwrap

Modular implementation using CX - using epic's M_SinglePasscolorDiffKeyer, but any previous keyer that generate alpha can be used



What's Possible

UE can become a real-time software keyer - not necessarily using UE Environments. Any Camera/Video/Image feed can be fed to Composure layers



Credits

- MihranStepanyan for Plate Equalizer algorithm
 - https://www.youtube.com/c/MihranStepanyan/videos
- Clement Gharini for Straight Dry Key algorithm
 - https://www.youtube.com/watch?v=FRNFfPN8Wjl