

# Critical Review: Improving the Efficacy of Games for Change Using Personalization Models

## Introduction

Persuasion is the act of influencing or reinforcing certain attitudes and behaviours [Khaled et al., 2008] and use of technology for this purpose to benefit users or the wider community is a long-term area of research [Fogg, 2002]. This review summarises and critical analyses Orji et al. [2017] whose paper explores the use of personalisation models as a persuasive device for improving the efficacy of games designed to change user behaviour, to determine future work in this domain of Persuasive Technology.

## Summary of Contributions

Orji et al. [2017] discuss the rising prominence of *games for change*<sup>1</sup> designed for purposes other than entertainment, to educate players about topics in a way that influences their behaviour [Busch et al., 2015]. Many such games are designed with a problematic “*one size fits all*” philosophy - the game design (i.e. its adopted persuasive *strategies*) are not tailored to the *type* of player. Orji et al. [2017] therefore seek to answer two main research questions to understand if the efficacy of certain strategies in existing games [Peng, 2009, Kaipainen et al., 2012] can be maximised by catering to the *type* of player. Firstly, whether tailoring games for change to a specific player type increases their persuasiveness. Secondly, if beneficial effects of tailoring are indeed observed, whether these are mediated by an improved playing experience. By answering these, results may inform decisions of games designers as to which persuasive strategies they adopt to maximise efficacy in certain player types.

Treating user groups in a monolithic way is generally considered dangerous, especially in the domain of games for health [Berkovsky et al., 2010]. To justify the need for investigating tailoring, the authors review persuasive strategies adopted in a range of existing domains of games for change: healthy eating [Kaipainen et al., 2012, Orji et al., 2013b], physical activity [Fujiki et al., 2008] and disease management [Brownson and Kumanyika, 2007]. By their own admission, this list is not exhaustive which gives great scope for future research in other domains. There is clearly little work on isolating the persuasive strategies employed in these games to study their effects on specific types of gamer which makes a strong case for their research.

To evaluate their research questions, Orji et al. implemented two versions of a custom model-driven online game called *Junk Food Aliens* (Figure 1) which targets the domain of healthy eating - players

---

<sup>1</sup>An annual festival exists for workshops and design classes on games for change: [www.gamesforchange.org](http://www.gamesforchange.org)

control an avatar and search for fruits and vegetables to save the planet from an invasion of junk foods. The reward-based version (JFA-R) adopted persuasive strategies such as achievement badges (Figure 3) whereas the competition-based version (JFA-C) adopted comparative strategies such as leaderboards displaying fictional scores of opponents (Figure 2).




Figure 1: “Junk Food Aliens” (JFA): A persuasive game designed to change gamer behaviour towards healthy eating.

Level 4 Game Performance Leaderboard		
Rank	Player Name	Score
1st	Jean	950
2nd	Charles	886
3rd	Jane	785
4th	Rita	557
5th	Heather	531

Figure 2: JFA-C: Competition-based version of JFA.




Figure 3: JFA-R: Reward-based version of JFA.

Main contributions of Orji et al. [2017] are fourfold. First, it is important to tailor games for change in order to observe any efficacy (the main experiment demonstrates this by measure of change in values of precursors of behavioural change - *attitude*, *self-efficacy*, and *intention*). Second, tailoring can be achieved by modifying the persuasive strategies adopted, rather than the mechanics of the game which minimises the costs involved in tailoring. Thirdly, the positive effect of tailoring was not mediated by an improved player experience (if not considered, this would be a potentially

influential confounding factor). Finally, the adoption of a single persuasive strategy is sufficient to observe these effects - combining additional strategies is unpredictable and may be somewhat counter-productive.

## Justifications for Conclusions

The authors' initial work suggested that an effective persuasive strategy for one type of gamer could be detrimental to another by means of a lower, or negative response to motivation levels [Orji et al., 2013a] (Table 1). This taxonomy forms a solid model to base the development of the JFA on, mapping independent gamer types defined by the BrainHex model [Nacke et al., 2014] against 8 common and pairwise distinct persuasive strategies selected by Gerling et al. [2014]. Results are based on a large-scale online survey of 1108 gamers who indicated how likely each of 10 selected strategies would influence eating decisions, using a validated scale [Drozd et al., 2012] before completing the BrainHex questionnaire to indicate their gamer type. The data collected from this initial experiment therefore forms as valid justification for the later comparison between Achievers (motivated by Reward) and Conquerors (motivated by Competition) as they are almost polar opposites in their responses to these strategies.

*Table 1:  $\beta$  values confusion matrix: Strength of motivation of different players that result from different strategies. Positive  $\beta$  values indicate that gamers of this type are motivated by the corresponding given strategy. Negative  $\beta$  values indicate demotivation, whilst an empty value indicates neither motivation nor demotivation [Orji et al., 2013a].*

Strategies Gamer type	CMPT/ CMPR	COOP	CUST	PERS	PRAS	SEMT/ SUGG	SIML	REWD
Achiever	-	.15	-	-	-	.10	-	.10
Conqueror	.25	-	-	.12	-	.12	.14	-
Daredevil	-.10	-	-	-	-	-.14	.11	-
Mastermind	.12	-	.10	.12	-	.14	.12	-
Seeker	.10	-	.19	.11	.10	-	-	-
Socializer	.11	.17	-.12	-	-.12	-.13	-	-
Survivor	.17	-.20	-.13	-	-	.27	-	-.14
CMPT/CMPR = competition and comparison, COOP = cooperation, CUST = customization, PERS = personalization, PRAS = praise, SEMT/SUGG = self-monitoring and suggestion, SIML = simulation, REWD = reward.								

To empirically evaluate this model, for the rest of the paper the authors focus on games for healthy eating and restrict considerations on the effects two persuasive strategies (Competition and Reward) on two types of gamers (Achiever and Conqueror). Whilst somewhat limiting in scope, this approach allowed direct comparison between types of gamers shown empirically to be significantly-distinct in their response to these strategies [Orji et al., 2013a]. Furthermore, these strategies are common to existing games [Bell et al., 2006] and these player types are equally as dominant [Bartle, 1996].

Participants of the main experiment were recruited online via Amazon’s Mechanical Turk (AMT) using guides of Mason and Suri [2012]. The authors recognise this trade-off between access to a large selection pool in return for greater difficulty ensuring participant motivation or attentiveness, leading to a potential loss of generalisability in results. After two pilot studies ( $N = 40, N = 4$ ) verified experimental and instrumental validity, a large-scale randomized controlled online study of 272 valid participants (117 female, 155 male - 50% Achievers and 50% Conquerors, all game-players) investigated the effects of tailoring and contra-tailoring on these two types of gamer in a between-subjects design. In this sense, half of Achievers played JFA-R (tailored) and the remaining half played JFA-C (contra-tailored), and vice versa for the Conquerors (tailored played JFA-C and contra-tailored played JFA-R). Participant selection was weakened by its focus on self-selected experienced gamers who are not the prime target audience for games for change [Brox et al., 2011].

Before playing, participants completed a BrainHex survey [Nacke et al., 2014], demographic survey and responded to 3 scales to measure their baseline attitude, intention and self-efficacy towards healthy eating based on Ajzen [2002]. Once gameplay began, interruptions were displayed after each minute to show rewards or the leaderboard in JFA-R and JFA-C respectively. After participants finished playing their assigned version of JFA for 20 minutes, they responded to the same 3 scales to measure their post-task attitude, intention and self-efficacy towards healthy eating. Finally, they also assessed their experience (enjoyment, effort, competence and tension) [Ryan et al., 2006]. Results showed tailoring the game to a specific gamer type increased effectiveness (measured by positive changes in attitudes, intentions and self-efficacy towards healthy eating) while contra-tailoring did not (Figure 4).




Figure 4: Mean values  $\pm$  SE for Attitude, Intention, and Self-Efficacy by Gamer type (Achiever, Conqueror) and Game version (Competition, Reward).

Parallel mediated regressions [Hayes, 2013] showed the positive effects of tailoring were not mediated by improved player experience which provides strong support in favour of tailoring games to player type (Figure 5).




Figure 5: Parallel mediation model of tailoring on attitude change with play experience as mediator.

There is a respectable amount of evidence to support the authors' claims. The number and representativeness of the participant sample has been carefully considered, with the limitations of using AMT discussed.

## Limitations and Suggested Further Work

Whilst the findings of the main experiment are convincing, well designed and validated with a good report on parametric data gathered, there are a series of limitations and unanswered questions that must be considered.

Orji et al. appreciate that scoping their main experiment to focus only on Achievers and Conquerors under Reward and Competition strategies respectively should encourage future research on different combinations of strategies and different gamer types. Their current research limits itself to the measure of change in attitude, intention, and self-efficacy toward healthy eating which immediately prompts questions about its effects on *tangible* changes in behaviour, rather than effects on *mediators* or *precursors* of behaviour change. Also, although purely illustrative, the domain choice of healthy eating should not limit investigations - by applying their model to other domains such as disease management and physical activity, it will be possible to decipher whether the effects of the persuasive strategy employed are domain-dependent.

Ideally, participant recruitment should be intrinsically motivated rather than via AMT where not all participants may be psychologically engaged in tasks affecting generalisability of results. It would also be novel to explore the adoption of a single persuasive strategy compared with use of multiple in a given game, to observe whether compounding effects are positive or negative on efficacy of behaviour change. Now that we are aware that player experience does not mediate the observed benefits, it would be wise to also consider whether *game performance* as a potential mediating factor

- players who perform better in the game under a given strategy may experience more positive feeling towards the tailored game which could influence the observed results. The current approach is also somewhat static in nature once participants are assigned to a given gamer type. Answers to the BrainHex questionnaire are what determines a player's type. Instead, it might be interesting to explore the avenue of determining a player's type in a more dynamic sense, perhaps during actual gameplay based on activity or game events.

Another novel suggestion to build on these findings is to experiment with existing gamification applications for physical exercise such as Apple Watch and Nike+ GPS, instead of focusing purely on games for change. By expanding into this area, this might require re-evaluation of the strategies originally selected by Gerling et al. [2014].

## **Conclusion**

Orji et al. [2017] put forward a compelling and convincing case for personalising persuasive strategies employed in future games for change in order to observe effective change in behaviour. Whilst there are certain limitations to their work, it lays strong foundations for future work investigating tailoring games for change in other domains. These findings also have potentially wider consequences in the domain of Persuasive Technology - with recommendations on how to tailor to specific groups of users whilst minimising the efforts and costs involved in doing so, designers of these technologies could better-understand the considerations needed when matching a persuasive strategy to their specific user group.

## References

- Icek Ajzen. Constructing a tpb questionnaire : Conceptual and methodological considerations september , 2002. 2002.
- Richard Bartle. Hearts, clubs, diamonds, spades: Players who suit muds. 06 1996.
- Marek Bell, Matthew Chalmers, Louise Barkhuus, Malcolm Hall, Scott Sherwood, Paul Tennent, Barry Brown, Duncan Rowland, Steve Benford, Mauricio Capra, and Alastair Hampshire. Interweaving mobile games with everyday life. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '06, pages 417–426, New York, NY, USA, 2006. ACM. ISBN 1-59593-372-7. doi: 10.1145/1124772.1124835. URL <http://doi.acm.org/10.1145/1124772.1124835>.
- Shlomo Berkovsky, Mac Coombe, Jill Freyne, Dipak Bhandari, and Nilufar Baghaei. Physical activity motivating games: Virtual rewards for real activity. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '10, pages 243–252, New York, NY, USA, 2010. ACM. ISBN 978-1-60558-929-9. doi: 10.1145/1753326.1753362. URL <http://doi.acm.org/10.1145/1753326.1753362>.
- Ross C. Brownson and Shiriki Kumanyika. *Obesity Prevention: Charting a Course to a Healthier Future*, pages 515–528. Springer US, Boston, MA, 2007. ISBN 978-0-387-47860-9. doi: 10.1007/978-0-387-47860-9\_22. URL [https://doi.org/10.1007/978-0-387-47860-9\\_22](https://doi.org/10.1007/978-0-387-47860-9_22).
- Ellen Brox, Luis Fernandez-Luque, and Torunn Tøllefsen. Healthy gaming – video game design to promote health. *Applied clinical informatics*, 2:128–42, 04 2011. doi: 10.4338/ACI-2010-10-R-0060.
- Marc Busch, Elke Mattheiss, Rita Orji, Andrzej Marczewski, Wolfgang Hochleitner, Michael Lankes, Lennart E. Nacke, and Manfred Tscheligi. Personalization in serious and persuasive games and gamified interactions. In *Proceedings of the 2015 Annual Symposium on Computer-Human Interaction in Play*, CHI PLAY '15, pages 811–816, New York, NY, USA, 2015. ACM. ISBN 978-1-4503-3466-2. doi: 10.1145/2793107.2810260. URL <http://doi.acm.org/10.1145/2793107.2810260>.
- Filip Drozd, Tuomas Lehto, and Harri Oinas-Kukkonen. Exploring perceived persuasiveness of a behavior change support system: A structural model. In Magnus Bang and Eva L. Ragnemalm, editors, *Persuasive Technology. Design for Health and Safety*, pages 157–168, Berlin, Heidelberg, 2012. Springer Berlin Heidelberg. ISBN 978-3-642-31037-9.
- B. J. Fogg. Persuasive technology: Using computers to change what we think and do. *Ubiquity*, 2002 (December), December 2002. ISSN 1530-2180. doi: 10.1145/764008.763957. URL <http://doi.acm.org/10.1145/764008.763957>.
- Yuichi Fujiki, Konstantinos Kazakos, Colin Puri, Pradeep Buddharaju, Ioannis Pavlidis, and James Levine. Neat-o-games: Blending physical activity and fun in the daily routine. *Comput. Entertain.*, 6(2):21:1–21:22, July 2008. ISSN 1544-3574. doi: 10.1145/1371216.1371224. URL <http://doi.acm.org/10.1145/1371216.1371224>.

- Kathrin Maria Gerling, Regan L. Mandryk, Max Valentin Birk, Matthew Miller, and Rita Orji. The effects of embodied persuasive games on player attitudes toward people using wheelchairs. In *Proceedings of the 32Nd Annual ACM Conference on Human Factors in Computing Systems*, CHI '14, pages 3413–3422, New York, NY, USA, 2014. ACM. ISBN 978-1-4503-2473-1. doi: 10.1145/2556288.2556962. URL <http://doi.acm.org/10.1145/2556288.2556962>.
- Andrew F. Hayes. *Introduction to Mediation, Moderation, and Conditional Process Analysis: A Regression-Based Approach*. The Guilford Press, 01 2013. ISBN 9781609182304.
- Kirsikka Kaipainen, Collin R Payne, and Brian Wansink. Mindless eating challenge: Retention, weight outcomes, and barriers for changes in a public web-based healthy eating and weight loss program. *Journal of medical Internet research*, 14:e168, 11 2012. doi: 10.2196/jmir.2218.
- Rilla Khaled, Ronald Fischer, James Noble, and Robert Biddle. A qualitative study of culture and persuasion in a smoking cessation game. In Harri Oinas-Kukkonen, Per Hasle, Marja Harjumaa, Katarina Segerst hl, and Peter Øhrstr m, editors, *Persuasive Technology*, pages 224–236, Berlin, Heidelberg, 2008. Springer Berlin Heidelberg. ISBN 978-3-540-68504-3.
- Winter Mason and Siddharth Suri. Conducting behavioral research on amazon’s mechanical turk. *Behavior Research Methods*, 44(1):1–23, Mar 2012. ISSN 1554-3528. doi: 10.3758/s13428-011-0124-6. URL <https://doi.org/10.3758/s13428-011-0124-6>.
- Lennart E. Nacke, Chris Bateman, and Regan L. Mandryk. Brainhex: A neurobiological gamer typology survey. *Entertainment Computing*, 5(1):55 – 62, 01 2014. ISSN 1875-9521. doi: <https://doi.org/10.1016/j.entcom.2013.06.002>. URL <http://www.sciencedirect.com/science/article/pii/S1875952113000086>.
- Rita Orji, Regan L. Mandryk, Julita Vassileva, and Kathrin M. Gerling. Tailoring persuasive health games to gamer type. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '13, pages 2467–2476, New York, NY, USA, 2013a. ACM. ISBN 978-1-4503-1899-0. doi: 10.1145/2470654.2481341. URL <http://doi.acm.org/10.1145/2470654.2481341>.
- Rita Orji, Julita Vassileva, and Regan L. Mandryk. Lunchtime: a slow-casual game for long-term dietary behavior change. *Personal and Ubiquitous Computing*, 17(6):1211–1221, Aug 2013b. ISSN 1617-4917. doi: 10.1007/s00779-012-0590-6. URL <https://doi.org/10.1007/s00779-012-0590-6>.
- Rita Orji, Regan L. Mandryk, and Julita Vassileva. Improving the efficacy of games for change using personalization models. *ACM Trans. Comput.-Hum. Interact.*, 24(5):32:1–32:22, October 2017. ISSN 1073-0516. doi: 10.1145/3119929. URL <http://doi.acm.org/10.1145/3119929>.
- Wei Peng. Design and evaluation of a computer game to promote a healthy diet for young adults. *Health Communication*, 24(2):115–127, 2009. doi: 10.1080/10410230802676490. URL <https://doi.org/10.1080/10410230802676490>. PMID: 19280455.



Richard M. Ryan, C. Scott Rigby, and Andrew Przybylski. The motivational pull of video games: A self-determination theory approach. *Motivation and Emotion*, 30(4):344–360, Dec 2006. ISSN 1573-6644. doi: 10.1007/s11031-006-9051-8. URL <https://doi.org/10.1007/s11031-006-9051-8>.