

**VILLAGE OF OAK PARK  
TRANSPORTATION COMMISSION MEETING  
MONDAY, AUGUST 26, 2019 - 7:00 PM  
COUNCIL CHAMBERS – VILLAGE HALL**

**AGENDA**

1. Call to Order and Roll Call
2. Non-agenda Public Comment - up to 15 minutes
3. Agenda Approval
4. Approval of Draft Transportation Commission Meeting Minutes
  - 4.1 Draft July 22, 2019, 2019 Transportation Commission Meeting Minutes
5. PETITION FOR IMPLEMENTATION OF A TRAFFIC CALMING DEVICE ON THE 500 BLOCK OF N. EUCLID AVENUE
  - 5.1 Agenda Item Commentary and Background Information
  - 5.2 Petition and Letter of Explanation
  - 5.3 Written Public Testimony
  - 5.4 Scoring Table for the 500 Block of North Euclid Avenue Petition
  - 5.5 Aerial Views of the 500 Block of North Euclid Avenue and Neighboring Area
  - 5.6 Sketch of Traffic Controls in the Area
  - 5.7 Speed & Volume Data for the 500 Block of North Euclid Avenue and Adjacent Blocks
  - 5.8 Collision Diagrams for the 500 block of North Euclid Avenue
  - 5.9 Letter to Area Residents
6. PARKING PILOT PROGRAM FEEDBACK
  - 6.1 Staff Agenda Item Commentary
7. REVIEW UPDATE OF VILLAGE'S BICYCLE PLAN AND ITS IMPLEMENTTION (CONTINUED FROM 07/22/2019 MEETING)
  - 7.1 Staff Agenda Item Commentary
  - 7.2 Background Information
  - 7.3 Exhibit A - Neighborhood Greenways Toolbox
  - 7.4 Exhibit B - Neighborhood Greenways Facilities
  - 7.5 Exhibit C - Neighborhood Greenways Map
  - 7.6 Bike Walk Oak Park Public Testimony Slide Presentation

- continued on next page -

Please call (708) 358-5724 if you are unable to attend.

Get the latest Village news via e-mail. Just go to [www.oak-park.us](http://www.oak-park.us) and click on the e-news icon to sign up. Also, follow us on facebook, twitter and YouTube.

If you require assistance to participate in any Village program or activity, contact the ADA Coordinator at (708) 358-5430 or e-mail [building@oak-park.us](mailto:building@oak-park.us) at least 48 hours before the scheduled activity.

8. **REVIEW REPORT ON STATUS OF WORKING AND NON-WORKING DETECTOR LOOPS AND HOW THEY ARE MAINTAINED AND MONITORED (CONTINUED FROM FEBRUARY 25, 2019 MEETING)**

- 8.1 Staff Agenda Item Commentary
- 8.2 Background information
- 8.3 Exhibit A - February 14, 2019 map
- 8.4 Exhibit B - Centraccs July 31, 2019 fault report
- 8.5 Exhibit C - July 31, 2019 map

9. OTHER ENCLOSURES

- OE1 12 months of P&T traffic item activity summary: July 2018 - June 2019
- OE2 Village Board action on Trans Com recommendations thru 07/15/2019 inclusive

8. Adjourn

Please call (708) 358-5724 if you are unable to attend

Get the latest Village news via e-mail. Just go to [www.oak-park.us](http://www.oak-park.us) and click on the e-news icon to sign up. Also, follow us on facebook, twitter and YouTube.

If you require assistance to participate in any Village program or activity, contact the ADA Coordinator at (708) 358-5430 or e-mail [building@oak-park.us](mailto:building@oak-park.us) at least 48 hours before the scheduled activity.

DRAFT Meeting Minutes  
Transportation Commission  
Monday, July 22, 2019 – 7:00 p.m.  
Room 101 – Village Hall

**1. Call to Order**

James Thompson called the meeting to order at 7:00 PM.

**Roll Call**

Present: Garth Katner, James Thompson, Robert Taylor, Aaron Stigger

Absent: Roya Basirirad, Meghan Moses

Staff: Public Works Civil Engineer/Transportation Commission Staff Liaison Mike Koperniak, Jill Juliano, Recording Secretary Kevin Cassidy, Parking Restrictions Coordinator Jennifer Jones

**2. Non-Agenda Public Comment**

None

**3. Agenda Approval**

- Commissioner Taylor made a motion to approve the agenda as presented.
- The motion was seconded by Commissioner Katner.
- The motion was approved by a unanimous voice vote.

**4. Approval of Draft Transportation Commission Meeting Minutes**

- Commissioner Stigger made a motion to approve the draft May 30, 2019 Transportation Commission without comment.
- The motion was seconded by Commissioner Katner
- The motion was approved by a unanimous voice vote.

**5. PETITION FOR IMPLEMENTATION OF A TRAFFIC CALMING DEVICE ON THE 600 BLOCK OF N. EUCLID AVENUE**

- Engineer Jill Juliano presented background information and commentary regarding the petition
- Several documents were presented as written public testimony. Michael Rose wrote a letter in favor of traffic calming measures on behalf of residents from the 600 N. block of Euclid. Additional written testimony in favor of traffic calming was received from Tory Lowdon, Tom and Julie Noonan, Christina Welter, David Muzic, Brooke Long, Lisa Mulligan, Bill Martinez and Susan Price, Bill Martinez, Dina Mansour, and Gary E. McCullough. Written testimony in opposition to traffic calming measures was submitted by Hans and Barbara Lagoni.
- Engineer Juliano presented thorough statistical details regarding traffic activity and traffic controls effecting the 600 block of N. Euclid Avenue

The Commission opened the floor to Public Testimony

- Mike Rose of the 600 N. block of Euclid spoke for himself and on behalf of his neighbors in support of “pinch points” and in opposition to “pavers”. Mr. Rose spoke on the poor condition of the street referring to potholes as “ad hoc rumble strips”. Called for police presence to discourage speeding cars. Praised the placement of a “speed wagon” which reminds drivers to keep to the limit.
- Kenneth Whiting of the 500 N. block of Euclid spoke on behalf of his neighbors. There is general enthusiasm in support of traffic calming efforts. He described traffic trying to avoid the traffic signals at Chicago and Oak Park Ave as “zipping up” Euclid. The street is heavily used by OPRF students. Contractor trucks are an additional hazard. Mr. Whiting noted a high number of “rolling stops” at the Iowa and Euclid intersection.

The floor was closed to public testimony

The Commission discussed the use of “Waze” and/or Google Map’s traffic filter to avoid traffic back-ups and bottle necks. The apps may encourage drivers to use side streets as alternate routes.

The Commission discussed the wording of the Commission’s recommendation for the installation of traffic calming devices; pinch-points, street “paver” bricks or a combination of the two.

- Commissioner Taylor made a motion to:
  - 1) Install pinch points. However, if a sufficient number of the block's residents approve the installation of brick street pavers and agree to pay the added cost, then the Transportation Commission recommends installation of brick street pavers.
  - 2) Install temporary pinch-points in order to evaluate their effectiveness.
  - 3) Request increased police enforcement of the 500 and 600 blocks of north Euclid Avenue during peak traffic hours.
- The motion was seconded by Commissioner Stigger
  - Ayes: Taylor, Stigger, Katner, Thompson
  - Nays: None

The motion passed unanimously

6) REVIEW UPDATE OF VILLAGE'S BICYCLE PLAN AND IT'S IMPLEMENTATION ( CONTINUED FROM 03/25/2019 MEETING )

- Engineer Koperniak reviewed the bicycle plan and provided detailed planning information
- Commissioners Thompson and Katner volunteered to discuss the Village bicycling proposal with various cycling organizations in the Village.
- The Commissioners discussed visiting the Neighborhood Greenway segments in order to develop a list ranking them in preference for bicycle friendly improvements.
- Review of the Bicycle Plan will resume during the August Transportation Committee meeting.

7) JENNIFER JONES REPORTED ON PILOT PARKING PROGRAM

- The Pilot Program Update report is expected at the August meeting
- Chairperson Thompson gave a re-cap of the Board of Trustees' recent actions regarding the Transportation Commissions' recommendations.
- Clerk Scaman reported to the Board of Trustees and recommended that all new Commissioners take the training course covering the Open Meetings Act.

Motion to adjourn by Aaron Stigger

Motion Seconded by Robert Taylor

0819-1

4.1

4/4

Meeting adjourned at 8:05 pm

Recording Secretary  
Kevin Cassidy

**Village Of Oak Park**  
**Transportation Commission Agenda Item**

Item Title:	Petition for the Implementation of a Traffic Calming Device on the 500 Block of North Euclid Avenue
Review Date:	August 26, 2019
Prepared By:	Jill Juliano
<b>Abstract (briefly describe the item being reviewed):</b>	
<p>On July 26, 2019, the Village of Oak Park received a petition to install a traffic calming device on the 500 block of North Euclid Avenue. Resident concerns include: the dramatic increase in vehicles speeding from the 400 block of North Euclid Avenue across Chicago Avenue to the 500 block of North Euclid Avenue of without regard for safety; many of which are trying to avoid the traffic signal at Chicago Avenue and Oak Park Avenue.</p> <p>At tonight's meeting, staff will present the collected traffic data, and public testimony will be taken. The Transportation Commission may concur with staff's recommendation or make a different recommendation.</p>	
<b>Staff Recommendation(s):</b>	
<p>Staff is recommending to implement a mid-block choker (pinch-point) on the 500 block of North Euclid Avenue. This is consistent with staff's recommendation for the 600 block of North Euclid Avenue.</p>	
<b>Supporting Documentation Is Attached</b>	

# Memorandum

Date: August 22, 2019

To: The Transportation Commission

From: Jill Juliano, Transportation Engineer JJ

Re: Background Information Related to the Petition for the Implementation of a Traffic Calming Device on the 500 block of North Euclid Avenue

On July 26, 2019, the Village of Oak Park received a petition to install a traffic calming device on the 500 block of North Euclid Avenue. Residents representing 56.29% of the street frontage on the petitioning block signed the petition. The petition was certified as a valid petition. This petition was prompted by notification that the traffic calming petition submitted by the 600 block of North Euclid Avenue would be reviewed by the Transportation Commission at its June 24, 2019 meeting. [Due to a lack of quorum, the June 24<sup>th</sup> meeting was cancelled and the traffic calming petition for the 600 block of North Euclid Avenue was eventually reviewed by the Commission at its July 22, 2019 meeting.]

Reasons provided for this petition include: number of families on the block with children, the dramatic increase in vehicles speeding from the 400 block of North Euclid Avenue across Chicago Avenue to the 500 block of North Euclid Avenue often without regard for safety; many of which are trying to avoid the traffic signal at Chicago Avenue and Oak Park Avenue. See Exhibit 5.2 for a copy of this petition and accompanying letter of explanation.

See Exhibit 5.3 for written public testimony received by the Village of Oak Park. Only one email was received for this particular petition. However staff has included written public testimony from the traffic calming petition for the 600 block of North Euclid Avenue since many of the emails include comments about the 500 block of North Euclid Avenue as well. There are 9 emails in support of the petitions, 2 emails opposed to the petitions, and 1 email that are neutral to the petitions but comment on other issues that should be addressed.

A directional twenty-four hour traffic volume and speed study was conducted on Thursday, May 23, 2019 for the 600 blocks of North Euclid, Linden, and Fair Oaks Avenues and the 500 block of North Euclid Avenue. See Exhibit 5.7 page 1 for a summary of the results. Source data is also included in Exhibit 5.7 pages 2-13.

Collision diagrams for the intersections of Euclid Avenue & Chicago Avenue and Euclid Avenue & Iowa Street were generated. See Exhibit 5.8 for the two collision diagrams.

Next, staff completed a scoring table for the traffic calming petition. See Exhibit 5.4 for the scoring table. A numerical score is calculated for six measures that are the typical reasons for a petition to be submitted. The maximum possible score is 100 points. A minimum score of 25 points is required to bring a petition before the Transportation Commission.

# Memorandum

Total score for the 500 block of North Euclid Avenue petition is 50 points. The score for this petition exceeds the minimum score necessary to submit the petition to the Transportation Commission for review and recommendation.

See Exhibit 5.5 for digital aerial photographs of the 500 block of North Euclid Avenue and neighboring area. The petitioning block is one block to the east of Oak Park Avenue, just north of Chicago Avenue and one block south of Augusta Street.

Exhibit 5.6 displays the traffic control devices on the following east-west streets: Chicago Avenue, Iowa Street and Augusta Street between Oak Park Avenue and Ridgeland Avenue. There are north-south STOP signs on each end of the 500 block of North Euclid Avenue. Iowa Street between Oak Park Avenue and Ridgeland Avenue has a pattern of alternating STOP signs.

Reviewing the 24-hour volumes for the four blocks studied (Exhibit 5.7), the two-way average daily traffic (ADT) ranged from a low of 774 vehicles (600 block of Fair Oaks Avenue) to a high of 975 vehicles (600 block of Linden Avenue). The volumes for all blocks in this study are within or below the 800 to 1,200 vehicle range for typical daily volume on residential streets in the Village of Oak Park.

Note: data collection was also attempted on the 600 block of North East Avenue. On the first attempt, the detection equipment was found detached from the data collection box. Staff thought the equipment might have accidentally become separated. In a successive attempt, again detection equipment was disconnected from the data collection box and the nails used to keep the equipment in place were removed. As a result, data was not collected on the 600 block of North East Avenue.

Regarding vehicular speeds, it is an accepted traffic engineering practice to set the speed limit to the 5 mile per hour (mph) increment above or below the 85th percentile speed. Village Staff holds the opinion that the majority of motorists will drive at or near the posted speed limit. In addition, it is an accepted fact that the speed indicated on speedometers can vary up to 2 percent above or below the actual speed of the vehicle.

By definition, the 85th percentile speed is the speed at which 85 percent of the vehicles are traveling at or less than. Conversely, 15 percent of the vehicles will be traveling faster than the 85th percentile speed. It has already been stated that speed limits are typically set to the 5 mph increment above or below the 85th percentile speed. This implies that it is expected that approximately 15 percent of vehicles will be traveling faster than the speed limit, if the speed limit is in the 5 mph increment below the 85th percentile speed.

Looking at the 85th percentile speeds for the 500 & 600 blocks of North Euclid Avenues, and the 600 blocks of Linden and Fair Oaks Avenues, the directional speeds for the blocks in this study ranged between 27 and 31 miles per hour (mph).

From this traffic study, the 85th percentile speed for the northbound traffic, southbound traffic and bi-directional traffic for the 500 block of North Euclid Avenue was 28 mph. On

# Memorandum

this block, the percentage of vehicles exceeding the posted speed limit above is 37.5% for northbound traffic, 31.5% for southbound traffic, and 35.4% for the bi-directional traffic). Based on the collected data, it appears there may be a speeding issue on the 500 block of North Euclid Avenue.

Next, thirty-six months of vehicle crash reports covering the period of January 2016 through December 2018 were reviewed for the 500 block of North Euclid Avenue. Please see Exhibit 5.8 for the collision diagrams.

In 1998, the intersection of Euclid Avenue and Iowa Street was studied as part of the Village-wide traffic study. At that time, the number of reported crashes at the intersection in the 36 month period totaled zero, while the average daily traffic was 1,497 vehicles. The 1998 crash rate for the intersection was calculated to be 0.000 accidents per million entering vehicles (Acc/MEV).

The intersection crash rate is compared to the critical crash rate for the particular section of the Village's area-wide traffic study. For the north middle section of the area-wide traffic study (North Boulevard up to but not including Augusta Street and Harlem Avenue to Austin Boulevard), the critical crash rate was 0.860 Acc/MEV. If an actual accident rate exceeds the critical crash rate then it is highly probable that the accidents were caused by factors other than chance.

No action was taken as a result of the 1998 crash rate for the Euclid Avenue and Iowa Street intersection as it was lower than the critical crash rate. However to implement an alternating pattern of north-south STOP signs and east-west STOP signs at successive intersections on Iowa Street from Oak Park Avenue to Ridgeland Avenue; the traffic controls at Euclid Avenue and Iowa Street were changed from east-west STOP signs to north-south STOP signs on March 29, 2000.

For the thirty-six months ended December 31, 2018, the number of reported crashes that occurred at the Euclid Avenue and Iowa Street intersection totaled one. It was a right angle collision in 2018. The average daily traffic for the intersection as determined as part of the Village's 1998 area-wide traffic study was 1,497 vehicles. From this data, the 2018 crash rate for the Euclid Avenue and Iowa Street intersection is calculated to be 0.610 accidents per million entering vehicles (Acc/MEV). The 2018 crash rate for the intersection (0.610 Acc/MEV) is again lower than the critical crash rate for this section of the area-wide traffic study (0.860 Acc/MEV).

In 1998, the intersection of Euclid Avenue and Chicago Avenue was studied as part of the Village-wide traffic study. At that time, the number of reported crashes at the intersection in the 36 month period totaled six, while the average daily traffic was 18,194 vehicles. The 1998 crash rate for the intersection was calculated to be 0.301 accidents per million entering vehicles (Acc/MEV).

The intersection crash rate is then compared to the critical crash rate for the particular section of the Village's area-wide traffic study. As mentioned before, the critical crash rate

# Memorandum

for the north middle section of the 1998 area-wide traffic study was 0.860 Acc/MEV. No action was taken as a result of the 1998 crash rate for the Euclid Avenue and Chicago Avenue intersection; as it was lower than the critical crash rate.

For the thirty-six months ended December 31, 2018, the number of reported crashes that occurred at the Euclid Avenue and Chicago Avenue intersection totaled ten. Six of the ten crashes were westbound rear end collisions. Another crash involved a southbound vehicle hitting a parked vehicle and an eighth crash involved a vehicle crossing the centerline striking a light pole, then a street sign and fleeing the scene. The average daily traffic for the intersection as determined as part of the Village's 1998 area-wide traffic study was 18,194 vehicles. From this data, the 2018 crash rate for the Euclid Avenue and Augusta Street intersection is calculated to be 0.502 Acc/MEV. The 2018 crash rate for the intersection (0.502 Acc/MEV) is again lower than the critical crash rate for this section of the area-wide traffic study (0.860 Acc/MEV).

In conclusion, there does not appear to be a problem with vehicle crashes on the 500 block of North Euclid Avenue.

As mentioned earlier in this write-up, the traffic calming petition for the 600 block of North Euclid Avenue was originally scheduled for the June 24, 2019 Transportation Commission meeting. However due to a lack of quorum, that meeting was cancelled. After the cancellation, a resident of the 600 block of North Euclid Avenue approached Village staff and expressed an interest in the installation of brick pavers on the block as a traffic calming measure. The resident requested additional information, including costs, be provided regarding this alternative so he could provide it to his neighbors.

Prior to the July 22nd Transportation Commission meeting, Village staff provided the resident with basic information regarding the implementation of a brick street via a Special Service Area (SSA) tax. Then on August 21, 2019, the Village Engineer met with the residents of the 500 and 600 blocks of North Euclid Avenue to provide information related to their request to potentially create an SSA to fund the construction of bricks streets on their blocks to help calm traffic.

The Transportation Commission reviewed the traffic calming petition for the 600 block of North Euclid Avenue at its July 22, 2019 meeting. In their analysis, Village staff recommended to implement a mid-block pinch point to calm traffic on the 600 block of North Euclid Avenue. The Transportation Commission recommended: 1) to install a pinch point; however if sufficient number of residents approve a brick street and are willing to pay for the additional cost then the Transportation Commission recommends a brick paver street, 2) to install temporary pinch point and 3) request increased enforcement on the 500 and 600 blocks of North Euclid Avenue during peak hours.

For the 500 block of North Euclid Avenue, Village staff recommends the implementation of a mid-block pinch point (choker) to calm traffic on the block. [This is consistent with staff's recommendation for the 600 block of North Euclid Avenue.]

0819-1

5.1

6/6

# Memorandum

Staff strongly suggests whatever treatment(s) recommended and ultimately approved should be the same for both blocks so as to provide consistency of maintenance and esthetics along this stretch of Euclid Avenue.

NOTE: Transportation Commission recommendations for both traffic calming petitions are tentatively scheduled to be presented to the Village Board of Trustees at the second regularly scheduled Village Board meeting in September.

## PETITION FOR TRAFFIC CALMING MEASURES

Date: 06/20 0819-1

5.2

1/3

We, the undersigned, respectfully petition the Transportation Commission to recommend to the Oak Park Board of Trustees that traffic calming measures be implemented:

on the 500 block of North Euclid Avenue

at the intersection of \_\_\_\_\_ and \_\_\_\_\_  
in the Village of Oak Park.

RECEIVED  
07/26/2019 OR  
89

Traffic problems to be remedied by the use of traffic calming measures include:

- |                                      |       |   |
|--------------------------------------|-------|---|
| • Excessive vehicle crashes          | 4     | (rank these in order of importance with 1 being most problematic and 5 being least problematic) |
| • Excessive vehicle speeds           | 1     |   |
| • Excessive vehicle volumes          | 3     |   |
| • Pedestrian/Bicyclist safety issues | 2     |   |
| • Other _____                        | _____ |   |

\* = This petition is being circulated by: (signature, address, telephone number, and email)

Only one signature per property is required.

	Signature	Address	Phone number	Email
1. *	Jill Juliano			
2.	Brook Loy			
3.	Unavailable			
4.	Moto Pepper			
5.				
6.	Franklin Wright			
7.	SECURITY			
8.	Victor Deacon			
9.	Natalie			
10.				
11.	Richard S. Weidner			
12.	Unavailable			

This petition should be signed by residents representing at least 51% of the street frontage where the traffic calming measures are being requested. Also, ATTACH A LETTER EXPLAINING WHY THIS PETITION IS BEING SUBMITTED.

**Return to: The Transportation Commission, Attention: Jill Juliano, The Village of Oak Park, Public Works Center, 201 South Boulevard, Oak Park, IL 60302.**

The Transportation Commission is an advisory body to the Village Board of Trustees and meets on the fourth Monday of each month at 7:00 p.m. in Village Hall to discuss matters relating to parking and traffic. Upon receipt of your completed signed petition, the circulator will be advised as to when the Commission will meet to review this petition. The Transportation Commission's public website is:

[www.oak-park.us/your-government/citizen-commissions/transportation-commission](http://www.oak-park.us/your-government/citizen-commissions/transportation-commission)

13. Unavailable

14. Thom E. Xanay

July 2, 2019

Village of Oak Park Transportation Commission  
Village Hall  
123 Madison Street  
Oak Park, IL 60302

Dear Sirs and Madams of the Commission:

On behalf of the 500 Block of North Euclid Avenue in Oak Park, we offer the attached petition and supporting materials in request of a traffic-calming device for our block. Incorporated here in hard copy and by reference are the following:

- Attached
  - Petition signed by over 75% of the households on the block
  - Map reference of 500 block of North Euclid Avenue
- Incorporated by reference (as already received by and submitted to the Transportation Commission):
  - 0619-1 Village of Oak Park Transportation Commission Meeting Agenda – Item 5 inclusive of all exhibits 5.1 through 5.9
    - Written testimony in support of both 500 and 600 N. Euclid is included therein.
  - 0619-1 Village of Oak Park Transportation Commission Meeting Enclosures OE1 and OE2

The 500 Block is immediately north of Chicago Avenue, houses 13 families, over 1/2 of which have children under the age of 18 and of that 1/2, 4 families with 10 children/grandchildren under the age of 10 who regularly play outside together in the front yards. We have seen a dramatic increase in cars "speeding over Chicago Ave." from the 400 block of Euclid onto the 500 block - often without regard for safety. Such vehicles regularly use the 500 block of Euclid to avoid the lights at Chicago Avenue and Oak Park Avenue.

Risk of loss or harm on the 500 N. Euclid block is great, and the study that was completed in review of traffic calming measure proposal/petition for the 600 block supports this – greater flow as well as speed readings were captured in the data for the 500 N Euclid block by over 10% each. We strongly request and encourage a concurrent priority in establishing a traffic calming measure for our block as that is already under consideration for the 600 N. Euclid block.

If additional data is needed, we would be happy to provide video available from our exterior camera which is motion sensitive and captures all traffic on the 500 N. Euclid block passing our home. Such data is via an Xfinity security system, and I would be happy to release same to the Village if requested.

Further, we would like to request a greater police presence on our block in the interim to support calming and better driving behavior. We welcome our officers to utilize whatever space is needed for their review and support of safe driving practices.

My original email in support of the 600 block's measures stands. We are collaborative and aligned with our neighbors to the north to achieve greater speed controls in the spirit of a safer area for our families and the visitors to our little corner of the FLW Historic District. I would offer that a "pinch point" strategy is more appealing to most neighbors as it is the more reasonably achievable outcome for the

0819-1

5.2

3/3

near term as well as most economical. Speaking for our home, we are among the smallest on the block and the economics of a resurfacing strategy outside of our normally allocated tax funds would be a hardship to our family.

In closing, we are passionate to move forward and resolve these safety issues. Please prioritize the placement of safety devices/traffic calming measures on the 500 block and feel free to reach out with any questions.

Thank you,



Mrs. Julie Noonan  
[REDACTED] N. Euclid Avenue  
Oak Park, IL  
60302  
[REDACTED]

**Juliano, Jill**

0819-1

5.3

1/12

**From:** Suzanne Saxman [REDACTED]  
**Sent:** Wednesday, August 21, 2019 4:34 PM  
**To:** VOP Public Works; Transportation  
**Subject:** 600 N. Euclid Block

Hello Transportation Officials:

I live at [REDACTED] N. Euclid Ave., and have been here since 1992. I am one of the residents of this block with the longest tenure.

I am not sure I will be able to make your open meeting schedule or other informal meetings, but I want to comment on the pending petitions.

While I am all for "safe streets", I am adamantly opposed to any bricking/pavers. They are a very noisy and disruptive force on the block. I am not the only one with this view and I hope we will not be forced into such an extreme and disruptive solution to slowing down traffic.

The traffic on 600 N. Euclid has increased largely since the time Chicago Avenue had its speed limit reduced to 25 and the lanes were restricted in favor of large bike lanes and parking.

I would like to see more modest means used to test their impact on slowing traffic - perhaps starting with temporary solutions.

Thank you for getting my comments to the appropriate parties.

Thank you for your consideration.

Suzie Saxman (and Peter Labadie)  
[REDACTED] N. Euclid Ave.

Suzanne (Suzie) L. Saxman  
[REDACTED]

**Juliano, Jill**

0819-1

5.3

2/12

**From:** Victoria Lowdon [REDACTED]  
**Sent:** Saturday, June 15, 2019 10:12 AM  
**To:** Transportation  
**Subject:** Traffic Calming Measures/Petition

Hello there,

I live on the 500 block of Euclid Avenue and Chicago Avenue. I am also a mother of two small kids. I have to mention the increase in motorists on Chicago Avenue, including people speeding and major congestion. When I turn onto Chicago Avenue to take my kids to school it is so busy and to be honest, quite scary at how fast some people are driving, people trying to cross over Chicago Avenue while on Euclid, and over all just busy. I have lived on our street, same house since 2011. Although the traffic was still busy at that time, I feel like Chicago Avenue has become a super highway and I fear for any pedestrian that has to cross or even walk along Chicago Avenue. Not to mention my kids school, Holmes Elementary is along one of the busiest sections. We have witnessed 3 accidents on our corner of the same nature, someone trying to cross Euclid over Chicago Avenue, it's a death trap in my opinion. Forget about pedestrians trying to cross, it's very dangerous most anytime of the day. I wanted to not only convey my concerns at how bad this has become but also to figure out from a city planning perspective how can we alleviate and disperse all of the cars coming through Oak Park. My impression is that many people try to avoid Lake street due to all the new construction. Can anyone tell me if once the construction of the high-rises on Lake are complete, that the traffic flow will be better? Is this being taken into account? What would be our options as far as putting either STOP signs at that cross section of Euclid and Chicago or a pedestrian sign? Is there a limit on the distance that you can or can not have signage so close to a traffic light? There is one obviously at Oak Park and Chicago but I truly feel we need more deterrents for motorists to pay attention in such a high traffic area. As a resident off of Chicago avenue this puts us as residents along the blocks of Euclid and the following side streets, at danger as well. There are many people that speed off of Chicago Avenue onto either side of Euclid Avenue. As I see from the petition, we are not the only residents fearful that this traffic will be more and more problematic. There is now going to be a second school along the intersection of Chicago and Oak Park avenue along with Holmes elementary, so many kids and too many cars. I fear that more and more accidents are going to occur and God forbid it doesn't involve any pedestrians. I hope that some suggestions can be proposed to the community and we can make the streets safer.

Thank you for your time,

Tory Lowdon

**Juliano, Jill**

0819-1

5.3

3/12

**From:** Julie Noonan [REDACTED]  
**Sent:** Saturday, June 15, 2019 2:10 PM  
**To:** Transportation  
**Cc:** Tom Noonan - Husband  
**Subject:** Traffic Calming Measure - 600 Block of N. Euclid Ave

Dear Ms. Juliano and Traffic Engineers,

We received your letter dated June 12, 2019 - thank you. However, we believe that the focus on traffic for N. Euclid should be on the 500 Block. The 500 Block is immediately north of Chicago Avenue, houses 13 families, over 1/2 of which have children under the age of 18 and of that 1/2, 4 families with 10 children/grandchildren under the age of 10 who regularly play outside together in the front yards. We have seen a dramatic increase in cars "speeding over Chicago" from the 400 block of Euclid onto the 500 block - often without regard for safety. Such vehicles regularly us the 500 block of Euclid to avoid the light at Chicago Avenue and Oak Park Avenue.

Risk of loss or harm on the 500 N. Euclid block is as great or more so than the 600 Block. We strongly request and encourage a re-evaluation of the 500 block for a speed table or other traffic slowing device. Further, I believe that if asked, you will find that the families on our block concur that a speed table, speed trap or other such safety implementation is strongly desired. Speaking for us at [REDACTED] N. Euclid, we'd be happy to have such a device immediately in front of our front yard.

Please (re) consider the placement of safety devices/traffic calming measures on the 500 N. block of Euclid for our and our children's' safety in concert with those on the 600 N. Euclid block. Should a formal petition be required to include the 500 N Euclid block, please advise and I'm certain we can gain all needed signatures.

Thank you,

Tom and Julie Noonan

**Juliano, Jill**

0819-1

5.3

4/12

**From:** Christina Welter [REDACTED]  
**Sent:** Monday, June 17, 2019 10:06 PM  
**To:** Transportation; david muzic  
**Subject:** Support for traffic calming approaches for 500 and 600 block of N Euclid

Dear Oak Park Transportation Commission,

We are residents and owners at [REDACTED] N Euclid Avenue, Oak Park, IL 60302. I am a faculty member at University of Illinois at Chicago, School of Public Health and my husband is a physician. We are also parents of two young children, ages 5 and 7. We have been residents of Oak Park since 2005, and I have worked here since 2001.

As professionals, we know that traffic and road safety is the utmost importance toward the prevention of injury for our community and to promote healthy living. The more we can do to increase safety measures on our roads, the more we can be active in a safe manner.

As parents who are out biking, walking, and playing with our kids often on our sidewalks and at times crossing the street, we have seen not only increased traffic on the 500-600 block of N Euclid, likely due to people avoiding Chicago/Oak Park avenue traffic, but also MANY vehicles driving extremely fast down our N Euclid street.

As such, we fully support traffic calming measures proposed for the 600 block of N. Euclid. We also support expanding these measures to the 500 block of N Euclid.

We are unable to attend the June 24 hearing as we are out of town. However, please feel free to contact us with any questions, and any follow-up action we can take to make these changes implemented.

Thank you for your efforts and consideration.

Regards,  
Christina Welter, DrPH, MPH  
David Muzic, MD

--  
Christina R. Welter, DrPH, MPH  
Interim Director, DrPH in Leadership  
Director, MidAmerica Center for Public Health Practice  
Clinical Assistant Professor, Community Health Sciences  
University of Illinois at Chicago, School of Public Health

[REDACTED]

**Juliano, Jill**

0819-1

5.3

5/12

**From:** Brooke Long [REDACTED]  
**Sent:** Tuesday, June 18, 2019 9:41 AM  
**To:** Transportation; Stephen L. Long  
**Subject:** Request for Traffic Calming Devices for 500 and 600 Block of N. Euclid in Oak Park

Dear Transportation Commission,

I live at [REDACTED] N Euclid Ave, Oak Park, IL 60302 and would like to express my support for Traffic Calming Devices for 500 and 600 Block of N. Euclid in Oak Park.

North Euclid is susceptible to traffic overflow when Chicago and Oak Park Avenues experience rush hour and event traffic. People speed through our block to avoid the thoroughfares, and we have a lot of children and pets that are endangered. A stop sign to slow North-South bound traffic at the top of our block, or better yet a speed bump would be absolutely welcome.

Please accept this as a formal request for measures from me and my husband, Stephen Long.

Thank you,  
Brooke

--  
**Brooke Long**  
[REDACTED]

**Juliano, Jill**

0819-1

5.3

6/12

**From:** Lisa Mulligan [REDACTED]  
**Sent:** Tuesday, June 18, 2019 2:01 PM  
**To:** Transportation [REDACTED]  
**Cc:** [REDACTED]  
**Subject:** Traffic issues on 600 block of Euclid Ave.

My name is Lisa Mulligan and I have owned my home at [REDACTED] N Euclid Ave in Oak Park since 5/1990. This was always a quiet neighborhood and was a key reason I moved my young family here. Over the years there have been significant changes in Oak Parks traffic patterns. My formerly quiet block and neighborhood have become a secondary route for traffic trying to avoid other major travel arteries in Oak Park. The 500 and 600 blocks of Euclid Ave have become a primary traffic block for people trying to avoid lights and backups on Chicago Avenue, Augusta Avenue and surrounding streets.

It's unsafe and it's only a matter of time before we have a major incident on our hands. We've already experienced some unusual traffic accidents THAT SHOULD NOT OCCUR ON A QUIET NEIGHBORHOOD STREET.

Please take this request to address our street traffic and speed issues seriously. We need help to get our street back to a neighborhood access street, not a major shortcut thoroughfare.

If you need additional information or input from me please feel free to contact me at [REDACTED]. I am unfortunately out of town on Monday during the hearing on this important subject.

Thank you for considering my input.

Lisa Mulligan

Sent from my iPhone

**Juliano, Jill**

0819-1  
5.3  
7/12

**From:** [REDACTED]  
**Sent:** Tuesday, June 18, 2019 2:03 PM  
**To:** Transportation  
**Subject:** Traffic calming in the 600 block of North Euclid

We support the petition to implement Traffic Calming Measures on the 600 block of North Euclid. Our block is frequently used by motorists bypassing traffic and signals on Oak Park Avenue. This traffic regularly exceeds the speed limit. The motorists also make dangerous turns onto Euclid from both Augusta and Iowa, sometimes at excessive speeds. The traffic also ignores or rolling stops at the stop sign at Euclid and Iowa.

Thanks for your attention to this matter.

Marc Martinez and Susan Price  
[REDACTED] N Euclid

**Juliano, Jill**

0819-1

5.3

8/12

**From:** [REDACTED]  
**Sent:** Tuesday, June 18, 2019 2:10 PM  
**To:** Transportation  
**Subject:** Traffic calming on the 600 block of North Euclid

I support the petition to implement traffic calming on the 600 block of North Euclid. I am concerned for the young children on the block as well as for the older residents, like myself.

Bill Martinez  
[REDACTED] N Euclid

**Juliano, Jill**

0819-1

5.3

9/12

**From:** Dina Mansour [REDACTED]  
**Sent:** Wednesday, June 19, 2019 11:52 AM  
**To:** Transportation  
**Subject:** Traffic Hearing - 600 N Euclid

My apologies for a rushed email however my father-in-law passed away and his funeral is today. We are unable to make the Monday meeting but would like to comment.

I have lived in oak park my whole life and on the 600 block of Euclid in two different houses since 2004. My husband grew up in our current home. We have seen first hand how often Euclid is used as a bypass for Oak Park Avenue with disregard for the speed limit. Prior to the stop signs at Iowa and Euclid there were numerous accidents. And even after those were installed there are still people speeding down - not realizing the stop they would have to make.

Day after day I witness cars speeding through - weaving around parked cars - no regard for children. The block is definitely seen as a through street from Lake street and off of Augusta south.

As I said my thoughts are difficult to express because if time but I support the recommendations of Michael Rose and others on the block.

Thank you for your consideration.

Dina Mansour  
[REDACTED] N Euclid

Sent from my iPhone

**Juliano, Jill**

0819-1  
5.3  
10/12

**From:** Gary McCullough [REDACTED]  
**Sent:** Wednesday, June 19, 2019 2:53 PM  
**To:** Transportation  
**Cc:** Gary McCullough  
**Subject:** Traffic Calming Measures-- 600 Block of North Euclid Avenue  
**Attachments:** Traffic Calming 600.pdf

To Whom it May Concern:

A Hearing is scheduled for Monday, June 24, 2019 on our request for Traffic Calming Measures to be implemented in the 600 Block of North Euclid Avenue in Oak Park. I want my support for the request to be on the record should I be unable to attend the Hearing in person due to business travel.

Sincerely,

Gary E. McCullough  
Owner/Resident  
[REDACTED] North Euclid Avenue  
Oak Park, Illinois 60302

0819-1

5.3

11/12

Gary E. McCullough  
████████  
North Euclid Avenue  
Oak Park, Illinois 60302

June 19, 2019

Village of Oak Park  
Transportation Commission  
Village Hall  
123 Madison Street  
Oak Park, IL 60302

Transmitted via Email

**Subject:** Traffic Calming Measures—600 Block of North Euclid Avenue

To Whom It May Concern:

I have been an Oak Park resident I currently reside at █████ North Euclid Avenue. In fact, our family have been residents of the 600 block of North Euclid almost continuously for nineteen (19) years. Because my travel schedule may preclude my ability to attend the Transportation Commission Hearing on the subject mentioned above, I am registering my strong support for our Block's request that the Village of Oak Park identify and implement the appropriate traffic calming measures in our block.

As was indicated in the letter submitted to the Village dated November 20, 2018, in recent there has been a notable and alarming increase in the volume of high-speed and dangerous traffic on our Block as well as the 500 Block of North Euclid Avenue. The November 20 letter communicated a number of apparent causes for the increase in traffic. I believe those to be true.

If the Village is going to act on our request, now is the time to do so. Ours is a vibrant Block that experiences a good deal of foot traffic from residents, train commuters and tourists. That vibrancy is only enhanced by the presence of young children. Both the 500 & 600 Blocks of North Euclid are experiencing the inevitable change that occurs as long-time (i.e. older) residents give way to young and growing families. My concern is for the increased number of young children and their families who now live on our Block. I believe that, if a remedy is not put in place by the Village, a preventable tragedy is likely to occur.

If I am unable to attend the Hearing due to business travel, please know that I am fully supportive of the request. If necessary, I can be reached at █████.

Sincerely,

  
Gary E. McCullough

**Juliano, Jill**

0819-1  
5.3  
12/12

**From:** Hans Lagoni [REDACTED]  
**Sent:** Wednesday, July 17, 2019 3:33 PM  
**To:** Transportation  
**Cc:** Hans Lagoni  
**Subject:** 600 Euclid Traffic Calming Measure


My wife and I are against installing any more 'traffic calming measures" or speed bumps, in Oak Park.

Sincerely,

Hans and Barbara Lagoni

[REDACTED] Fair Oaks

Measure	Maximum Number of Points	Criteria for assigning a numerical score to traffic problems to be corrected by the use of Traffic Calming Measures - as approved by the Village Board of Trustees on November 6, 2017	minimum possible score	500 Block of North Euclid Avenue																																																																																										
Crash History	20	1-3 correctible crashes in a 3 year period = 5 points 4-10 correctible crashes in a 3 year period = 10 points more than 10 correctible crashes in a 3 year period = 15 points any correctible crash involving injury to a pedestrian/cyclist = 5 points	0 pts.	5																																																																																										
Vehicle Speed	20	85th percentile speed is not over the speed limit = 0 points 85th percentile speed is 1 mph over the speed limit = 4 points 85th percentile speed is 2 mph over the speed limit = 8 points 85th percentile speed is 3 mph over the speed limit = 12 points 85th percentile speed is 4 mph over the speed limit = 16 points 85th percentile speed is 5 mph or more over the speed limit = 20 points outlier excessive speeding = 5 points	0 pts.	12																																																																																										
Vehicle Volume	20	ADT < 750 = 0 points ADT = 751 - 1,350 = 5 points ADT = 1,351 - 1,950 = 10 points ADT = 1,951 - 2,550 = 15 points ADT > 2,550 = 20 points	0 pts.	5																																																																																										
Pedestrian Traffic Generators	15	Any school, park, library, church, CTA station 1 block (660 ft.) or less away = 5 points Any school, park, library, church, CTA station 1 to 2 blocks (1,320 ft.) away = 3 points Any school, park, library, church, CTA station more than 2 blocks away = 0 points	0 pts.	8																																																																																										
Bike Routes / Non-Bike Routes	10	Not identified as a proposed bike route/boulevard* = 3 points Identified as a Marked Shared Lane* = 6 points Identified as a Neighborhood Greenway, Dedicated Bike Lane, or Bike Boulevard* = 10 points * Per the VOP Bike Plan 2008 and 2015 VOP Bike Plan Addendum	3 pts.	10																																																																																										
Community Interest	15	Final Score = Base Score (+10 to +15 points) minus External Negative Support Score (-1 to -5 points) External Negative Score is from responses from outside of the affected petition zone. <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th colspan="4">51% petitions</th> <th colspan="4">75% petitions</th> </tr> <tr> <td>51%</td><td>-</td><td>59%</td><td>=</td><td>10 points</td> <td>75%</td><td>-</td><td>78%</td><td>=</td><td>10 points</td> </tr> <tr> <td>60%</td><td>-</td><td>68%</td><td>=</td><td>11</td> <td>79%</td><td>-</td><td>82%</td><td>=</td><td>11</td> </tr> <tr> <td>69%</td><td>-</td><td>77%</td><td>=</td><td>12</td> <td>83%</td><td>-</td><td>86%</td><td>=</td><td>12</td> </tr> <tr> <td>78%</td><td>-</td><td>86%</td><td>=</td><td>13</td> <td>87%</td><td>-</td><td>90%</td><td>=</td><td>13</td> </tr> <tr> <td>87%</td><td>-</td><td>95%</td><td>=</td><td>14</td> <td>91%</td><td>-</td><td>94%</td><td>=</td><td>14</td> </tr> <tr> <td>96%</td><td>-</td><td>100%</td><td>=</td><td>15</td> <td>95%</td><td>-</td><td>100%</td><td>=</td><td>15</td> </tr> </table> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th colspan="2">% of negative replies</th> <th>Subtract</th> </tr> <tr> <td colspan="2">Less than 10 or 16 replies</td> <td>= - 0 points</td> </tr> <tr> <td rowspan="5" style="text-align: center; vertical-align: middle;">If at least 10 or 16 replies are received, subtract points based upon the percentage of replies that are negative</td> <td>1%</td> <td>- 20%</td> <td>= - 1 point</td> </tr> <tr> <td>21%</td> <td>- 40%</td> <td>= - 2</td> </tr> <tr> <td>41%</td> <td>- 60%</td> <td>= - 3</td> </tr> <tr> <td>61%</td> <td>- 80%</td> <td>= - 4</td> </tr> <tr> <td>81%</td> <td>- 100%</td> <td>= - 5 points</td> </tr> </table>	51% petitions				75% petitions				51%	-	59%	=	10 points	75%	-	78%	=	10 points	60%	-	68%	=	11	79%	-	82%	=	11	69%	-	77%	=	12	83%	-	86%	=	12	78%	-	86%	=	13	87%	-	90%	=	13	87%	-	95%	=	14	91%	-	94%	=	14	96%	-	100%	=	15	95%	-	100%	=	15	% of negative replies		Subtract	Less than 10 or 16 replies		= - 0 points	If at least 10 or 16 replies are received, subtract points based upon the percentage of replies that are negative	1%	- 20%	= - 1 point	21%	- 40%	= - 2	41%	- 60%	= - 3	61%	- 80%	= - 4	81%	- 100%	= - 5 points	10 pts. (5 pts. with minimum petition score + maximum external negative support)	10
51% petitions				75% petitions																																																																																										
51%	-	59%	=	10 points	75%	-	78%	=	10 points																																																																																					
60%	-	68%	=	11	79%	-	82%	=	11																																																																																					
69%	-	77%	=	12	83%	-	86%	=	12																																																																																					
78%	-	86%	=	13	87%	-	90%	=	13																																																																																					
87%	-	95%	=	14	91%	-	94%	=	14																																																																																					
96%	-	100%	=	15	95%	-	100%	=	15																																																																																					
% of negative replies		Subtract																																																																																												
Less than 10 or 16 replies		= - 0 points																																																																																												
If at least 10 or 16 replies are received, subtract points based upon the percentage of replies that are negative	1%	- 20%	= - 1 point																																																																																											
	21%	- 40%	= - 2																																																																																											
	41%	- 60%	= - 3																																																																																											
	61%	- 80%	= - 4																																																																																											
	81%	- 100%	= - 5 points																																																																																											
Maximum Score	100	Minimum score necessary to submit petition to the Transportation Commission for review and recommendation = 25 points (minimum required)	13 pts.	50																																																																																										



IOWA ST

0819-1

5.5

2/2



N EUCLID AVE

CHICAGO AVE

**Close Up View of 500  
Block of N Euclid Ave**



			AUGUSTA ST
LINDEN		OAK PARK AVE	
COLUMBIA	IOWA ST		
LINDEN AVE		295 (31 mph) —>	
EUCLID AVE		<— 790 (29 mph) —>	
CHICAGO AVE		<— 899 (28 mph) —>	
2019		321 (28 mph) —>	
Engineering Division	By: JAJ Date: 06-19-19	24-Hour, Speed & Volume Data Collected on 600 Blocks of North Euclid, Linden, Fair Oaks and 500 Block of North Euclid Ave	<p>LEGEND      XXX (YY mph)-Volume (85th Percentile Speed)      Source: Thursday, May 23, 2019 Traffic Study</p> <p>0819-1      5.7      → 13</p> U:\Parking_Traffic\P&T Commission\2019 agenda\0619-1\15 - 600 N Euclid Ave\draft\Source_Files\2019 data.dgn

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Euclid Avenue  
Augusta Street & Iowa Street  
600 Block

NB

Start Time	10	11	16	21	26	31	36	41	46	51	56	61	66	70	Total
05/23/19	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06:00	0	0	1	4	5	1	0	0	0	0	0	0	0	0	11
07:00	0	0	2	10	6	0	0	0	0	0	0	0	0	0	18
08:00	0	1	2	11	15	2	0	0	0	0	0	0	0	0	31
09:00	0	3	2	6	9	1	0	0	0	0	0	0	0	0	21
10:00	1	2	4	5	2	1	1	0	0	0	0	0	0	0	16
11:00	3	0	3	10	4	2	1	0	0	0	0	0	0	0	23
12 PM	3	2	4	6	14	3	2	0	0	0	0	0	0	0	34
13:00	0	1	2	4	15	2	0	0	0	0	0	0	0	0	24
14:00	1	1	2	9	1	7	2	0	0	0	0	0	0	0	23
15:00	1	1	2	16	31	9	1	0	0	0	0	0	0	0	61
16:00	0	0	2	16	21	3	1	0	0	0	0	0	0	0	43
17:00	1	0	2	18	20	5	2	0	0	0	0	0	0	0	48
18:00	2	1	4	16	19	4	1	0	0	0	0	0	0	0	47
19:00	1	2	5	16	13	1	0	0	0	0	0	0	0	0	38
20:00	1	1	3	7	11	0	0	0	0	0	0	0	0	0	23
21:00	1	0	1	10	7	2	0	0	0	0	0	0	0	0	21
22:00	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
23:00	0	0	1	2	3	2	0	0	0	0	0	0	0	0	8
Total	15	16	44	168	196	45	11	0	0	0	0	0	0	0	495
Percent	3.0%	3.2%	8.9%	33.9%	39.6%	9.1%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	19 MPH
50th Percentile :	25 MPH
85th Percentile :	29 MPH
95th Percentile :	33 MPH
Mean Speed(Average) :	25 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	364
Percent in Pace :	73.5%
Number of Vehicles > 25 MPH :	252
Percent of Vehicles > 25 MPH :	50.9%

0819-1  
5.7  
2/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Euclid Avenue  
Augusta Street & Iowa Street  
600 Block

SB

Start Time	10	11	15	16	20	21	25	26	30	31	35	36	40	41	45	46	50	55	56	60	61	65	66	70	Total
05/23/19	0	0		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
01:00	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
04:00	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
05:00	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
06:00	3	0	0	0	2	2	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	10	
07:00	0	1	2	8	19	6	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	39	
08:00	0	0	4	6	7	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	
09:00	1	2	1	4	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	
10:00	1	1	2	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	
11:00	1	1	2	2	3	4	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	14	
12 PM	5	1	2	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15	
13:00	0	1	1	4	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	
14:00	0	1	1	5	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	
15:00	0	0	1	9	13	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29	
16:00	0	0	0	3	8	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	
17:00	2	0	1	4	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27	
18:00	1	1	0	8	12	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28	
19:00	0	2	2	8	9	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24	
20:00	0	3	0	3	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	
21:00	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
22:00	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
23:00	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
Total	16	14	21	78	109	48	8	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	295	
Percent	5.4%	4.7%	7.1%	26.4%	36.9%	16.3%	2.7%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	18 MPH
50th Percentile :	25 MPH
85th Percentile :	31 MPH
95th Percentile :	34 MPH
Mean Speed(Average) :	25 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	187
Percent in Pace :	63.4%
Number of Vehicles > 25 MPH :	166
Percent of Vehicles > 25 MPH :	56.3%

0819-1  
5.7  
3/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Euclid Avenue  
Augusta Street & Iowa Street  
600 Block

NB, SB

Start Time	10	11	15	20	21	25	26	30	31	35	36	40	41	45	46	50	55	56	60	61	65	66	70	Total
05/23/19	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
01:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
03:00	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
04:00	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
05:00	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
06:00	3	0	1	6	8	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21	
07:00	0	1	4	18	25	6	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	
08:00	0	1	6	17	22	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	
09:00	1	5	3	10	14	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35	
10:00	2	3	6	11	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27	
11:00	4	1	5	12	7	6	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	37	
12 PM	8	3	6	10	17	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	
13:00	0	2	3	8	16	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33	
14:00	1	2	3	14	6	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	36	
15:00	1	1	3	25	44	15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	90	
16:00	0	0	2	19	29	7	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	
17:00	3	0	3	22	30	15	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	
18:00	3	2	4	24	31	9	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	
19:00	1	4	7	24	22	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	
20:00	1	4	3	10	13	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33	
21:00	1	0	1	10	10	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24	
22:00	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
23:00	0	0	1	4	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	
Total	31	30	65	246	305	93	19	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	790	
Percent	3.9%	3.8%	8.2%	31.1%	38.6%	11.8%	2.4%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	19 MPH
50th Percentile :	25 MPH
85th Percentile :	29 MPH
95th Percentile :	33 MPH
Mean Speed(Average) :	25 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	551
Percent in Pace :	69.7%
Number of Vehicles > 25 MPH :	418
Percent of Vehicles > 25 MPH :	52.9%

0819-1  
5.7  
4/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
 Euclid Avenue  
 Iowa Street & Chicago Avenue  
 500 Block

NB

Start Time	10	11	16	21	26	31	36	41	46	51	56	61	66	70	Total
05/23/19	0	0	0	2	0	0	0	0	0	1	0	0	0	0	3
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06:00	0	0	0	2	5	1	1	0	0	0	0	0	0	0	9
07:00	1	0	5	14	10	2	0	0	0	0	0	0	0	0	32
08:00	0	3	5	13	19	2	0	0	0	0	0	0	0	0	42
09:00	2	0	8	12	3	0	0	0	0	0	0	0	0	0	25
10:00	3	3	4	6	4	1	0	1	0	0	0	0	0	0	22
11:00	0	0	6	10	5	1	0	0	0	0	0	0	0	0	22
12 PM	4	1	6	16	3	0	0	0	0	0	0	0	0	0	30
13:00	0	2	7	10	9	2	0	0	0	0	0	0	0	0	30
14:00	4	3	5	10	4	2	0	0	0	0	0	0	0	0	28
15:00	2	3	11	21	14	8	1	0	0	0	0	0	0	0	60
16:00	2	4	13	21	10	0	0	0	0	0	0	0	0	0	50
17:00	6	0	9	22	25	4	0	0	0	0	0	0	0	0	66
18:00	1	3	5	24	29	4	0	0	0	0	0	0	0	0	66
19:00	0	1	4	16	13	1	2	0	0	0	0	0	0	0	37
20:00	0	1	1	8	12	0	0	0	0	0	0	0	0	0	22
21:00	0	0	3	9	9	2	0	0	0	0	0	0	0	0	23
22:00	0	0	0	2	1	0	0	0	0	0	0	0	0	0	3
23:00	0	0	0	1	4	2	0	0	0	0	0	0	0	0	7
Total	25	24	93	219	179	32	4	1	0	1	0	0	0	0	578
Percent	4.3%	4.2%	16.1%	37.9%	31.0%	5.5%	0.7%	0.2%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile : 17 MPH  
 50th Percentile : 23 MPH  
 85th Percentile : 28 MPH  
 95th Percentile : 31 MPH

Mean Speed(Average) : 23 MPH  
 10 MPH Pace Speed : 21-30 MPH

Number in Pace : 398

Percent in Pace : 68.9%

Number of Vehicles > 25 MPH : 217  
 Percent of Vehicles > 25 MPH : 37.5%

0819-1  
 5.7  
 5/13

# Fish Transportation Group

801 South Blvd Suite 5  
Oak Park, IL 60302

Oak Park  
Euclid Avenue  
Iowa Street & Chicago Avenue  
500 Block

SB

Start Time	10	11	15	20	21	25	26	30	31	35	36	40	41	45	46	50	55	56	60	61	65	66	70	Total
05/23/19	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
04:00	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
05:00	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
06:00	0	0	0	0	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
07:00	1	0	7	21	5	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	
08:00	2	2	3	8	6	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	23	
09:00	1	2	2	2	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	
10:00	2	1	4	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	
11:00	1	3	1	3	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	
12 PM	0	2	3	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	
13:00	2	1	0	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	
14:00	1	1	3	8	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	
15:00	2	2	5	12	8	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33	
16:00	0	0	3	12	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22	
17:00	2	2	5	14	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33	
18:00	4	1	2	12	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29	
19:00	0	4	1	16	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	
20:00	0	1	6	1	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	
21:00	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
22:00	1	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
23:00	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Total	19	22	46	133	78	22	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	321	
Percent	5.9%	6.9%	14.3%	41.4%	24.3%	6.9%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	15 MPH
50th Percentile :	22 MPH
85th Percentile :	28 MPH
95th Percentile :	31 MPH
Mean Speed(Average) :	23 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	211
Percent in Pace :	65.7%
Number of Vehicles > 25 MPH :	101
Percent of Vehicles > 25 MPH :	31.5%

0819-1  
5.7  
6/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
 Euclid Avenue  
 Iowa Street & Chicago Avenue  
 500 Block

NB, SB

Start Time	10	11	16	21	26	31	36	41	46	51	56	61	66	70	Total
05/23/19	0	0	1	3	0	0	0	0	0	1	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
05:00	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
06:00	0	0	0	4	6	3	1	0	0	0	0	0	0	0	14
07:00	2	0	12	35	15	6	0	0	0	0	0	0	0	0	70
08:00	2	5	8	21	25	3	1	0	0	0	0	0	0	0	65
09:00	3	2	10	14	7	1	0	0	0	0	0	0	0	0	37
10:00	5	4	8	13	6	1	0	1	0	0	0	0	0	0	38
11:00	1	3	7	13	12	3	0	0	0	0	0	0	0	0	39
12 PM	4	3	9	20	7	0	0	0	0	0	0	0	0	0	43
13:00	2	3	7	12	10	4	0	0	0	0	0	0	0	0	38
14:00	5	4	8	18	5	5	0	0	0	0	0	0	0	0	45
15:00	4	5	16	33	22	12	1	0	0	0	0	0	0	0	93
16:00	2	4	16	33	17	0	0	0	0	0	0	0	0	0	72
17:00	8	2	14	36	34	5	0	0	0	0	0	0	0	0	99
18:00	5	4	7	36	38	5	0	0	0	0	0	0	0	0	95
19:00	0	5	5	32	18	1	2	0	0	0	0	0	0	0	63
20:00	0	2	7	9	18	0	2	0	0	0	0	0	0	0	36
21:00	0	0	3	11	10	3	0	0	0	0	0	0	0	0	27
22:00	1	0	0	4	3	0	0	0	0	0	0	0	0	0	8
23:00	0	0	0	3	4	2	0	0	0	0	0	0	0	0	9
Total	44	46	139	352	257	54	5	1	0	1	0	0	0	0	899
Percent	4.9%	5.1%	15.5%	39.2%	28.6%	6.0%	0.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	

Daily	15th Percentile :	16 MPH
	50th Percentile :	23 MPH
	85th Percentile :	28 MPH
	95th Percentile :	31 MPH
Mean Speed(Average) :	23 MPH	
10 MPH Pace Speed :	21-30 MPH	
Number in Pace :	609	
Percent in Pace :	67.7%	
Number of Vehicles > 25 MPH :	318	
Percent of Vehicles > 25 MPH :	35.4%	

0819-1  
 5.7  
 7/13

# Fish Transportation Group

801 South Blvd Suite 5  
Oak Park, IL 60302

Oak Park  
Linden Avenue  
Augusta Street & Iowa Street  
600 Block

NB

Start Time	10	11	16	21	26	31	36	41	46	51	56	61	66	70	Total
05/23/19	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:00	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
06:00	0	2	1	2	3	0	1	0	0	0	0	0	0	0	9
07:00	3	1	7	21	5	1	0	0	0	0	0	0	0	0	38
08:00	2	2	5	6	7	1	0	0	0	0	0	0	0	0	23
09:00	3	1	3	5	1	1	0	0	0	0	0	0	0	0	14
10:00	2	0	1	2	6	1	0	0	0	0	0	0	0	0	12
11:00	1	0	1	6	7	1	1	1	0	0	0	0	0	0	18
12 PM	2	1	0	6	8	5	1	0	0	0	0	0	0	0	23
13:00	1	1	2	6	9	1	0	0	0	0	0	0	0	0	20
14:00	4	0	7	18	7	0	0	0	0	0	0	0	0	0	36
15:00	4	1	11	41	26	7	2	0	0	0	0	0	0	0	92
16:00	7	1	8	26	16	3	0	0	0	0	0	0	0	0	61
17:00	4	1	4	31	22	4	1	0	0	0	0	0	0	0	67
18:00	1	1	5	16	19	3	1	0	0	0	0	0	0	0	46
19:00	3	2	3	16	15	2	0	0	0	0	0	0	0	0	41
20:00	1	0	2	13	5	0	0	0	0	0	0	0	0	0	21
21:00	1	0	5	10	2	1	1	0	0	0	0	0	0	0	20
22:00	1	0	0	4	0	0	0	0	0	0	0	0	0	0	5
23:00	0	0	0	1	2	0	0	0	0	0	0	0	0	0	3
Total	43	14	65	231	160	32	8	1	0	0	0	0	0	0	554
Percent	7.8%	2.5%	11.7%	41.7%	28.9%	5.8%	1.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile : 17 MPH  
50th Percentile : 23 MPH  
85th Percentile : 28 MPH  
95th Percentile : 32 MPH

Mean Speed(Average) : 23 MPH  
10 MPH Pace Speed : 21-30 MPH

Number in Pace : 391

Percent in Pace : 70.6%

Number of Vehicles > 25 MPH : 201  
Percent of Vehicles > 25 MPH : 36.3%

0819-1  
5.7  
8/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Linden Avenue  
Augusta Street & Iowa Street  
600 Block

SB

Start Time	10	11	15	20	21	25	26	30	31	35	36	40	41	45	46	50	55	56	60	61	65	66	70	Total
05/23/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:00	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
05:00	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
06:00	0	2	3	6	4	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20
07:00	2	5	1	16	27	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
08:00	0	0	5	14	11	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33
09:00	2	2	3	7	6	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24
10:00	1	2	3	6	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
11:00	1	0	3	7	11	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26
12 PM	0	0	0	10	3	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
13:00	0	1	2	5	5	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
14:00	1	1	0	8	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
15:00	2	1	3	14	11	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38
16:00	5	1	4	4	13	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29
17:00	3	3	3	3	15	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35
18:00	2	4	6	16	13	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44
19:00	3	1	1	7	3	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21
20:00	0	1	4	4	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
21:00	0	0	1	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
22:00	0	1	0	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7
23:00	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Total	23	26	43	132	138	52	3	3	3	1	0	0	0	0	0	0	0	0	0	0	0	0	421	
Percent	5.5%	6.2%	10.2%	31.4%	32.8%	12.4%	0.7%	0.7%	0.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	16 MPH
50th Percentile :	24 MPH
85th Percentile :	29 MPH
95th Percentile :	33 MPH
Mean Speed(Average) :	24 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	270
Percent in Pace :	64.1%
Number of Vehicles > 25 MPH :	197
Percent of Vehicles > 25 MPH :	46.8%

0819-1  
5.7  
9/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Linden Avenue  
Augusta Street & Iowa Street  
600 Block

NB, SB

Start Time	10	11	15	20	21	25	26	30	31	35	36	40	41	45	46	50	55	56	60	61	65	66	70	Total
05/23/19	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
01:00	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
04:00	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
05:00	4	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	
06:00	0	4	4	8	7	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29	
07:00	5	6	8	37	32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	95	
08:00	2	2	10	20	18	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	
09:00	5	3	6	12	7	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	
10:00	3	2	4	8	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27	
11:00	2	0	4	13	18	4	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44	
12 PM	2	1	0	16	11	7	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	39	
13:00	1	2	4	11	14	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	36	
14:00	5	1	7	26	10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	
15:00	6	2	14	55	37	14	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	130	
16:00	12	2	12	30	29	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	90	
17:00	7	4	7	34	37	12	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	102	
18:00	3	5	11	32	32	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	90	
19:00	6	3	4	23	18	7	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	
20:00	1	1	6	17	8	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	34	
21:00	1	0	6	10	4	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	
22:00	1	1	0	6	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	
23:00	0	0	0	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
Total	66	40	108	363	298	84	11	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	975	
Percent	6.8%	4.1%	11.1%	37.2%	30.6%	8.6%	1.1%	0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		

Daily

15th Percentile :	16 MPH
50th Percentile :	23 MPH
85th Percentile :	29 MPH
95th Percentile :	33 MPH
Mean Speed(Average) :	24 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	661
Percent in Pace :	67.8%
Number of Vehicles > 25 MPH :	398
Percent of Vehicles > 25 MPH :	40.8%

0819-1  
5.7  
10/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Fair Oaks Avenue  
Augusta Street & Iowa Street  
600 Block

NB

Start Time	10	11	16	21	26	31	36	41	46	51	56	61	66	70	Total
05/23/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06:00	0	0	1	2	0	1	0	0	0	0	0	0	0	0	4
07:00	2	2	7	23	11	3	0	0	0	0	0	0	0	0	48
08:00	1	0	1	4	6	1	0	0	0	0	0	0	0	0	13
09:00	0	0	1	1	2	0	0	0	0	0	0	0	0	0	4
10:00	4	1	0	7	0	1	0	0	0	0	0	0	0	0	13
11:00	0	0	0	4	2	3	1	1	0	0	0	0	0	0	11
12 PM	1	2	4	9	7	2	0	0	0	0	0	0	0	0	25
13:00	0	1	3	3	7	1	0	0	0	0	0	0	0	0	15
14:00	0	1	3	10	4	1	0	0	0	0	0	0	0	0	19
15:00	0	0	10	21	11	3	1	0	0	0	0	0	0	0	46
16:00	0	1	4	13	7	5	0	0	0	0	0	0	0	0	30
17:00	0	1	1	9	5	3	1	0	0	0	0	0	0	0	20
18:00	4	4	1	14	3	2	0	0	0	0	0	0	0	0	28
19:00	2	0	2	14	3	2	0	0	0	0	0	0	0	0	23
20:00	0	0	0	4	2	0	0	0	0	0	0	0	0	0	6
21:00	1	0	2	1	1	0	0	0	0	0	0	0	0	0	5
22:00	2	0	3	2	1	1	0	0	0	0	0	0	0	0	9
23:00	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2
Total	17	13	43	143	73	29	3	1	0	0	0	0	0	0	322
Percent	5.3%	4.0%	13.4%	44.4%	22.7%	9.0%	0.9%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	17 MPH
50th Percentile :	23 MPH
85th Percentile :	28 MPH
95th Percentile :	32 MPH
Mean Speed(Average) :	23 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	216
Percent in Pace :	67.1%
Number of Vehicles > 25 MPH :	106
Percent of Vehicles > 25 MPH :	32.9%

0819-1  
5.7  
11/13

# Fish Transportation Group

801 South Blvd Suite 5  
Oak Park, IL 60302

Oak Park  
Fair Oaks Avenue  
Augusta Street & Iowa Street  
600 Block

SB

Start Time	10	11	15	20	21	25	26	30	31	35	36	40	41	45	46	50	55	56	60	61	65	66	70	Total
05/23/19	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
04:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
05:00	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
06:00	0	1	2	3	9	37	27	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
07:00	4	4	9	37	27	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	86
08:00	0	3	2	13	12	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31
09:00	0	1	2	9	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
10:00	2	3	6	8	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25
11:00	2	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
12 PM	0	0	6	4	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
13:00	2	0	1	5	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
14:00	0	2	1	11	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
15:00	2	2	9	22	15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51
16:00	0	1	9	18	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	36
17:00	0	0	2	17	12	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32
18:00	1	1	4	18	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29
19:00	1	1	9	9	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24
20:00	0	0	4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
21:00	0	1	0	6	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
22:00	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
23:00	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Total	14	20	69	202	121	15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	442
Percent	3.2%	4.5%	15.6%	45.7%	27.4%	3.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Daily

15th Percentile :	17 MPH
50th Percentile :	22 MPH
85th Percentile :	27 MPH
95th Percentile :	29 MPH
Mean Speed(Average) :	23 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	323
Percent in Pace :	73.1%
Number of Vehicles > 25 MPH :	137
Percent of Vehicles > 25 MPH :	31.0%

0819-1  
5.7  
12/13

**Fish Transportation Group**  
**801 South Blvd Suite 5**  
**Oak Park, IL 60302**

Oak Park  
Fair Oaks Avenue  
Augusta Street & Iowa Street  
600 Block

NB, SB

Start Time	10	11	16	21	26	31	36	41	46	51	56	61	66	70	Total
05/23/19	0	0	0	4	0	0	0	0	0	0	0	0	0	0	4
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
04:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
05:00	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2
06:00	0	1	3	5	9	3	0	0	0	0	0	0	0	0	21
07:00	6	6	16	60	38	7	1	0	0	0	0	0	0	0	134
08:00	1	3	3	17	18	2	0	0	0	0	0	0	0	0	44
09:00	0	1	3	10	7	0	0	0	0	0	0	0	0	0	21
10:00	6	4	6	15	6	1	0	0	0	0	0	0	0	0	38
11:00	2	0	0	11	2	3	1	1	0	0	0	0	0	0	20
12 PM	1	2	10	13	14	3	0	0	0	0	0	0	0	0	43
13:00	2	1	4	8	13	2	0	0	0	0	0	0	0	0	30
14:00	0	3	4	21	7	2	0	0	0	0	0	0	0	0	37
15:00	2	2	19	43	26	4	1	0	0	0	0	0	0	0	97
16:00	0	2	13	31	13	7	0	0	0	0	0	0	0	0	66
17:00	0	1	3	26	17	4	1	0	0	0	0	0	0	0	52
18:00	5	5	5	32	7	3	0	0	0	0	0	0	0	0	57
19:00	3	1	11	23	7	2	0	0	0	0	0	0	0	0	47
20:00	0	0	4	10	2	0	0	0	0	0	0	0	0	0	16
21:00	1	1	2	7	4	0	0	0	0	0	0	0	0	0	15
22:00	2	0	5	3	2	1	0	0	0	0	0	0	0	0	13
23:00	0	0	0	3	1	0	0	0	0	0	0	0	0	0	4
Total	31	33	112	345	194	44	4	1	0	0	0	0	0	0	764
Percent	4.1%	4.3%	14.7%	45.2%	25.4%	5.8%	0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

Daily

15th Percentile :	17 MPH
50th Percentile :	22 MPH
85th Percentile :	28 MPH
95th Percentile :	31 MPH
Mean Speed(Average) :	23 MPH
10 MPH Pace Speed :	21-30 MPH
Number in Pace :	539
Percent in Pace :	70.5%
Number of Vehicles > 25 MPH :	243
Percent of Vehicles > 25 MPH :	31.8%


0819-1  
5.7  
13/13

0819-1


5.8

1/2

**VILLAGE OF OAK PARK  
COLLISION DIAGRAM**



HISTORICAL DATA - JAN 1996-DEC 1998  
 EB-WB STOP INSTALLED PRIOR TO 12-31-95  
 1996-1998 # OF CRASHES=0, ADT=1497  
 1998 CRASH RATE=0.000 Acc/MEV  
 CRITICAL CRASH RATE=0.860 Acc/MEV  
 EB-WB STOP REMOVED, NB-SB STOP INSTALLED ON 03-29-00  
 2016-2018 # OF CRASHES=1  
 2018 CRASH RATE=0.610 Acc/MEV



2016 = 0  
 2017 = 0  
 2018 = 1



Euclid Ave

SYMBOLS	TYPES OF COLLISIONS	
MOVING VEHICLE BACKING VEHICLE PEDESTRIAN PARKED VEHICLE FIXED OBJECT FATAL ACCIDENT INJURY ACCIDENT	REAR END HEAD ON SIDE SWIPE OUT OF CONTROL LEFT TURN	RIGHT ANGLE 1. Date and Time 2. Weather and Road Surface Conditions
INTERSECTION of <u>Euclid Avenue</u> and <u>Iowa Street</u> PERIOD: <u>36 Months</u> FROM: <u>January 2016</u> TO: <u>December 2018</u> BY: <u>JAJ</u> DATE: <u>June 14, 2019</u> NO SCALE		

# VILLAGE OF OAK PARK COLLISION DIAGRAM

0819-1

5.8

2/2

N

S

E

W



HISTORICAL DATA - JAN 1996-DEC 1998  
NS Stop Installed 12/31/95  
1996-1998 # OF CRASHES=6, ADT=18,194  
1998 CRASH RATE=0.301 Acc/MEV  
1998 CRITICAL CRASH RATE=0.860 Acc/MEV  
2016-2018 # OF CRASHES=10  
2018 CRASH RATE=0.502 Acc/MEV

05/21/16 16:19  
Clear - Dry  
11/02/18 15:36  
Clear - Dry  
12/10/18 17:16  
Clear - Dry

12/10/18 18:10  
Clear - Dry

Light Pole Street Sign  
05/02/18 9:55  
Cloudy - Dry

12/29/18 14:59  
Cloudy - Wet

12/15/17 15:30  
Cloudy - Dry  
11/13/18 16:47  
Clear - Dry

Chicago Avenue

06/01/17 17:32  
Clear - Dry

2016=1  
2017=3  
2018=6

08/05/17 12:10  
Clear - Dry

Euclid Avenue



## SYMBOLS

- ← Moving Vehicle
- Moving Vehicle
- ↔ Backing Vehicle
- ↔ Pedestrian
- Parked Vehicle
- Fixed Object
- Fatal Accident
- Injury Accident

## TYPES OF COLLISIONS

- ↔ Rear End
- Head On
- ↔ Side Swipe
- ↔ Out of Control
- Left Turn

- ↑ Right Angle
- 1. Date and Time
- 2. Weather and Road Surface Conditions

INTERSECTION of Chicago Avenue and Euclid Avenue

PERIOD: 36 Months FROM: January 2016 TO: December 2018

BY: CSK DATE: June 27, 2019 NO SCALE



0819-1

5.9

1/1

The Village of Oak Park  
Village Hall  
123 Madison Street  
Oak Park, Illinois 60302-4272  
708.383.6400  
Fax 708.383.9584  
TTY 708.383.0048  
village@vil.oak-park.il.us

August 14, 2019

TO: RESIDENTS OF THE 500 & 600 BLOCKS OF N. EUCLID AVE., LINDEN AVE., N. EAST AVE., FAIR OAKS AVE., N. ELMWOOD AVE., AND THE 400, 438, 500, 600, 638 & 700 BLOCKS OF CHICAGO AVE., IOWA ST., AUGUSTA ST.

RE: PETITION TO IMPLEMENT A TRAFFIC CALMING MEASURE ON THE 500 BLOCK OF NORTH EUCLID AVENUE

Dear Resident:

The Village of Oak Park received a petition to implement a traffic calming measure on the 500 block of North Euclid Avenue.

The Transportation Commission review will be considering traffic calming measures from the Village's Traffic Calming Toolbox that do not restrict access. Below is the URL address to the Village's webpage showing a matrix of the 32 traffic calming measures in the Toolbox:

[https://www.oak-park.us/sites/default/files/public-works/matrix\\_table.pdf](https://www.oak-park.us/sites/default/files/public-works/matrix_table.pdf)

The Transportation Commission is scheduled to review this petition at its upcoming public meeting being held at 7:00 PM on Monday, August 26, 2019, in Council Chambers of Village Hall.

You are invited to attend this public meeting to give testimony. If you wish to comment but are unable to attend, you may submit your comments in writing to the undersigned by U.S. mail, by fax to (708) 434-1600 or by email at [transportation@oak-park.us](mailto:transportation@oak-park.us). All comments must be received by Wednesday, August 21, 2019 at 5:00 PM for inclusion in the Transportation Commission's agenda.

A copy of the Commission's agenda will be posted on the Village of Oak Park's website ([www.oak-park.us](http://www.oak-park.us)) for public review and inspection. Look for the agenda on the website after 5:00 PM on Thursday, August 22nd.

Sincerely,

THE VILLAGE OF OAK PARK

*Jill Juliano*

Jill Juliano, P.E.  
Transportation Engineer

Village of Oak Park  
Public Works Center  
201 South Boulevard  
Oak Park, IL 60302

**Village Of Oak Park**  
**Transportation Commission Agenda Item**

<b>Item Title:</b> Parking Pilot Program Feedback
Review Date: <u>August 26, 2019</u>
Prepared By: <u>John Youkhana</u>
<b>Abstract (briefly describe the item being reviewed):</b> <p>In 2019, the Village of Oak Park began a Parking Pilot Program from South Blvd. to Madison St. and from Harlem Avenue to Oak Park Avenue. The Parking Pilot Program featured a number of changes to the Village existing and extensive Parking Rules. The intention of the program was to make parking easier to understand and ultimately easier to find a space to park.</p> <p>New Rules to the Village Parking Program can be found on the Village website at <a href="https://www.oak-park.us/village-services/parking/parking-pilot-program">https://www.oak-park.us/village-services/parking/parking-pilot-program</a></p> <p>The Process which began in 2016-2017 are documented on the Village website at <a href="https://www.oak-park.us/village-services/parking/pilot-program/parking-pilot-program-archive">https://www.oak-park.us/village-services/parking/pilot-program/parking-pilot-program-archive</a></p> <p>At tonight's meeting, staff will allow public testimony regarding how the Parking Pilot Program has impacted the citizens in those areas. The Transportation Commission is not expected to make any decisions or take any direction from this meeting. This is an opportunity for new commission members to understand the Pilot Program and hear feedback from residents, staff will use this feedback to come up with future recommendations and processed for the Pilot Program.</p> <p>Staff will notify those individuals that have previously expressed concern or comments on the pilot of this feedback opportunity.</p>
<b>Staff Recommendation(s):</b> <p>No staff recommendation needed, this is a feedback opportunity. The feedback received during this meeting will allow staff to make future recommendations and document the concerns of citizens for future review by the commission, when recommendations are made by staff.</p>
Supporting Documentation Is Available on the Village website including videos, print material, and message board commenting. Staff is requesting commissioners use the

website to assure that residents and commissioners are receiving the same information and understanding of the pilot program.

New Rules to the Village Parking Program can be found on the Village website at  
<https://www.oak-park.us/village-services/parking/parking-pilot-program>

The Process which began in 2016-2017 are documented on the Village website at  
<https://www.oak-park.us/village-services/parking/pilot-program/parking-pilot-program-archive>

**Village Of Oak Park**  
**Transportation Commission Agenda Item**

**Item Title:** **Review update of Village's Bicycle plan and its implementation  
(continued from 07/22/2019 meeting)**

Review Date: August 26, 2019

Prepared By: Michael Koperniak

**Abstract (briefly describe the item being reviewed):**

One item on the Transportation Commission's approved 2019 Work Plan is to review the update of the Village's Bicycle Plan and its implementation. This item was carried over from the 2018 work plan. The time frame for this item is to start in the first quarter and finish by the third quarter of 2019.

The Transportation Commission first discussed this at its March 25, 2019 meeting.

At its July 22, 2019 meeting, the Commission members were tasked with visiting the neighborhood greenway road segments in order to be able to develop a from most to least preferred ranked listing of roadway segments to recommend for improvements.

**Staff Recommendation(s):**

Staff's recommendation for tonight's meeting is to review the results of the Commissioner's visits to the neighborhood greenway road segments and develop a from most to least preferred ranked listing of roadway segments to recommend for improvements. If time permits, the Commission can also determine what types of bicycle friendly road improvements to implement along the segment(s).

Supporting Documentation Is Attached

# MEMORANDUM

Date: August 26, 2019

To: Transportation Commission

From: Mike Koperniak, Staff Liaison

Parking and Traffic Commission M.K.

Re: Review update of Village's Bicycle plan and its implementation (continued from the 07/22/2019 meeting)

---

The following narrative is copied from agenda item 6.2 Background Information as found in the July 22, 2019 Transportation Commission meeting agenda. Updates and new information has been added as *boxed in italicized text*.

One item on the Transportation Commission's approved 2019 Work Plan is to review the update of the Village's Bicycle Plan and its implementation. This item was carried over from the 2018 work plan. The time frame for this item is to start in the first quarter and finish by the third quarter of 2019. The outcomes of this review include:

- Make Village more bike friendly
- Prioritize streets for implementing the plan
- Review how bike plan interacts with Village's 5-year capital improvement plan program
- Implement a public education campaign
- Engage the public to improve and accelerate implementation of the bike plan
- Review why Divvy Bike Program failed
- Increase the level of bike sharing

The Transportation Commission first met to discuss this item at its March 25, 2019 meeting.

*It subsequently met again on July 22nd to again discuss this item.*

The intended outcome of tonight's meeting is to work on fulfilling the first two work plan outcomes as indicated above and below.

The first work plan outcome is to make the Village more bike friendly. To achieve this outcome, the Village adopted a bicycle boulevard plan in 2008 and then updated and expanded the plan in 2015. The next step is to implement the recommendations in the two bike plans.

The second work plan outcome is to prioritize streets for implementing the plan and to recommend specific improvements on the streets. Staff recommends that the Transportation Commission spend the next several months prioritizing the NGN streets and recommending specific improvements based on the adopted bicycle plan.

By now, all of the Commission members should have received a white binder with the Village's August 2008 Bicycle Plan and the July 2015 Neighborhood Greenway System Study & Bike Share Feasibility Study. Ideally, each member has read through the two documents in preparation for completing this work plan item.

**BRING YOUR BINDER TO THE MEETING.**

The two bicycle plans can be found on the Village of Oak Park website at:

<https://www.oak-park.us/our-community/bicycling-oak-park>

<https://www.oak-park.us/sites/default/files/public-works/bicycle-plan.pdf>

<https://www.oak-park.us/sites/default/files/public-works/2015-07-20-greenways-bike-share-feasibility-study.pdf>

Included in the Neighborhood Greenway System Study (NGSS) document, starting on page 22, is a Neighborhood Greenways Toolbox. The toolbox is attached as Exhibit A. As stated in the study, the purpose of this toolbox is as follows:

In order to maximize the effectiveness of Oak Park's Neighborhood Greenways Network, the Project Team has identified the following set of tools to provide cyclists with a safe, comfortable, and low-stress experience, with the goal of serving bicycle riders aged 8 to 80.

Also included in the NGSS document, starting on page 117, is a series of tables describing the neighborhood greenways facilities. The tables include detailed recommendations for the intersections and street segments throughout the network. The tables are organized by the

neighborhood greenways name and includes (a) existing conditions, (b) near-term recommendations, and (c) long-term recommendations. These tables are attached as Exhibit B.

Attached as Exhibit C is a map showing the neighborhood bicycle greenways network of street segments and intersections.

As part of its 2019-2023 Capital Improvement Plan (CIP), adopted December 10, 2018, the Village of Oak Park has included in its recommended fiscal year 2020 budget the sum of \$200,000 for bicycle boulevard improvements and \$5,000 for bicycle racks. These are estimated dollar amounts that are not yet designated for any particular or specific improvements.

It should be pointed out that these dollar sums are only recommendations and still need to be officially included in the Village's adopted 2020 budget. The Village Board of Trustees will be adopting the official 2020 budget later this year.

In order to improve the chances for these dollar amounts to be included in the Village's adopted 2020 budget, Staff is recommending to the Transportation Commission that it select one or two neighborhood greenway street segments for improvement and also recommend specific toolbox improvements on the segments. These recommendations can then be provided to the Village Board when it is considering what items to include in the 2020 budget. The recommended \$200,000 will then have specific identifiable improvements that it can be applied to.

Staff is recommending the following to be completed before the next time the Transportation Commission considers the bicycle work plan as an agenda item.

1. The Commission members should go out in groups of one or two (but not three or more) and visit the greenway street segments and intersections to see in person what is out there. The various types of toolbox solutions can also be reviewed while visiting the intersections.

*The commission members did this in August, prior to the August 26th meeting.*

2. Each one or two member group should then rank the street segments in descending order of preference to be improved.

Considering that the Village is approximately 3.0 miles long and 1.5 miles wide, the north south greenway streets should be split into two at North/South Boulevards and treated as separate 1.5 mile segments. This will allow for an equal dollar cost comparison of east-west 1.5 miles segments and north-south 1.5 mile segments.

3. An optional exercise would be for one or two Commission members (but not three or more) to meet with one or more local bicycle advocacy groups that are familiar with the NGSS document in order to learn of their preferences as to how the greenway segments might be ranked and what toolbox solutions to apply at particular intersections.

*Commissioner Katner met with representatives of Bike Walk Oak Park and reported that they had serious input on the greenway segments.*

*Bike Walk Oak Park invited the Commission members to ride with them on several rides to inspect the segments. Several Commission members accepted the invitation.*

*Bike Walk Oak Park also offered to attend the August 26th Transportation Commission meeting in order to give a short presentation on its two choices as well as the rationale for choosing them.*

*The August 26th meeting will include a short presentation by Bike Walk Oak Park.*

- 4a. At the next Transportation Commission meeting, the Commissioners can discuss and compare their rankings, and possibly those of the advocacy group(s), in order to develop one ranked list of all of the greenway street segments.

*This is the primary goal of the August 26th Transportation Commission meeting.*

- 4b. The preferred toolbox improvements can also be discussed and settled on at this meeting or at a subsequent meeting.

*This is the secondary goal of the August 26th Transportation Commission meeting if time permits.*

5. A cost estimate can then be developed for the number 1 ranked, and possibly number 2 ranked greenway segments.

*The cost estimate can be reviewed at a future Transportation Commission meeting.*

This cost estimate will serve two purposes. First, it will provide an indication as to how far \$200,000 will go. Second, it will aid in funding decisions for improvements in subsequent years.

6. Staff can then include the Transportation Commission recommended greenway street improvements with cost estimate as part of the draft 2020 budget for consideration by the Village Board.

Finally, you can watch YouTube videos created by members of Bike Walk Oak Park that provide a basic intro/discussion on what are greenways and why they are important. Two such videos are <https://www.youtube.com/watch?v=O9lIWR3WVMs&t=83s> and <https://www.youtube.com/watch?v=O9lIWR3WVMs>. Jenna Holzberg of Bike Walk Oak Park has and will have several additional related videos on her YouTube channel.

the end

# NEIGHBORHOOD GREENWAYS TOOLBOX

In order to maximize the effectiveness of Oak Park's Neighborhood Greenways network, the Project Team has identified the following set of tools to provide cyclists with a safe, comfortable, and low-stress experience, with the goal of serving bicycle riders aged 8 to 80. See Table 2B for an overview of the recommended tools and their objectives. A detailed overview of each treatment and its recommended application is included in the Toolbox on the following pages and are grouped by the Neighborhood Greenways objectives outlined earlier in this chapter. Larger images are included in the Appendix.

Not all of the tools recommended in this Study are included in national or local design standards. However, each has been vetted and successfully used by communities implementing Neighborhood Greenways throughout the country. The Village of Oak Park should coordinate with the Federal Highway Association (FHWA) for approval on less conventional designs when using Federal funding to complete projects or when implementing projects on Federal Aid roads.



BERTEAU AVENUE NEIGHBORHOOD GREENWAYS (NEIGHBORHOOD GREENWAYS) IN CHICAGO

**TABLE 2B**  
**NEIGHBORHOOD**  
**GREENWAYS**  
**DESIGN STRATEGIES**  
**AND TOOLS**

	DESIGN STRATEGY	RECOMMENDED TOOLS
Standard Tools	Develop a consistent approach to be used throughout Oak Park's Neighborhood Greenways Network providing a unique identity and raising awareness of drivers and cyclists.	<ul style="list-style-type: none"> <li>• Neighborhood Greenways Crossing Signs</li> <li>• Neighborhood Greenways Pavement Markings</li> <li>• Advisory Bike Lanes</li> <li>• Speed Limit 20 MPH Signs</li> <li>• Intersection Daylighting</li> </ul>
Intersection Improvements	Apply a set of distinctive treatments where Neighborhood Greenways cross larger streets to emphasize the presence of bicyclists and reduce crossing distance to boost safety and convenience.	<ul style="list-style-type: none"> <li>• Intersection Crossing Markings</li> <li>• High Intensity Activated (HAWK) Signals</li> <li>• Rectangular Rapid Flashing Beacons (RRFBs)</li> <li>• Bi-Directional Bike-Only Center Left Turn Lanes</li> <li>• Bike Boxes</li> <li>• Two-Stage Turn Queue Box</li> </ul>
Traffic Calming	Identify innovative design elements on street segments with high traffic volumes and fast moving vehicles to safeguard cyclists and provide a calmer environment for all users of the road	<ul style="list-style-type: none"> <li>• Mini Roundabouts</li> <li>• Chicanes</li> </ul>
Prioritized Bicycle Travel	Develop special bike-focused facilities and amenities to provide cyclists with the confidence to ride on the Village's streets and consider biking as a mode of transportation.	<ul style="list-style-type: none"> <li>• Stop Signs and Yield Signs</li> <li>• Bicycle Signal Detectors</li> <li>• Back-In Angle Parking</li> <li>• Contraflow Bike Lanes</li> <li>• Two-Way Cycle Track</li> </ul>
Vehicle Volume Reduction	Identify new design features to discourage cut-through automobile traffic, but maintain motor vehicle access for residents who live along the selected routes.	<ul style="list-style-type: none"> <li>• Bicycle and Pedestrian Median Refuge Island</li> <li>• Cul de Sac Access</li> </ul>
Unique Identity	Create custom signage and pavement markings to encourage cyclists to fully use the Neighborhood Greenways system and remind drivers to share the road.	<ul style="list-style-type: none"> <li>• Wayfinding Signage</li> <li>• Painted Intersections</li> </ul>
Going the Distance	Pilot a project that uniquely prioritizes bicycle travel in Oak Park.	<ul style="list-style-type: none"> <li>• Streets Converted to Trails</li> </ul>

# STANDARD TOOLS

**Strategy: Develop a standard set of tools to be used throughout Oak Park's Neighborhood Greenways network providing a unique identity and raising awareness of drivers and cyclists.**

Standard tools include the following (depicted left to right on the following page):

---

---

NEIGHBORHOOD GREENWAYS CROSSING SIGNS (TOP RIGHT)

---

NEIGHBORHOOD GREENWAYS PAVEMENT MARKINGS WITH ADVISORY BIKE LANE MARKINGS (TOP LEFT)

---




SPEED LIMIT 20 MPH SIGNS (BOTTOM LEFT)

---

INTERSECTION DAYLIGHTING (BOTTOM RIGHT)

---

# Standard Tools



## Standard Tools:

### Bicycle and Pedestrian Crossing Signs

Install bicycle and pedestrian crossing signs at all arterial and collector intersections, where two Neighborhood Greenways meet, and where cyclists enter and exit a Neighborhood Greenway from a cul de sac.

## Considerations

**Application:** Place one sign in each direction on major streets in advance of the Neighborhood Greenway alerting motorists traveling in each direction.

**Specifications:** Include the words "Neighborhood Greenways," a directional arrow, and the Neighborhood Greenway name on each sign.

## Benefits

Alert motorists to high volume bicycle crossings.

Warn drivers that cyclists may cross mid-block at culs de sac.

## Cost

\$50 to \$150 per sign



BICYCLE AND PEDESTRIAN CROSSING SIGN

Use at the intersection of two Greenways, at arterial and collector crossings, and at culs de sac. Photo credit: seattle.gov (top), NACTO (bottom)



## Standard Tools: Neighborhood Greenways Pavement Markings

Use Neighborhood Greenways Pavement Markings along a Neighborhood Greenway and at intersections.

## CONSIDERATIONS

**Application:** Neighborhood Greenways pavement markings should be placed one per direction every other block. Additional markings may be placed at major intersections, offset intersections, culs de sac, or at intersections where the route changes direction.

**Dimensions:** Neighborhood Greenways pavement markings should measure approximately 21 feet long and 6 feet wide.

**Spacing:** Install the marking approximately 50 feet from the end of the curb radius at the beginning of the block segment.

**Complementary Tools:** Where a Neighborhood Greenway is re-routed or offset, use in conjunction with wayfinding signage and/or mark directional turn arrows on the pavement.

**Complementary Tools:** May be used together with bicycles may use full-lane signs (R4-11).

## BENEFITS

Provides a highly visible, unique identity for the Neighborhood Greenways network.

Encourages cyclists to use the full lane when riding on the network.

## COST

\$200 to \$500 dollars per stencil



NEIGHBORHOOD GREENWAYS PAVEMENT MARKING  
Use along Neighborhood Greenways, spaced 250 feet apart.  
Photo credit: <http://www.columbusunderground.com/>



NEIGHBORHOOD GREENWAYS PAVEMENT MARKINGS WITH TURN ARROW  
Are used where Greenways are offset, jog, or where two Greenways intersect. Photo credit: J. Maus



BIKES MAY USE FULL LANE SIGN (R4-11)  
Install together with pavement markings along Neighborhood Greenways routes.

## Standard Tools: Advisory Bike Lanes

Install advisory bike lanes in mixing zones throughout the network.

### Considerations

Recommendations: Install advisory bike lanes at all conflict points in the network and in areas where traffic cannot be sufficiently calmed through other treatments.

Dimensions: Streets for consideration should be a minimum of 23-feet wide. Advisory lanes should be at least 5-feet wide.

Considerations: Mark advisory bike lanes to establish a direct line of travel for cyclists, encouraging predictable maneuvers at conflict points and areas with other hazards.

### Benefits

Provide a dedicated, directional line of travel for cyclists on narrow streets with less than three thousand vehicles per day.

Enable drivers to pass cyclists when there is a break in traffic.

### Cost

\$5,000 to \$63,000 per mile



**ADVISORY BIKE LANES**  
Advisory bike lanes give cyclists a defined space to travel in mixing zones. Image credit from top to bottom: streets.mn (top), bikemiamibeach.org (middle), Steve Clark (bottom)

## Standard Tools: Speed Limit 20 MPH Signs

Reduce speed limits on  
Neighborhood Greenways to  
20 MPH.

### Considerations

Application: Reduce speed limits on Neighborhood Greenways to 20 MPH.

Complementary Tools: If driver compliance is low, additional traffic calming treatments may be needed to slow traffic down.

Alternative Treatment: Exceptions apply where Neighborhood Greenways route onto arterials and collectors.

### Benefits

Reduce driver encroachment on cyclists.

Slow traffic to a similar speed to cyclists.

Encourage fewer vehicle cut-through on Neighborhood Greenways.

Decrease crash severity.

### Cost

\$50 to \$150 per sign



20 MPH SPEED LIMIT STREETS  
Reduce speed limits to 20 mph on Neighborhood Greenways. Image credit  
top: rEvolving Transportation, <http://koonceportland.blogspot.com>

## Standard Tools: Intersection Daylighting

Prohibit parking at intersections throughout the Neighborhood Greenways network.

## Considerations

Application: Prohibit parking at intersections throughout the Neighborhood Greenways network.

Dimensions: Parking should be restricted within 20 to 25 feet of intersections along Neighborhood Greenways and their cross-streets.

Complementary Tools: Install no parking signs

Alternative Treatment: Removal of parking spots may not be feasible at all intersections. Priority areas are noted in the tables associated with each Neighborhood Greenway.


## Benefits

Increases cyclist visibility at intersections.

Provides a dedicated space for cyclists to maneuver offset intersections.

## Cost

\$50 to \$150 per No Parking sign



### DAYLIGHTING

Before daylighting, drivers sightlines are limited due to parked cars blocking their view of pedestrians in crosswalks and of cyclists on cross streets. After daylighting, drivers have a much broader sightline and can see both pedestrians attempting to cross and cyclists on cross streets. Photo credit: streetswiki.com

# INTERSECTION TOOLS

**Strategy:** Apply a set of distinctive treatments where Neighborhood Greenways cross larger streets to emphasize the presence of bicyclists and reduce crossing distance to boost safety and convenience.

Intersection tools include the following (depicted left to right on the following page):

INTERSECTION CROSSING MARKINGS (TOP LEFT)

HIGH INTENSITY ACTIVATED SIGNALS (HAWK) (TOP MIDDLE)


RECTANGULAR RAPID FLASHING BEACONS (RRFB) (TOP RIGHT)

BI-DIRECTIONAL BIKE ONLY CENTER LEFT TURN LANES (BOTTOM LEFT)

BIKE BOXES (BOTTOM MIDDLE)

TWO-STAGE TURN QUEUE BOX (BOTTOM RIGHT)

## Intersection Tools



## Intersection Tools: Intersection Crossing Markings

Add intersection crossing markings and chevron pavement markings to Neighborhood Greenways where they cross arterials and collectors or at intersections near high traffic destinations, such as schools.

## Considerations

**Application:** Add Elephant's Feet (dashed pavement markings) and green paint to Neighborhood Greenways where they cross arterials and collectors or at intersections near high traffic destinations, such as schools.

**Dimensions:** The bicycle travel lane should be six-feet wide to accommodate two-abreast bicycle travel. Dashes should be a minimum of 6 inches wide, 2 feet long, and spaced 2 to 6 feet apart.

**Alternative Treatments:** When the Neighborhood Greenway is offset, the pavement markings should be placed in the center of the travel lane to encourage cyclists to maintain their lane position.

**Alternative Treatments:** Alternative intersection crossing markings can be used, including dashed crossing markings alone, green paint, shared lane markings, or elephant's feet.

**Resources:** See MUTCD 3B.08 or NACTO Urban Bikeway Design Guideline for additional guidance.

## Benefits

Increase driver and cyclist awareness in conflict zones.


Direct cyclists through an intersection in a straight, predictable line.

Reduces cyclist stress through high traffic volume, wide, or otherwise confusing intersections.

## Cost

\$5 to \$12 per square foot for thermoplastic

\$200 to \$500 per stencil



**INTERSECTION CROSSING MARKINGS**  
Elephant's feet (dashed lines), green pavement markings, and Neighborhood Greenways pavement markings should be used in mixing zones at major intersections throughout the network.

## Intersection Tools: HAWK Signals or RRFBs

Install HAWKS or RRFBs at uncontrolled crossings with an AADT of 12,000 or greater, include in-pavement loop detector or a cyclist activated push button.

### Considerations

**Application:** Install HAWKS or RRFBs at uncontrolled crossings with an AADT of 12,000 or greater. Seek FHWA approval, as guidance does not currently address use for bicycles.

**Complementary Tools:** Include in-pavement loop detector or a cyclist activated push button. Intersections should be daylighted to improve driver sightlines. Mark high visibility crosswalks for pedestrians and use green paint and intersection crossing markings for cyclists.

**Notes:** HAWKs are not approved for use on roads under the Illinois Department of Transportation's jurisdiction.

**Resources:** See the MUTCD for warrants, design and location of RRFBs and hawk signals.

### Benefits

Creates safer crossings on high traffic volume streets.

Can be used when a traffic signal is not warranted or undesirable.

Affords high driver stop/yield compliance.

When coupled with signal detection, reduces cyclist wait time.

### Cost

Hawk Signal - \$50,000 a piece

RRFB - \$10,000 to \$15,000 for two signals



**RECTANGULAR RAPID FLASHING BEACON**  
Use at uncontrolled crossings where Neighborhood Greenways intersect streets with high traffic volumes. Image credit: bloomington.in.gov



**HAWK SIGNAL**  
Use at uncontrolled crossings where Neighborhood Greenways intersect streets with high traffic volumes. Photo credit: C. Bronson.



**LOOP DETECTION**  
Allows cyclists to trigger a signal without needing to push a button.

## Intersection Tools: Bi-directional bike- only center left turn lanes

Install bicycle only left turn lanes on Neighborhood Greenways approaching an offset intersection. Mark bicycle only left turn lanes at off-set intersections that require cyclists to make left-turns from arterials and collectors. Use on streets with one vehicle lane in each direction. AADT should not exceed 15,000.

### Considerations

**Application:** Install on Neighborhood Greenways approaching an offset intersection. Mark at off-set intersections that require cyclists to make left-turns from arterials and collectors. Use on streets with one vehicle lane in each direction. AADT should not exceed 15,000.

**Dimensions:** Turn lanes must be 10-feet wide, or 5-feet wide in each direction.

**Notes:** Seek FHWA approval for use.

**Resources:** [http://www.pedbikesafe.org/BIKESAFE/case\\_studies/casestudy.cfm?CS\\_NUM=301](http://www.pedbikesafe.org/BIKESAFE/case_studies/casestudy.cfm?CS_NUM=301)

### Benefits


Provides cyclists with refuge when crossing the street.

Reduces the number of lanes a cyclist must cross.

Does not prohibit vehicle turning movements.

### Cost

\$4 per square foot for striping, additional cost for bicycle stencils and arrows



**BICYCLE ONLY LEFT TURN LANES**  
Allow cyclists to cross fewer lanes of traffic when making left turns. Photo credit: Roger Geller.



## Intersection Tools: Bike Boxes

Provide a designated space  
between motor vehicles and  
crosswalks at signalized  
intersections.

### Considerations

**Applications:** Include bike symbol or helmeted bicyclist symbol in the bike box. At offset intersections that require left turns, extend across entire lane. When ingress lanes are used leading up to the bike box, use green paint and ensure green lanes are between 20-50 feet long.

**Dimensions:** Build bike box 10-16 feet long and as wide as the vehicle travel lane.

**Complementary Tools:** Use stop bars in compliance with the MUTCD Section 3B.16 and intersection crossing markings. Consider using green pavement in the bike box. Install no turn on red signs at intersections where right turns on red are currently permitted.

### Benefits

Increase cyclist visibility at intersections.

Reduce risk of "right hooks" by right-turning vehicles.

### Cost

\$5 to \$12 per square foot for thermoplastic, \$250 per pavement marking, \$300 for signage


Overall cost \$1900 to \$5600 per intersection with two bike boxes



**BIKE BOX**  
Use at signalized intersections and place between the crosswalk and stop bar.



**NEIGHBORHOOD GREENWAYS PAVEMENT MARKING WITH TURN ARROW**  
Are used where Neighborhood Greenways are offset, jog, or where two Neighborhood Greenways intersect. Photo credit: J. Maus



**BIKE BOX INTERSECTION DIAGRAM**  
Bike boxes should be used together with intersection crossing markings.

## Intersection Tools:

### Two-stage turn queue box

Provide a space for cyclists to make left turns without merging into a left turn lane.

## Considerations

**Applications:** Install at offset intersections to help cyclists make left turns in a protected area, in line with the parking lane. Include a bicycle stencil and left turn arrow.

**Dimensions:** Turning queue boxes can be up to 10 feet long and 3 feet wide.

**Complementary Tools:** Use green pavement markings. Use in conjunction with green bike lanes and elephant tracks on arterials. HAWKs or RRFBs, may be necessary at high volume arterials.

## Benefits

Provides cyclists with a safe space to make left turns.

Prevents cyclists from using crosswalks or stopping in bike lanes.

Increases cyclist visibility.

## Cost

\$5 to \$12 per square foot for thermoplastic, overall cost varies greatly by other design needs



**TWO STAGE TURN QUEUE BOX**  
Can be used at offset intersections on streets with high traffic volumes. Photo credit: NACTO



**TWO STAGE TURN QUEUE BOX WITH BIKE LANE**  
On streets with bike lanes, install turn queue box between the bike lane and curb.

# TRAFFIC CALMING

**Strategy:** Identify innovative design elements on street segments with high traffic volumes and fast moving vehicles to safeguard cyclists and provide a calmer environment for all users of the road.

Traffic calming tools include the following (depicted top to bottom on the following page):

---

MINI ROUNDABOUTS (TOP)



---

---

CHICANES (BOTTOM)

---

## Traffic Calming



# Traffic Calming: Mini Roundabouts

Replace stop signs with mini roundabouts at intersections of two Neighborhood Greenways.

## Considerations

**Application:** Replace stop signs with mini roundabouts at intersections of two Neighborhood Greenways.

**Complementary Tools:** Use in conjunction with splitter islands to further calm traffic. Install signage that directs users through the roundabout.

**Alternative Treatments:** A series of mini roundabouts produce a greater traffic calming effect than just one. The roundabout can be painted and include flexible bollards, though less effective than permanent structures. Roundabouts may include landscaping.

**Considerations:** May impact emergency vehicles and large trucks

## Benefits

Eliminates unnecessary stopping for cyclists.

Reduces turning-related crashes at intersections.

## Cost


\$6,000 to \$50,000 depending on materials used and location of sewer caps



**MINI ROUNDABOUT**  
Can be used in lieu of stop signs.



**PAINTED MINI ROUNDABOUTS**  
May be used prior to permanent installation, though they are not as effective. Photo credit: <http://www.tbc.co.uk/>



**SPLITTER ISLANDS**  
Help calm traffic when used together with mini roundabouts. Photo credit: MUTCD.



**SPLITTER ISLANDS**  
Can further calm traffic when used together with mini roundabouts.

## Traffic Calming: Chicanes

Use chicanes mid-block where Neighborhood Greenways are classified as collectors or where additional traffic calming is needed.

### Considerations

**Application:** Use chicanes mid-block along segments where Neighborhood Greenways are classified as collectors or where additional traffic calming is needed.

**Dimensions:** Chicanes should leave no less than 20 feet of space in the travel lanes, but 28 feet is preferred.

**Alternative Treatments:** Painted chicanes and flexible bollards may be used prior to a permanent installation. Though not as effective in calming traffic, paint can help make the case for permanent chicanes and get drivers accustomed to the treatment. Chokers can be used in place of chicanes.

**Considerations:** May result in the loss of parking spaces and may make winter plowing more difficult. Chicanes can include space for plants. Use low-lying plants to maintain sightlines.

### Benefits

Slows drivers down by narrowing the travel way and providing horizontal deflection.

Encourages cyclists to travel in the center of the lane.

### Cost

\$10,000 to \$30,000 for a set of three permanent chicanes

\$5 to \$12 per square foot of thermoplastic for temporary chicanes



**CHICANES**  
calm traffic through horizontal deflection. Photo credit: wikimedia.org



**TEMPORARY CHICANES**  
Temporary installations may be used prior to permanent installation. Temporary installations can be created through paint, temporary curbs, giant flower pots, or other creative uses. Photo credit: FHWA



**CHOKERS**  
May be used in place of chicanes. Photo credit: nacto.org

# PRIORITIZED BIKE TRAVEL

**Strategy:** Develop special bike-focused facilities and amenities to provide cyclists with the confidence to ride on the Village's streets and consider biking as a mode of transportation.

Prioritized Bike Travel Tools include the Following (depicted from Left to Right on the Following Page):

STOP SIGNS AND YIELD SIGNS (TOP LEFT)


BICYCLE SIGNAL DETECTORS (TOP MIDDLE)

BACK-IN ANGLE PARKING (TOP RIGHT)

CONTRAFLOW BIKE LANES (BOTTOM LEFT)

TWO-WAY CYCLE TRACK (BOTTOM RIGHT)

## Prioritized Bike Travel



## Prioritized Bike Travel: Stop Signs and Yield Signs

Where feasible, stop signs should not be installed on the Neighborhood Greenway direction of travel. When an intersection control along a Neighborhood Greenway is deemed necessary, replace stop signs with yield signs.

### Considerations

Remove stop signs along the Neighborhood Greenway's direction of travel, where feasible. When an intersection control along a Neighborhood Greenway is deemed necessary, replace stop signs with yield signs.

Complementary Tools: Include cross traffic does not stop signs to prevent confusion (W4-4P in MUTCD) at intersections.

Alternative Treatments: In some cases, mini roundabouts may be more appropriate. Additional evaluation should be conducted once the Neighborhood Greenways system is in place to understand the cost and benefit. At offset intersections, on Neighborhood Greenways with center medians, or other areas with a higher potential for conflict, stop signs should remain on the Neighborhood Greenway. Additional traffic calming on Neighborhood Greenways may be necessary after the removal of stop signs.


### Benefits

Frequent stopping and starting at stop signs increases trip time for cyclists and requires extra energy.

Yield signs allow cyclists to travel through an intersection without stopping, preventing unnecessary expenditure of energy.

### Cost

\$50 to \$150 per sign



STOP/YIELD SIGN DIAGRAM  
Stop signs should be removed from Neighborhood Greenways where possible. Yield signs may be used when a traffic control device is necessary.

## Prioritized Bike Travel: Bicycle Signal Detectors

Install bike detectors at signalized intersections.  
Lengthen signal time for left turn arrows on Lake Street and Forest Avenue to ensure that cyclists make the full turning movement through the intersection.

### Considerations

**Application:** Install bike detectors at signalized intersections. Lengthen signal time for left turn arrows on offset intersections to ensure that cyclists make the full turning movement through the intersection.

**Complementary Tools:** Can be used with existing signals or proposed HAWK and RRFB signals along Greenways.

**Alternative Treatments:** Can be accomplished in three ways - through loops embedded in the pavement, with cameras, or via push buttons. Loop detection is preferred.

### Benefits

Detects cyclists at signals.

Gives cyclists guidance on signal actuation.

Reduces cyclist delay at signals.

Dissuades cyclists from running red lights.

### Cost

\$500 each for a loop, there are typically two loops per intersection

\$1500 each for pedestrian push buttons plus \$300 for each pole



**BICYCLE LOOP DETECTOR**  
Enables cyclists to trigger signals at lights without needing to dismount. Photo credit: NACTO



**LOOP DETECTOR SIGNAGE**  
Informs cyclists on loop detector usage. Photo credit: NACTO



**PUSH BUTTONS**  
Enable cyclists to trigger signals, but requires them to dismount. Photo credit: NACTO

## Prioritized Bike Travel: Back-In Angle Parking

Replace angled parking along Neighborhood Greenways with back-in angle parking.

### Considerations

Application: Replace angled parking along Neighborhood Greenways with back-in angle parking.

Considerations: Back-in angle parking is currently prohibited in the Village. Code will need to be amended prior to installation. Some driver education may be necessary. Work with landowners when parking spots are located on private land.

### Benefits

Increases visibility of cyclists for drivers pulling out of parking spaces.

Decreases crashes between drivers and people pulling out of parking spaces.

May also calm traffic.


### Cost

\$50 to \$150 per sign

\$5 per linear foot for re-striping parking spots with paint

## BACK-IN ANGLE PARKING

BACK-IN ANGLE PARKING  
Back-in angle parking increases visibility of cyclists for drivers pulling out of parking spaces. Photo credit: <http://walkbikejersey.blogspot.org>



GRAPHIC: FAYETTEVILLE FLYER



BACK-IN ANGLE PARKING  
Photo credit: <http://burnaby.civicweb.net>

## Prioritized Bike Travel: Contraflow Bike Lanes

Use contraflow bike lanes on one-way segments of Neighborhood Greenways to allow two-way bike travel on one-way streets.

### Considerations

**Recommendation:** Use contraflow bike lanes in green paint on one-way segments of Neighborhood Greenways to allow two-way bike travel on one-way streets. Install lane to the left of the direction of motor vehicle travel.

**Dimensions:** Must have enough space to accommodate a 6-foot wide bike lane in addition to parking and travel lanes.

**Complementary Tools:** Use in conjunction with Do Not Enter Except Bicycle signs (MUTCD R5-1).

**Considerations:** This design may pose challenges during school drop-off and pick-up times. Additional evaluation may be necessary.

### Benefits

Reduces confusion and conflicts between drivers and cyclists.

Maintains a consistent Neighborhood Greenways route and connected network.

### Cost

\$5 to \$12 per square foot for thermoplastic.

\$250 to \$500 per stencil



**CONTRAFLOW BIKE LANES**  
One-way streets can become two-way bicycle streets.



**GREEN PAINT**  
May be used near intersections to increase visibility of the contraflow bike lane.



**DO NOT ENTER EXCEPT BIKES SIGNS**  
Use signage to indicate to cyclists that they are allowed to travel through on-one way streets.



**DASHED YELLOW LINES**  
Help drivers and cyclists understand the appropriate lane position.

## Prioritized Bike Travel: Two-way cycle track

Install two-way cycle tracks on offset, high-volume arterial roads.

### Considerations

Use bike lane symbol and arrows (MUTCD 9C-3)

Requires removal of parking spaces.

Alternative recommendations may apply if proposed road diet is implemented.

Use in conjunction with turn queue boxes and HAWK signals.

The ideal width for a cycle track is 12 feet, but 8 foot lanes may be used where space is limited.

A 3-foot painted buffer may be used as an alternative treatment. Combine with plastic bollards to provide additional protection.

### Benefits

Provide a safe, protected space for Neighborhood Greenway users of all ages on Oak Park's busiest streets.

Reduce confusion at offset intersection crossings.

### Cost

Costs vary greatly depending on existing conditions. The protected bike lane on Dearborn Street in Chicago cost \$450,000 for 1.15 miles, including signals. Projects in Seattle have cost between \$100,000 and \$300,000 per mile.



**TWO-WAY CYCLE TRACKS**  
Provide a safe space for cyclists to cross four-lane, high traffic volume streets.



**STENCILS AND ARROWS**  
Instruct cyclists on the proper lane position.



**LOOK SIGNS**  
Help pedestrians navigate across two-way cycle tracks.

# VEHICLE VOLUME REDUCTION

**Strategy:** Identify new design features to discourage cut-through automobile traffic, but maintain motor vehicle access for residents who live along the selected routes.

Vehicle Volume Reduction Tools include the following (depicted from top to bottom to on the Following Page):

---

BICYCLE AND PEDESTRIAN MEDIAN REFUGE ISLANDS (TOP)



---

---

CUL DE SAC ACCESS (BOTTOM)

---

## Vehicle Volume Reduction



## Vehicle Volume Reduction: Bicycle and Pedestrian Median Refuge Islands

Use center lane medians on unsignalized, 4-lane arterials that intersect Neighborhood Greenways where traffic volumes exceed 10,000 vehicles per day.

### Considerations

**Application:** Use bicycle and pedestrian median refuge islands on unsignalized, 4-lane arterials that intersect Neighborhood Greenways where traffic volumes exceed 10,000 vehicles per day. Include separate cut-outs for cyclists and pedestrians and include markings to indicate modes. Make cut-outs wide enough for two-way bicycle traffic.

**Dimensions:** Bicycle and pedestrian median refuge islands should be at least 6-feet wide, but a 10-foot width is preferred. The median's curb should be 6-inches high.

**Complementary Tools:** See MUTCD 3I.02 for pavement marking guidance.

**Considerations:** Where diverters already exist on Oak Park's Neighborhood Greenways Network, consider replacing with bicycle and pedestrian median refuge islands. May pose an inconvenience to residents living along the a Neighborhood Greenway.

**Alternative Treatments:** Temporary paint and bollard treatments can be evaluated prior to permanent installation. In these cases, include Do Not Enter Except Bicycles signs.

### Benefits

Reduces cyclist crossing distance on four lane roads.

Provides a safe space for cyclists to wait for breaks in traffic.

Calms traffic on busy arterials by narrowing the roadway.

Restricts turning movements onto Neighborhood Greenways.

### Cost

\$10,000 to \$41,000



**MEDIAN REFUGE ISLANDS**  
Help both cyclists and pedestrians cross streets with high traffic volume.



**MEDIAN REFUGE ISLANDS**  
May also be used to prohibit car turning movements onto Neighborhood Greenways.



**CUT-THROUGHS**  
Should be designed to accommodate cyclists, people in wheelchairs, and strollers.

## Vehicle Volume Reduction:

### Cul de sac Access

Provide curb ramps at culs de sac to accommodate bicycle and two access points where space allows.

## Considerations

Application: Provide curb ramps at culs de sac to accommodate bicycle and two access points where space allows.

Complementary Tools: Use Bicycle Crossing Signs at culs de sac to warn drivers to the presence of cyclists.

Considerations: Prioritize culs de sac adjacent to schools and parks, with high volumes of pedestrians and cyclists.

## Benefits

Allows adequate space for two-way bicycle travel on Neighborhood Greenways Routes.

Reduces conflicts and confusion between cyclists and pedestrians.

Permits cyclists to remain on their bikes when using culs de sac.

## Cost

\$50 per truncated dome

\$1000 to \$3600 for a curb ramp



**CUL DE SAC CUT-THROUGHS**  
Should include ADA compliant crosswalks and tactile pads to allow cyclists to pass through without dismounting.



**CURB RAMPS AND TACTILE PADS**  
Should be installed at culs de sac along the Neighborhood Greenways network. These facilities help cyclists, wheelchair users, and people pushing strollers.

# UNIQUE IDENTITY

**Strategy:** Create custom signage and pavement markings to encourage cyclists to fully use the Neighborhood Greenways system and remind drivers to share the road.

Unique Identity Tools include the following (depicted from left to right on the Following Page):

---

WAYFINDING SIGNAGE (LEFT)

---

---

PAINTED INTERSECTIONS (RIGHT)

---

## Unique Identity



## Unique Identity: Wayfinding Signage

Use wayfinding signage to help cyclists navigate offset intersections and jogs in the Neighborhood Greenways network.

### Considerations

Install custom Neighborhood Greenways placards on poles with existing green bicycle wayfinding signs.

Street name signs may also be changed to reflect the Neighborhood Greenways Network identity.

### Benefits

Reduces cyclist confusion at offset intersections, culs de sac, and at jogs in the network.

Helps cyclists navigate at the intersection of two Neighborhood Greenways.

### Cost

\$50 to \$150 per sign



**WAYFINDING SIGNAGE**  
Oak Park already uses wayfinding signage on its network. These green signs may be used along the Neighborhood Greenways network.



**DIRECTIONAL SIGNAGE**  
The Village may also opt to use branded signage along the network. This sign indicates to cyclists that there is a jog in the Neighborhood Greenway. Photo credit: <http://www.seattlepi.com/>



**WAYFINDING SIGNAGE WITH MILE MARKERS**  
This sign helps cyclists navigate to nearby destinations along the Neighborhood Greenways network. Photo credit: <http://www.seattlegreenways.org>



**WAYFINDING SIGNAGE THROUGH ROUNDABOUT**  
This treatment could be used at mini roundabouts. Photo credit: <http://www.wallyhood.org>

## Unique Identity: Painted Intersections

Identify intersections and street segments throughout the network to close down for an afternoon and encourage residents to use that time to paint the streets.

## Considerations

Host painting parties in conjunction with block parties or open streets events.

Encourage local artists to participate in painting party.

Ideal locations could include intersections adjacent to schools, parks, business districts, or where two Neighborhood Greenways intersect.

Use events to generate media and educate the public about the purpose of the Neighborhood Greenways network.

## Benefits

Engage neighbors in the Neighborhood Greenways network.

Low-cost alternative to traffic calming.

Calms traffic at key intersections and segments along the Neighborhood Greenways network.

## Cost

\$37 to \$300, varies based on the cost of a water-based can of traffic paint, number of colors used, and size of intersection



**PAINTED INTERSECTIONS**  
Enable communities to take ownership of the Neighborhood Greenways network. Photo credit: Greg Raisman



**LOCAL ARTISTS**  
Can lead the painting activity. Photo credit: J. Maus.



**INTERSECTION TREATMENTS**  
May be more formal, such as the painted crosswalks on Harrison Street.



**UNIQUE PAINTINGS**  
Help to calm traffic on a new Neighborhood Greenways. Photo credit: J. Maus.

# GOING THE DISTANCE

## Strategy: Pilot a project that uniquely prioritizes bicycle travel in Oak Park.

In an effort to create a system that allows cyclists of all ages and abilities to use the Neighborhood Greenways System, the Village of Oak Park may want to explore closing one Neighborhood Greenways segment down to vehicle traffic. This initiative could begin with a temporary closure. If successful, the Village may make the closure permanent.

A pilot project of this nature would require buy-in from affected residents. The Village should seek community input prior to implementation of this recommendation.



**STREETS CONVERTED TO TRAILS**  
Converting streets to trails could truly allow cyclists of all ages to experience and enjoy the Neighborhood Greenways network.  
Photo credit: Minneapolis Community Design Group (top) bikesforeveryone.org (bottom).

# NEIGHBORHOOD GREENWAYS FACILITIES

The tables included on the following pages provide detailed recommendations for intersections and street segments throughout the network. The tables are organized by Neighborhood Greenways name and include the following columns:

---

**Existing conditions:** An overview of the current intersection design.

---

**Near-term recommendations:** Tools that are recommended to be included at the corresponding intersection. In some cases, recommendations are divided into phases.

---

**Long-Term recommendations:** Intersections where recommendations should be evaluated over time to determine if enhanced treatments are needed.

---

**Exhibit B**

**TABLE  
2C**

LeMoyne Parkway Neighborhood Greenway						Calming
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
LeMoyne Parkway	Marion Street	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.		
LeMoyne Parkway	Belleforte Avenue	Intersection of Neighborhood Greenway and Local Street	Belleforte dead ends at LeMoyne. Bellefort has a one-way stop.	Use standard tools.		
LeMoyne Parkway	Forest Avenue	Intersection of Neighborhood Greenway and Local Street	Forest dead ends at LeMoyne. Forest has a one-way stop.	Use standard tools.		
LeMoyne Parkway	Woodbine Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
LeMoyne Parkway	Kenilworth Avenue	Intersection of Two Neighborhood Greenways	Kenilworth has a center median and two-way stop.	Use standard tools.	Install a mini roundabout.	
LeMoyne Parkway	Grove Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Grove.	Use standard tools.		
LeMoyne Parkway	Oak Park Avenue	Major Street Crossing Uncontrolled	Two-way stop on Lemoine. Oak Park is a high-traffic arterial with a difficult crossing. Existing diverter on the east leg of LeMoyne prevents drivers from continuing onto LeMoyne.	Remove diverter and replace with a bicycle and pedestrian median refuge island on Oak Park Avenue to allow with and high-visibility crosswalks. Install bicycle and pedestrian advanced warning signs.	Consider installing an RRFB on Oak Park Avenue.	Retain diverter and allow bicycles to continue west on Oak Park Avenue. Install bump-outs on Oak Park Avenue to reduce crossing distance. Install high visibility crosswalks and Neighborhood Greenways crossing signs. Consider installing an RRFB on Oak Park Avenue.
LeMoyne Parkway	Euclid Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
LeMoyne Parkway	Linden Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Linden.	Use standard tools.		
LeMoyne Parkway	Columbian Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
LeMoyne Parkway	East Avenue	Major Street Crossing Uncontrolled	Two-way stop on East Avenue.	Add intersection crossing markings across East Avenue.		
LeMoyne Parkway	Fair Oaks Avenue	Intersection of Two Neighborhood Greenways	LeMoyne has a two-way stop.	Use standard tools.	Install a mini roundabout.	
LeMoyne Parkway	Elmwood Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Elmwood.	Use standard tools.		

**TABLE  
2C,  
CON'T**

		LeMoynne Parkway Neighborhood Greenway					
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Calming
LeMoynne Parkway	Rossell Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on LeMoynne.	Use standard tools.			
LeMoynne Parkway	Edmer Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Edmer	Use standard tools.			
LeMoynne Parkway	Ridgeland Avenue	Major Street Crossing Uncontrolled	Two-way stop on Lemoyne. Ridgeland is a high-traffic arterial with a difficult, uncontrolled crossing.	Add intersection crossing markings across Ridgeland Avenue.	Consider installing an RRFB on Ridgeland Avenue.		
LeMoynne Parkway	Harvey Avenue	Intersection of Neighborhood Greenway and Local Street	Lemoyne splits into a single lane boulevard with a wide grassy median. Harvey has a two-way stop.	Add intersection crossing markings across LeMoynne in each direction. Add Neighborhood Greenways pavement markings to the east and west legs of the intersection			
LeMoynne Parkway	Lombard Avenue	Intersection of Two Neighborhood Greenways	All-way stop with a center median on LeMoynne.	Use standard tools.	Install a mini roundabout.		
LeMoynne Parkway	Hayes Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Hayes.	Use standard tools.			
LeMoynne Parkway	Taylor Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			
LeMoynne Parkway	Humphrey Avenue	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.			

**TABLE  
2B**

Thomas Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
						Calming
Thomas Street	Marion Street	Terminus of the Neighborhood Greenway	Two-way stop on Thomas.	Mark route with Neighborhood Greenway ends/begins.		
Thomas Street	Belleforte Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Belleforte.	Use standard tools.		
Thomas Street	Forest Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Thomas Street.	Use standard tools.		
Thomas Street	Woodbine Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Woodbine.	Use standard tools.		
Thomas Street	Kenilworth Avenue	Intersection of Two Neighborhood Greenways	Two-way stop on Thomas.	Use standard tools.	Install a mini roundabout.	Opportunity for intersection art.
Thomas Street	Grove Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Grove	Use standard tools.		
Thomas Street	Oak Park Avenue	Major Right/Left Offset, uncontrolled	Two-way stop on Thomas. Offset intersection at arterial with no traffic control.	Install bi-directional bicycle only left turn lanes on Oak Park Avenue. Use wayfinding signage to indicate the Neighborhood Greenway extends.		
Thomas Street	Euclid Avenue	Intersection of Neighborhood Greenway and Local Street	Euclid dead ends into Thomas with no control.	Use standard tools.		
Thomas Street	Linden Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Thomas.	Use standard tools.		
Thomas Street	Columbian Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Columbian.	Use standard tools.		
Thomas Street	East Avenue	Major Street Crossing Uncontrolled	Two-way stop on Thomas. East is a collector with an uncontrolled crossing.	Mark intersection crossing markings across East Avenue.		
Thomas Street	Fair Oaks Avenue	Intersection of Two Neighborhood Greenways	Two-way stop on Fair Oaks.	Use standard tools.	Install a mini roundabout.	Opportunity for intersection art.
Thomas Street	Elmwood Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Thomas Street.	Use standard tools.		
Thomas Street	Ridgeland Avenue	Major Street Crossing Uncontrolled	Two-way stop on Thomas Street. Ridgeland is an arterial with an uncontrolled crossing.	Install a Bicycle and Pedestrian Center Refuge Island on Ridgeland. Mark intersection crossing markings across Ridgeland Avenue.		
Thomas Street	Cuyler Avenue	Intersection of Neighborhood Greenway and Local Street	Cuyler is offset with a two-way stop.	Install Neighborhood Greenway crossing signs on Cuyler Avenue.		

**TABLE  
2B,  
CON'T**

Thomas Street Neighborhood Greenway

	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Calming
Thomas Street	Harvey Avenue	Intersection of Neighborhood Greenway and Local Street	Harvey is offset.	Use standard tools.			
Thomas Street	Mapleton Avenue	Intersection of Neighborhood Greenway and Local Street	Mapleton dead ends into Harvey with a one-way stop.	Use standard tools.			
Thomas Street	Lombard Avenue	Minor Left/Right Offset, Uncontrolled	Thomas is offset with a two-way stop.	Remove parking on Thomas between the offset street segments. Use wayfinding signage to guide cyclists to Thomas Street.			
Thomas Street	Hayes Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Hayes.	Use standard tools.			
Thomas Street	Taylor Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Thomas.	Use standard tools.			
Thomas Street	Humphrey Avenue	Terminus of the Neighborhood Greenway	Two-way stop on Humphrey.	Use standard tools.			
Thomas Street	Taylor Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.	Install a mini roundabout.		
Thomas Street	Humphrey Avenue	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.			

**TABLE  
2C**

Erie Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
						Calming
Erie Street	Marion Street	Terminus of the Neighborhood Greenway	Maple Avenue dead ends, intersection has a three-way stop.	Use standard tools.		
Erie Street	Forest Avenue	Minor Left/Right Offset, Uncontrolled	Erie/Elizabeth Court is offset with a two-way stop	Restrict parking on Forest where the intersection is offset. Use signage to direct cyclists to stay on Erie/Elizabeth Court.		
Elizabeth Court	Kenilworth Avenue	Neighborhood Greenways Cul de sac Cut-through	Elizabeth Court is cul de saced on the west side of Kenilworth Avenue.	Restrict parking on Kenilworth where Erie is offset. Install bi-directional left turn lane on Kenilworth with wayfinding signage.		
Erie Street	Grove Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Grove.	Use standard tools.		
Erie Street	Oak Park Avenue	Major Left/Right Offset, uncontrolled	Two-way stop on Erie.	Install wayfinding signage on Erie. Mark green bike lanes on the east and west lanes of Oak Park Avenue with marked bicycle right turn lanes to continue on Erie.		Yes
Erie Street	Euclid Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		Yes
Erie Street	Linden Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Erie Street	East Avenue	Intersection of Neighborhood Greenway and Local Street	East dead ends with one-way stop.	Use standard tools.		
Erie Street	Scoville Avenue	Intersection of Two Neighborhood Greenways	Intersection of two Neighborhood Greenways with an all-way stop. Adjacent to a school.	Retain all-way stop. Mark contraflow bike lane on north-bound lane of Scoville, between Lake and Erie		
Erie Street	Elmwood Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Erie Street	Ridgeland Avenue	Major Street Crossing Uncontrolled	Two-way stop on Erie. Ridgeland is uncontrolled and maintained by Illinois Department of Transportation (IDOT).	Use standard tools. Work with IDOT to install an RRFB on Ridgeland and/or intersection pavement markings.		
Erie Street	Cuyler Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Erie Street	Harvey Avenue	Intersection of Two Neighborhood Greenways	All-way stop.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.
Erie Street	Lombard Avenue	Terminus of the Neighborhood Greenway	Two-way stop on Lombard	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.

0819-1  
7.4  
7/19



**TABLE  
2D**

Pleasant Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
						Calming
Pleasant Street	Maple Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Pleasant Street	Marion Street	Minor Left/Right Offset, Uncontrolled	Pleasant is offset at Marion with a two-way stop on Marion. Marion has bump-outs. Marion has cobblestones along this segment.	Install wayfinding signage directing cyclists through intersection.		
Pleasant Street	Home Avenue	Minor Right/Left Offset, Uncontrolled	Pleasant is offset at Home.	Install wayfinding signage, bicycle lanes with turn arrows and intersection pavement markings.		
Pleasant Street	Clinton Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Pleasant Street	Kenilworth Avenue	Intersection of Two Neighborhood Greenways	Pleasant is offset with a two-way stop.	Remove parking on Kenilworth between the offset streets segments. Install bi-directional bicycle only left turn lanes on Kenilworth. Stamp Neighborhood Greenways pavement marking on Home in center of vehicle travel lane for north/southbound cyclists. Use wayfinding signage to indicate the Neighborhood Greenway extends.		
Pleasant Street	Grove Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Grove	Use standard tools.		Yes
Pleasant Street	Oak Park Avenue	Major Right/Left Offset, signalized	Signalized intersection. Pleasant is slightly offset.	Install bike boxes on the east and west sides of the intersection and mark an ingress bicycle lane leading up to it (20' minimum in length.) Install bi-directional bicycle only left turn lanes on Home. Use wayfinding signage to indicate Greenway extends.		Yes
Pleasant Street	Euclid Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop, near school.	Use standard tools.		Yes
Pleasant Street	Wesley Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Wesley.	Use standard tools.		
Pleasant Street	East Avenue	Major Street Crossing Stop Controlled	All-way stop with collector crossing.	Mark intersection crossing markings through the intersection.		
Pleasant Street	Scoville Avenue	Intersection of Two Neighborhood Greenways	Two-way stop on Scoville Avenue.	Use standard tools.	Install mini roundabout.	
Pleasant Street	Elmwood Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Pleasant Street.	Use standard tools.		If traffic control is needed on Pleasant, replace with yield signs.
Pleasant Street	Ridgeland Avenue	Major Street Crossing Uncontrolled	Two-way stop on Pleasant Street. Ridgeland is an arterial with an uncontrolled crossing controlled and maintained by Illinois Department of Transportation (IDOT).	Install a bicycle and pedestrian center median on Ridgeland. Mark intersection crossing markings across Ridgeland Avenue. Install stop signs to Ridgeland if warranted. Seek IDOT approval for changes.		

**TABLE  
2D,  
CON'T**

Pleasant Street Neighborhood Greenway							
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Calming
Pleasant Street	Cuyler Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			
Pleasant Street	Harvey Avenue	Intersection of Two Neighborhood Greenways	Two-way stop on Harvey. The Harvey Greenway jogs over to Lombard using Pleasant Street.	Add Neighborhood Greenways pavement markings and wayfinding signage on all legs with directional arrows that guide/s cyclists in the right direction.	Install mini roundabout.	Opportunity for intersection art.	
Pleasant Street	Lombard Avenue	Intersection of Two Neighborhood Greenways	Two-way stop on Lombard. The Lombard Greenway jogs over to Harvey using Pleasant Street.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.	
Pleasant Street	Taylor Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Pleasant	Use standard tools.			
Pleasant Street	Humphrey Avenue	Terminus of the Neighborhood Greenway	Two-way stop on Humphrey	Mark route with Neighborhood Greenway ends/begins.			

0819-1  
7.4  
10/19

**TABLE  
2E**

Adams/Harrison/Van Buren Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
						Calming
Adams Street	Maple Street	Terminus of the Neighborhood Greenway	Three-way stop.	Use standard tools.		
Adams Street	Wisconsin Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Adams Street.	Use standard tools.		
Adams Street	Wenonah Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Wenonah.	Use standard tools.		
Adams Street	Home Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Adams.	Use standard tools.		
Adams Street	Kenilworth Avenue	Intersection of Two Neighborhood Greenways	Yield signs on the east and west legs of Kenilworth. Neighborhood Greenways turns onto/off of Kenilworth.	Use standard tools.	Install mini roundabout with wayfinding signage.	Opportunity for intersection art.
Harrison Avenue	Carpenter Avenue	Intersection of Neighborhood Greenway and Local Street	One-way stop on Carpenter. Carpenter dead ends.	Use standard tools.		
Harrison Avenue	Grove Avenue	Neighborhood Greenways Turns	One-way stop on Grove. Grove dead ends. Neighborhood Greenways turns onto/from Grove.	Use Neighborhood Greenways pavement markings and wayfinding signage to guide cyclists to Van Buren/Home/Kenilworth Neighborhood Greenways.		
Van Buren Street	Oak Park Avenue	Major Street Crossing Uncontrolled	Two-way stop on Van Buren.	Mark intersection crossing markings across Oak Park on Van Buren.		
Van Buren Street	Euclid Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Van Buren Street	Wesley Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Wesley	Use standard tools.		
Van Buren Street	Clarence Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop adjacent to a school.	Mark intersection crossing markings on Van Buren. Install bicycle advanced warning signs on Clarence.		
Van Buren Street	East Avenue	Major Street Crossing Stop Controlled	All-way stop at a collector.	Mark intersection crossing markings across East.		
Van Buren Street	Scoville Avenue	Intersection of Two Neighborhood Greenways	Two-way stop on Scoville.	Use standard tools.	Install mini roundabout with wayfinding signage.	Opportunity for intersection art.
Van Buren Street	Gunderson Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Van Buren.	Use standard tools.		
Van Buren Street	Elmwood Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Elmwood.	Use standard tools.		

**TABLE  
2E,  
CON'T**

Adams/Harrison/Van Buren Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
Van Buren Street	Ridgeland Avenue	Major Street Crossing Uncontrolled	Two-way stop on Van Buren. Crosses Ridgeland, an arterial with no control. Ridgeland is uncontrolled and maintained by Illinois Department of Transportation (IDOT).	Install a bicycle and pedestrian center median on Ridgeland. Mark intersection crossing markings across Ridgeland Avenue. Move stop signs to Ridgeland if warranted.		
Van Buren Street	Cuyler Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Cuyler	Use standard tools.		
Van Buren Street	Highland Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop on Highland	Use standard tools.		
Van Buren Street	Harvey Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Harvey.	Use standard tools.		
Van Buren Street	Lombard Avenue	Intersection of Two Neighborhood Greenways	All-way stop.	Use standard tools.	Install mini roundabout with wayfinding signage.	Opportunity for intersection art.
Van Buren Street	Taylor Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Taylor.	Use standard tools.		
Van Buren Street	Lyman Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Lyman.	Use standard tools.		
Van Buren Street	Humphrey Avenue	Terminus of the Neighborhood Greenway	Two-way stop on Humphrey.	Use standard tools.		

**TABLE  
2F**
**Harvard Street Neighborhood Greenway**

	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Calming
Harvard Street	Maple Street	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.			
Harvard Street	Wisconsin Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Harvard Street.	Use standard tools.			
Harvard Street	Wenonah Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Wenonah.	Use standard tools.			
Harvard Street	Home Avenue	Intersection of Two Neighborhood Greenways	All-way stop.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.	
Harvard Street	Clinton Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Clinton.	Use standard tools.			
Harvard Street	Kenilworth Avenue	Intersection of Neighborhood Greenway and Local Street	Kenilworth dead-ends with a three-way stop, Harvard is adjacent to a school.	Mark intersection crossing markings.			
Harvard Street	Grove Street	Intersection of Neighborhood Greenway and Local Street	Three-way stop, Grove is one-way on the south leg.	Use standard tools.			Yes
Harvard Street	Oak Park Avenue	Major Street Crossing Signalized	Signalized intersection at an arterial.	Install bike box on Harvard. Mark intersection crossing markings across Oak Park Avenue.			Yes
Harvard Street	Euclid Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Harvard.	Use standard tools.			Yes
Harvard Street	Wesley Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Wesley.	Use standard tools.			
Harvard Street	Clarence Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			
Harvard Street	East Avenue	Major Street Crossing Stop Controlled	All-way stop on collector.	Mark intersection crossing markings through the intersection.			
Harvard Street	Scoville Avenue	Intersection of Two Neighborhood Greenways	All-way stop.	Add wayfinding pavement markings to direct cyclists to use Harvard/East Avenue.		Consider re-routing Greenway back onto Scoville through Rehm Park.	
Harvard Street	Gunderson Avenue	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Gunderson	Use standard tools.			Yes
Harvard Street	Elmwood Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			Yes

**TABLE  
2F,  
CON'T**

Harvard Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
Harvard Street	Ridgeland Avenue	Major Street Crossing Signalized	Signalized intersection at an arterial. Ridgeland is controlled and maintained by Illinois Department of Transportation (IDOT).	Install bike box on Harvard. Mark intersection crossing markings along Ridgeland. Changes require IDOT approval.		
Harvard Street	Cuyler Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Harvard Street	Highland Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Harvard Street	Harvey Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Harvard Street	Lombard Avenue	Intersection of Two Neighborhood Greenways	All-way stop. Adjacent to a park.	Replace stop signs with yield signs.	Install mini roundabout.	Opportunity for intersection art.
Harvard Street	Taylor Avenue	Intersection of Neighborhood Greenway and Local Street	All-way stop with bump-out on north side of Taylor.	Use standard tools.		

**TABLE  
2G**

**Kenilworth/Home Avenue Neighborhood Greenway**

Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Calming
Kenilworth Avenue	North Avenue	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.		
Kenilworth Avenue	Lemoyne Avenue	Intersection of Two Neighborhood Greenways	Kenilworth has a center median and two-way stop.	Use standard tools.	Install mini roundabout with wayfinding signage.	Opportunity for intersection art. See Option 1 for alternate route.
Kenilworth Avenue	Greenfield Street	Intersection of Neighborhood Greenway and Local Street	Kenilworth has a center median and two-way stop.	Use standard tools.		
Kenilworth Avenue	Berkshire Street	Intersection of Neighborhood Greenway and Local Street	Kenilworth has a center median and two-way stop.	Use standard tools.		
Kenilworth Avenue	Division Street	Major Street Crossing Stop Controlled	Kenilworth has a center median. Intersection has an all-way stop. Division has bike lanes.	Mark intersection crossing markings through the intersection.		
Kenilworth Avenue	Thomas Street	Intersection of Two Neighborhood Greenways	Two-way stop on Thomas.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.
Kenilworth Avenue	Augusta Street	Major Street Crossing Uncontrolled	Kenilworth has a two-way stop and intersects a collector.	Mark intersection crossing markings across Augusta Street. Install a stop sign on Augusta if warranted.		Install an RRFB on Augusta.
Kenilworth Avenue	Iowa Street	Intersection of Neighborhood Greenway and Local Street	Iowa dead ends into Kenilworth. Intersection has a three-way stop. Approach to a school drop-off area.	Use standard tools.		
Kenilworth Avenue	Oliver Wendell Holmes Elementary School	Neighborhood Greenways Cul de sac Cut-through	Cul de sac adjacent to school.	Widen sidewalk to 8' or add additional 4' sidewalk on west side of cul de sac. Install curb ramp on pathway. Add Neighborhood Greenways pavement markings on western sidewalk to indicate continuation of Neighborhood Greenways. Add pedestrian only pavement markings to sidewalk on the east side.		
Kenilworth Avenue	Chicago Avenue	Neighborhood Greenways Cul de sac Cut-through	Kenilworth has a cul de sac on the north side of Chicago Avenue. Chicago Avenue includes marked shared lanes, a traffic signal, a school crossing, and a center left turn lane on the east side. Parking is restricted on Chicago.	Mark intersection crossing markings adjacent to the existing crosswalks on Chicago and on the north leg of Kenilworth. Stamp Neighborhood Greenways pavement markings on the south legs of Kenilworth. Add Neighborhood Greenways pavement markings on western sidewalk to indicate continuation of Neighborhood Greenways. Add pedestrian only pavement markings to sidewalk on the east side.		
Kenilworth Avenue	Erie Street	Intersection of Two Neighborhood Greenways	Erie dead ends into Kenilworth and has a one-way stop.	Use standard tools.		
Kenilworth Avenue	Ontario Street	Intersection of Neighborhood Greenway and Local Street	All-way stop with a bump-out on the east leg of Ontario.	Use standard tools.		
Kenilworth Avenue	Lake Street	Major Left/Right Offset, signalized	Signalized, offset arterial crossing.	Install bike boxes on the north and south lanes. Remove parking on Kenilworth at least 20' from the intersection on each side. Use intersection crossing markings to guide cyclists to green bike lane on north and south sides of Lake Street. Install wayfinding signage		
Kenilworth Avenue	North Boulevard	Major Street Crossing Stop Controlled	North Boulevard is a one-way, east-bound street. It is controlled by a one-way stop.	Mark intersection crossing markings through the intersection.		

**TABLE  
2G,  
CON'T**

Kenilworth/Home Avenue Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation Calming
Kenilworth Avenue	South Boulevard	Major Street Crossing Stop Controlled	South Boulevard is a one-way, west-bound street. It is controlled by a one-way stop.	Mark intersection crossing markings through the intersection.		
Kenilworth Avenue	Pleasant Street	Intersection of Two Neighborhood Greenways	Two-way stop on Pleasant.	Remove parking on Kenilworth between the offset streets segments. Install bi-directional bicycle only left turn lanes on Kenilworth. Stamp Neighborhood Greenways pavement marking on Home in center of vehicle travel lane for north/southbound cyclists. Use wayfinding signage to indicate Greenway extends n/s/e/w.		
Kenilworth Avenue	Randolph Street	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		
Kenilworth Avenue	Washington Boulevard	Major Street Crossing Uncontrolled	A diverter on the north side of Kenilworth prevents vehicles from making left turns onto Washington. Washington is maintained by Illinois Department of Transportation (IDOT).	Retain diverter and allow bicycles to continue north on Kenilworth.	Remove diverter and replace with a center median with bicycle and pedestrian cut-throughs on Washington Boulevard.	
Kenilworth Avenue	Madison Street	Major Right/Left Offset, Uncontrolled, protected	Madison is an unsignalized arterial with four lanes and parking in either direction. Kenilworth is offset and has a cul de sac on the south side of Madison.	Install a HAWK signal with bicycle loop detectors and pedestrian push buttons. Remove parking on the south side of Madison and replace with a bi-directional green bicycle lane. If space permits, include barrier protection. Mark a bi-directional bicycle crosswalk adjacent to the existing high-visibility crosswalk. Install a curb ramp on the sidewalks adjacent to the cul de sac on the south side of Madison.		Recommendations may change if Madison Road diet is implemented.
Kenilworth Avenue	Monroe Street	Intersection of Neighborhood Greenway and Local Street	Yield signs on the north and south legs of Kenilworth.	Use standard tools.		
Kenilworth Avenue	Adams Street	Intersection of Neighborhood Greenway and Local Street	Yield signs on the east and west legs of Kenilworth.	Use standard tools.		
Kenilworth Avenue	Jackson Boulevard	Major Street Crossing Uncontrolled	Cross street includes bump-outs and two-way stop.	Install Neighborhood Greenways pavement markings on the north and south legs of the intersection.		
Kenilworth Avenue	Harrison Street	Neighborhood Greenways Turns	Neighborhood Greenways turns onto/off of Harrison.	Use wayfinding signage.		
Home Avenue	Garfield Street	Neighborhood Greenways Connects with Off-Street Path	Pedestrian overpass ends. 3-way stop.	Mark route with Neighborhood Greenway ends/begins.		
Home Avenue	Lexington Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Home.	Use standard tools.		
Home Avenue	Harvard Street	Intersection of Two Neighborhood Greenways	All-way stop.	Use standard tools.	Install mini roundabout with wayfinding signage.	Opportunity for intersection art.
Home Avenue	Roosevelt Road	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.		

**TABLE  
2H**
**Fair Oaks/Scoville Avenue Neighborhood Greenway**

	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Comments
Fair Oaks Avenue	North Avenue	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.			
Fair Oaks Avenue	LeMoyne Parkway	Intersection of two Neighborhood Greenways	Two-way stop on LeMoyne.	Use standard tools.	Install mini roundabout with wayfinding signage.		
Fair Oaks Avenue	Greenfield Street	Minor street crossing.	Two-way stop on Fair Oaks.	Use standard tools.			
Fair Oaks Avenue	Berkshire Street	Minor Left/ Right Offset, Uncontrolled	Fair Oaks is slightly offset. Berkshire has a two-way stop.	Use intersection crossing markings to guide cyclists through intersection.			
Fair Oaks Avenue	Division Street	Major Street Crossing Uncontrolled	Two-way stop on Fair Oaks. Division is an arterial with a bike lane and no control for pedestrians and cyclists crossing.	Add intersection crossing markings across Division Street.	Consider installing a RRFB on arterial with bicycle loop detectors.		
Fair Oaks Avenue	Thomas Street	Intersection of Two Neighborhood Greenways	Two-way stop on Fair Oaks.	Use standard tools.	Install mini roundabout with wayfinding signage.		
Fair Oaks Avenue	Augusta Street	Major Street Crossing Uncontrolled	Two-way stop on Fair Oaks. Augusta is a collector with no control for pedestrians and cyclists crossing.	Add intersection crossing markings across Augusta.	If crossings are too difficult for cyclists, install RRFB on Augusta.		
Fair Oaks Avenue	Iowa Street	Minor street crossing.	Two-way stop on Iowa Street.	Use standard treatments.			
Fair Oaks Avenue	Chicago Avenue	Major Street Crossing Uncontrolled	Two-way stop on Fair Oaks. Chicago is an arterial with bike lanes.	Add intersection crossing markings across Chicago Avenue.	Consider installing a RRFB on arterial with bicycle loop detectors.		
Scoville Avenue	Superior Street	Minor street crossing	All way stop.	Use standard treatments			
Scoville Avenue	Erie Street	Intersection of Two Neighborhood Greenways	All-way stop. Adjacent to a school.	Mark contraflow bike lane on north-bound lane of Scoville, between Lake and Erie			
Scoville Avenue	Ontario Street	Intersection of Neighborhood Greenway and Local Street	Ontario dead-ends into Scoville with a one-way stop. On the approach to Lake Street, a diverter prevents traffic from heading northbound.	Add a Do Not Enter Except Bicycles sign on the diverter. Install a contraflow bike lane on the one-way segment north of the diverter.			
Scoville Avenue	Lake Street	Major Street Crossing Uncontrolled	A diverter on the north side of Scoville prevents vehicles from making left turns onto Lake	Retain diverter and allow bicycles to continue south on Scoville.	Remove diverter and replace with a center median with bicycle and pedestrian cut-throughs on Lake Street. Between Lake Street and North Boulevard, convert parking to back-in angle parking.		
Scoville Avenue	North Boulevard	Minor Street Crossing	North Boulevard dead ends at Scoville.	Use standard tools.			
Scoville Avenue	South Boulevard	Major Street Crossing Stop Controlled	Two-way stop on Scoville.	Mark intersection crossing markings through the intersection.			

**TABLE  
2H,  
CON'T**

Harvard Street Neighborhood Greenway						
	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation
Scoville Avenue	Pleasant Street	Intersection of Two Neighborhood Greenways	Two-way stop on Scoville Avenue.	Use standard tools.	Install mini roundabout with wayfinding signage.	Opportunity for intersection art.
Scoville Avenue	Randolph Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Randolph.	Use standard tools.		
Scoville Avenue	Washington Boulevard	Major Street Crossing Uncontrolled	Two-way stop on Scoville. Arterial crossing. Washington is owned and maintained by Illinois Department of Transportation (IDOT.)	Mark intersection crossing markings across Washington Boulevard. Install an RRFB on Washington with bicycle loop detectors. Seek IDOT approval for changes.		
Scoville Avenue	Madison Street	Major Right/Left Offset, uncontrolled, mid-block	Madison is a high-traffic volume 4-lane arterial. Scoville is offset at Madison.	Install a HAWK signal with bicycle loop detectors and pedestrian push buttons. Install a center lane median with bicycle and pedestrian cut-throughs on the east leg of Madison. Remove parking on the south side of Madison and replace with a bi-directional green bicycle lane. If space permits, include barrier protection.		Recommendations may change if Madison Road diet is implemented.
Scoville Avenue	Adams Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Scoville.	Use standard tools.		If traffic control is necessary on Scoville, use yield signs.
Scoville Avenue	Jackson Boulevard	Major Street Crossing Uncontrolled	Two-way stop on Scoville.	Mark intersection crossing markings across Jackson Boulevard.		
Scoville Avenue	Van Buren Street	Intersection of Two Neighborhood Greenways	Two-way stop on Scoville.	Use standard tools.		Remove stop signs and add mini roundabout.
Scoville Avenue	Harrison Street	Neighborhood Greenways Turns	Two-way stop on Scoville Avenue.	Use Neighborhood Greenways pavement markings and directional arrows to guide cyclists onto/off of Harrison.		
Harrison Street	East Avenue	Neighborhood Greenways Turns	Neighborhood Greenways turns onto/off of East Avenue to cross the Eisenhower Expressway. Intersection includes an all-way stop.	Use Neighborhood Greenways pavement markings, directional arrows, and wayfinding signage to guide cyclists onto/off East Avenue.		
East Avenue	Garfield Street	Major Street Crossing Stop Controlled	All-way stop.	Mark intersection crossing markings through the intersection.		
Scoville Avenue	Rehm Park	Neighborhood Greenways Connects with Off-Street Path	Greenway enters/exits an off-street path.	Add wayfinding pavement markings to direct cyclists onto/off of Scoville.		
Scoville Avenue	Harvard Street	Intersection of Two Neighborhood Greenways	All-way stop intersecting Neighborhood Greenways.	Add wayfinding pavement markings to direct cyclists to use Harvard/East Avenue.		Consider re-routing Greenway back onto Scoville through Rehm Park.
Scoville Avenue	Fillmore Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Scoville Avenue.	Use standard tools.		
Scoville Avenue	Roosevelt Road	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.		

**TABLE  
21**
**Harvey/Lombard Avenue Neighborhood Greenway**

	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Calming
Lombard Avenue	North Avenue	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.			
Lombard Avenue	LeMoynne Parkway	Intersection of Two Neighborhood Greenways	All-way stop with a center median on LeMoynne.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.	Yes
Lombard Avenue	Greenfield Street	Minor Left/Right Offset, Uncontrolled	Lombard is slightly offset, Lombard includes a two-way stop.	Remove parking on Lombard between the offset streets. Use intersection crossing markings and wayfinding signage to guide cyclists to a green bike lane on the north and south sides of Greenfield Street.			
Lombard Avenue	Berkshire Street	Intersection of Neighborhood Greenway and Local Street	Intersection includes an all-way stop.	Use standard tools.			
Lombard Avenue	Division Street	Major Street Crossing Uncontrolled	Two-way stop on Lombard. Division is an arterial with a bike lane and no control for pedestrians and cyclists crossing.	Add intersection crossing markings across Division Street. Install stop sign on Division if warranted.			
Lombard Avenue	Thomas Street	Intersection of Two Neighborhood Greenways	Thomas is offset with a two-way stop.	Remove parking on Thomas between the offset street segments. Use intersection crossing markings to guide cyclists to a green bike lane on the east and west sides of Thomas Street. Use bicycle symbol with turn arrow to indicate turning movements in green lanes.			
Lombard Avenue	Augusta Avenue	Neighborhood Greenways Turns	Greenway turns onto/off of Augusta.	Use Neighborhood Greenways pavement markings, directional arrows, and wayfinding signage to guide cyclists onto/off Augusta.			
Harvey Avenue	Iowa Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Harvey Avenue.	Use standard tools.			
Harvey Avenue	Chicago Avenue	Major Street Crossing Uncontrolled	Two-way stop on Harvey. Chicago is an arterial with bike lanes.	Add intersection crossing markings across Chicago Avenue. If warranted, install stop signs on Chicago.	Consider installing an RRFB on Chicago Avenue.		
Harvey Avenue	Superior Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Harvey Avenue.	Use standard tools.		If traffic control is needed on Harvey, use yield signs.	
Harvey Avenue	Erie Street	Intersection of Two Neighborhood Greenways	All-way stop.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.	
Harvey Avenue	Ontario Street	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			
Harvey Avenue	Lake Street	Major Left/Right Offset, signalized	Greenway is offset. Intersects an arterial with a traffic signal. Greenway makes a left/right turn onto/off of Lake Street before/after the train underpass to stay on Harvey.	Install bike boxes on the north and south lanes. Remove parking on Harvey at least 20' from the intersection on each side. Convert angled parking on northeast leg of Harvey to back-in angled parking. Mark green bike lane on northeast leg of Harvey through parking conflict zone. Intersection crossing markings guide cyclists to green bike lane on north and south sides of Lake Street. Install wayfinding signage.			

**TABLE  
21,  
CON'T**

**Harvard Street Neighborhood Greenway**

	Cross Street	Application	Existing Condition	Near-Term Recommendation	Long-Term Recommendation	Alternative Recommendation	Traffic Calming
Harvey Avenue	North Boulevard	Minor Right/Left Offset	Greenway is offset with a 3-way stop.	Stamp Neighborhood Greenways symbols and directional arrows and wayfinding signage to help cyclists stay on the Greenway.			
Harvey Avenue	South Boulevard	Major Street Crossing Stop Controlled	Greenway intersects South Boulevard with an all-way stop.	Mark intersection crossing markings across South.			
Harvey Avenue	Pleasant Street	Intersection of Two Neighborhood Greenways	Two-way stop. The Harvey Greenway jogs over to Lombard using Pleasant Street.	Use standard treatments	Install mini roundabout.	Opportunity for intersection art.	
Lombard Avenue	Pleasant Street	Neighborhood Greenways Turns	Two-way stop on Lombard. The Harvey Greenway jogs over to Lombard.	Use standard treatments.	Install mini roundabout.	Opportunity for intersection art.	
Lombard Avenue	Randolph Street	Intersection of Neighborhood Greenway and Local Street	All-way stop. The west side of Randolph is a two-lane road divided by a grassy boulevard.	Use standard treatments.			Yes
Lombard Avenue	Washington Boulevard	Major Street Crossing Signalized	Wide signalized arterial crossing. Washington Boulevard is owned and maintained by Illinois Department of Transportation (IDOT.)	Use intersection crossing markings on Washington. Install bike boxes.			Yes
Lombard Avenue	Madison Street	Major Street Crossing Signalized	Crosses a four-lane, signalized arterial with a center turn lane.	Mark intersection crossing markings across Madison. Add bicycle boxes to the north and south side of the intersection.			Yes
Lombard Avenue	Adams Street	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			Yes
Lombard Avenue	Jackson Boulevard	Major Street Crossing Stop Controlled	All-way stop with center medians on Jackson.	Mark intersection crossing markings through the intersection.			Yes
Lombard Avenue	Van Buren Street	Intersection of Two Neighborhood Greenways	All-way stop. Lombard is a collector.	Use standard tools.	Install mini roundabout.	Opportunity for intersection art.	
Lombard Avenue	Harrison Street	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.		Consider pavement markings that reflect the unique identity of the art district.	
Lombard Avenue	Garfield Street	Intersection of Neighborhood Greenway and Local Street	Two-way stop on Garfield.	Use standard tools.			
Lombard Avenue	Harvard Street	Intersection of Two Neighborhood Greenways	All-way stop. Adjacent to a park.	Use wayfinding signage to alert cyclists to intersection.	Install mini roundabout.	Opportunity for intersection art.	
Lombard Avenue	Fillmore Street	Intersection of Neighborhood Greenway and Local Street	All-way stop.	Use standard tools.			
Lombard Avenue	Roosevelt Road	Terminus of the Neighborhood Greenway	Terminus of the Neighborhood Greenway	Mark route with Neighborhood Greenway ends/begins.			



Village of Oak Park  
Neighborhood Greenways  
and the Bicycle Network  
from the  
Neighborhood Greenways  
System Study &  
Bike Share Feasibility Study  
Adopted July 20, 2015




### Neighborhood Greenways Street Segments and Intersections as found on pages 117-135 of the study

- Cross Street Locations
- Neighborhood Greenways

0719-1-6 Bike Map.mxd

**Exhibit C**





# Oak Park Greenways Prioritization

BIKE WALK OAK PARK

0819-1  
7.6  
1/16

# Prioritization criteria

- ▶ Equity
  - ▶ Located near mixed income, mixed use
  - ▶ Safe Routes to School
- ▶ Connectivity
- ▶ Visibility of Bicycling
  - ▶ Encourages bicycling
  - ▶ Promotes safety (drivers expect to see bicycles)
- ▶ Destinations
  - ▶ Can people get where they're going?



*Some* of the  
dangerous  
and/or  
confusing  
intersections  
along the  
Neighborhood  
Greenways



Bike Walk  
Oak Park

0819-1  
7.6  
3/16


## Oak Park Ave at Erie (facing west)



Bike Walk  
*Oak Park*

0819-1  
9.7  
4/96  
961

## Kenilworth at Madison (facing south)



Bike Walk  
Oak Park

0819-1  
7.6  
5/16

Thomas at Ridgeland (facing west)



Bike Walk  
*Oak Park*

0819-1  
7.6  
6/16

Lake at Scoville (facing north)



Bike Walk  
*Oak Park*

0819-1  
7/6  
7/16

# Prioritizing Network Connectivity vs. Density

Transportation

November 2014, Volume 41, Issue 6, pp 1187–1204 | Cite as

The missing link: bicycle infrastructure networks and ridership in 74 US cities

- ▶ Connected network: bike lanes provide continuous routes between many possible destinations
- ▶ Dense network: Large amount of bike and pedestrian improvements in specific area

Bike Walk  
Oak Park

0819-1  
7.6  
9/16  
8/16

# Fiscal Sense: Cost of Visual Connectivity

- ▶ **Bike lanes** are \$5,000 to \$63,000 per mile. At ~9 miles total, putting lanes on all Greenways would cost \$90,000 at the low estimate.
- ▶ **Signs** are \$50-\$150 per sign. There are ~210 individual streets. Therefore, one sign per street would cost around \$10,500-\$31,500.

# Pros and Cons of Visual Connectivity

## PROS

- Visibility! Clearly indicates to drivers and cyclists that cars, bikes, and pedestrians share these roadways
  - Encourages bicycling AND promotes safety
- Reduces likelihood of one-and-done infrastructure investment
- Low cost

## CONS

- Does not immediately address any dangerous/confusing intersections



10/16  
7.6  
0819-1

# Density: concentrate on specific portions of the Oak Park Neighborhood Greenways

- ▶ Safe Routes to School
  - ▶ Every day in Illinois, five kids on average are hit by a driver of a motor vehicle within one block of a school while they are walking or riding their bike.
  - ▶ The Illinois Bike Walk Education in Schools Act (HB4799) requires K-8 schools to provide biking and walking safety education.
- ▶ Business Districts
  - ▶ Bikes bring business
    - ▶ Research out of Portland, OR, showed that cycling customers spent more per month (\$75.66) than their car-driving counterparts (\$68.56) at bars, restaurants and convenience stores.
    - ▶ A 2009 study of Bloor Street in Toronto, ON, found that customers who arrive by foot and bicycle visit the most often and spend the most money per month

Bike Walk  
Oak Park

0819-1  
7.6  
11/16

# Prioritizing Safe Routes to School Streets

Elementary & Middle Schools

- ▶ Harvard – Irving (Ridgeland/Cuyler) and Lincoln (Grove/Kenilworth)
- ▶ Van Buren - Longfellow (Ridgeland/Highland)
- ▶ Erie – Beye (Ridgeland/Highland)
- ▶ Kenilworth – Holmes (Chicago/Augusta) and Mann (Division/Berkshire)
- ▶ Harvey and Thomas – Whittier (Harvey Ave between Thomas and Augusta)
- ▶ Kenilworth – Brooks (Washington and Randolph)

**Bike Walk**  
*Oak Park*

0819-1  
7.6  
12/16

# Other Prioritized Points on Greenways

## OPRF High School

- ▶ Scoville between Lake and Erie
- ▶ Erie between Ridgeland and Kenilworth
- ▶ Fair Oaks and Chicago Avenue.



0819-1  
7.6  
13/16

# Recommended roadways to target infrastructure improvements

Targeted Greenways Improvement Matrix

Streets	Distance (miles)	Schools	Improved/New Signaled Crossings
Harvard (Austin to Maple)	2	2	2
Van Buren (Austin to Grove)	1	1	2
Scoville (Lake to Chicago)	0.5	1	1
Erie (Highland to Kenilworth)	1	1	2
Kenilworth (Berkshire to Harrison)	2.5	3	4

Bike Walk  
Oak Park

1416  
7.6  
0819-1

# Pros/Cons of density focused investment

## PROS

- Clear illustration of a true bikeway
- Ability to mobilize local residents and businesses around each individual section
- Strength in paring with Safe Routes to Schools

## CONS

- Piece-meal approach
- Possibility of having funding cut (i.e., Divvy)
- Visually limits the size understanding of the network

# Take Aways/Next Steps

Bike Walk Oak Park Recommends the following options:

- Fiscally conservative and largest visual impact – basic pavement markings and bike lines with signage throughout the entire network

OR

- Location specific investment – Safe Routes to Schools streets stressing safety for both pedestrian and cycling improvements

OR

- Combination of network-wide pavement markings with signage while improving one greenways (Safe Routes to Schools) segment



161  
7.6  
0819-1

## Village Of Oak Park

### Transportation Commission Agenda Item

**Item Title:** Follow-Up Review Report On Status Of Working And Non-Working Detector Loops And How They Are Maintained And Monitored

Review Date: August 26, 2019

Prepared By: Michael Koperniak

**Abstract (briefly describe the item being reviewed):**

One item on the Transportation Commission's approved 2019 Work Plan is to review a report on the status of working and non-working traffic signal detector loops and how they are maintained and monitored. This was carried over from the 2018 work plan. The expected outcomes are:

- Inform the Transportation Commission about the status, extent and workings of the Village's vehicle detector loop system.
- Educate the Transportation Commission on what detector loops are and how they work.

This item is to be completed by the first quarter of 2019.

Staff gave a presentation at the February 25, 2019 Transportation Commission meeting. The Commission had a number of questions and requested a follow-up presentation.

Tonight's presentation constitutes the follow-up presentation.

**Staff Recommendation(s):**

This is a presentation so no recommendation is expected.

Supporting Documentation Is Attached

# MEMORANDUM

Date: August 26, 2019

To: Transportation Commission

From: Mike Koperniak, Staff Liaison

Parking and Traffic Commission M.K.

Re: Follow-up review report on status of working and non-working detector loops and how they are maintained and monitored

One item on the Transportation Commission's approved 2019 Work Plan is to review a report on the status of working and non-working traffic signal detector loops and how they are maintained and monitored. This was carried over from the 2018 work plan. The expected outcomes are:

- Inform the Transportation Commission about the status, extent and workings of the Village's vehicle detector loop system.
- Educate the Transportation Commission on what detector loops are and how they work.

This item is to be completed by the first quarter of 2019.

Staff gave a presentation at the February 25, 2019 Transportation Commission meeting. The Commission had a number of questions and requested a follow-up presentation. Tonight's presentation constitutes the follow-up presentation.

At the February 25th Transportation Commission meeting, a map, attached as Exhibit A, was presented showing the status of detector loops on Thursday, February 14, 2019 as reported by the Village of Oak Park's Centracs traffic signal interconnect monitoring system. The map showed 23 signalized intersections with working detector loops and 16 signalized intersections with some type of reported fault.

As was stated in the February 25th presentation, the Village uses a software application known as Centracs®, as provided by Econolite Corporation. Centracs® is an advanced transportation management system that allows the Village to not only monitor the condition of the Village's forty-one signalized intersections but also to alter

the timing of the signals from a central location. One of the byproducts of the product is the capability to generate reports on the status of the detectors, including detector loops, sending data to Centracs.

Staff pointed out during the February 25th presentation that the Centracs reports, while informative, were not to be trusted one hundred percent, due to the limitations of the software and were thus used as a supplement to other processes the Village uses to monitor the condition of detector loops. For example, the version of Centracs in use at the time could report that a fault existed in a detector at a signalized intersection but it could not indicate which of the up to sixteen detectors was causing the fault nor could it report what type of fault it was reporting.

It was also pointed out that the majority of the signalized intersections used an Econolite ASC/2 model traffic signal controller. This is an older model controller which is not fully compatible with Centracs and has limited reporting capabilities.

Three factors have changed since the February 25th presentation.

First, the Village's Public Works Department reviewed all of the detector loop locations in the Village and then issued a request for bids to repair and/or replace detector loops at seven signalized intersections. This bid # 19-141 entitled Village of Oak Park Traffic Signal Detector Loop Repair Project was opened on July 31th. It is now in the process of being reviewed and approved. The work is expected to be performed in the coming months.

Second, the Village is in the process of upgrading many of the traffic signal controllers to the newer and more advanced Econolite Cobalt model traffic signal controller. Presently, there are nine (9) signalized intersections with Cobalt controllers. Five (5) signalized intersections will be upgraded with Cobalt controllers as part of the Madison Street Road Diet in 2019. Twelve (12) signalized intersections will be upgraded with Cobalt controllers as part of the Safe Routes to School grant project (Pedestrian Signal Upgrade) also expected to be completed in 2019. Three (3) signalized intersections will be upgraded with Cobalt controllers as part of the Lake St Streetscape project expected to be completed in 2020. And twelve (12) signalized intersections are IDOT intersections, that are not currently scheduled to be upgraded.

After the upgrades have been completed by the end of 2020, the number of Cobalt traffic signal controllers will have increased from the current 21 percent (9 out of 41) up to 70 percent (29 out of 41).

Finally, the Village has upgraded to Centracs version 2.0 software with its improved monitoring and reporting capabilities. Among the software improvements is the capability to not only identify which one of the up to sixteen detectors at an intersection is reporting a fault, it can also now identify the type of fault that is being reported.

Attached as Exhibit B is a Centracs 2.0 Detector Fault Status report generated at 9:15 AM on Wednesday, July 31, 2019. The report now identifies the type of detector [Detector Type] reporting a fault, the fault type [Fault Type(s)], and the specific detector at the intersection [Detector ID] reporting the fault. There were reported faults at eleven intersections. Following is a summary of the reported faults.

It needs to be pointed out that the greyed out rows are non-faults caused by the ASC/2 controllers not being totally compatible with the Centracs 2.0 software. Once the ASC/2 controllers have been upgraded to Cobalt controllers, these faults will disappear.

There are seven signalized intersections with reported detector loop faults. These are: (106) Lake Street and East Avenue, (105) Lake Street and Euclid Avenue, (602) Oak Park Avenue and Pleasant Street, (603) Oak Park Avenue and Washington Boulevard, (604) Oak Park Avenue and Madison Street, (605) Oak Park Avenue and Jackson Boulevard, and (607) Oak Park Avenue and Garfield Street. The detector loops at these seven locations are being repaired and/or replaced as part of the Village's bid # 19-141 as described above.

One reported fault is at the (601) Oak Park Avenue and North/South Boulevards intersections. The traffic signals at Oak Park Ave. & North Blvd. and at Oak Park Ave. & South Blvd. are both controlled by the same traffic signal controller. The error message appears to be due to the fact that this detector is coded in Centracs 2.0 as being associated with a phase movement that apparently doesn't exist. Staff is looking into this and will edit the code for this detector. This should resolve this fault report.

There are three signalized intersections with pedestrian pushbutton related faults. They are at: (502) Oak Park Avenue and Augusta Street, (103) Lake Street and

Kenilworth Avenue, and (305) Ridgeland Avenue and South Boulevard. The Village will be investigating these faults in the near future.

Attached as Exhibit C is a map showing the faulty detector loop locations as reported by the Centrac 2.0 software on Wednesday, July 31, 2019. Compare and contrast the differences between this map and the February 14, 2019 map.

According to the Exhibit C map, all of the eleven reported faults are or will be corrected in the near future by Village Staff or by vendor.

Village Staff representing the Public Works Street Lighting Division will be attending the August 26th Transportation Commission meeting in order to answer any questions the Commissioners may have.

This concludes the presentation.



0819-1  
8.3  
1/1

## Traffic Signal Detector Loop status on Thursday, February 14, 2019

- Working Doctor Loops (23 each)
- Communication Is Bad (3 each)
- Faulty Detector Loop(s) (16 each)
- Not an Oak Park Signal (34 each)

The Village of Oak Park maintains 41 signalized intersections

All of the signalized intersections are Fully Actuated (detector loops on all legs of the intersection) except for at Oak Park Avenue at North/South Boulevards where there are detector loops at North Boulevard but no detector loops at South Boulevard

### Notes:

1 = put on recall due to building construction on the NW corner. Communication to Centracs has been temporarily suspended

2 = being bad is a consequence of being interconnected to and downstream from the Lake and Forest traffic signal controller

3 = intermittent communication problem that is being investigated


4 = the traffic signals at North and South Boulevards are controlled by a single traffic signal controller

5 = Centracs does not report a faulty loop. However, observation over time reveals that the northbound detector loop may be faulty

6 = The fault is attributed to the use of bicycle detector loops at this intersection

7 = This location is purposely faulted because a parking space was added on top of a far back loop. It was disconnected because cars parked on it were putting in constant calls making the light think there was a backup.

Traffic Signal Detector Loop status on Thursday, February 14, 2019 as reported by the Village of Oak Park's Centracs traffic signal interconnect monitoring system



Created By: M. Koperniak  
Created On: February 14, 2019  
Printed On: February 14, 2019  
Filename: GIS0120190214A01.mxd

GIS Providing Answers To Your Questions

# Detector Fault Status

at 9:15 AM on Wednesday, July 31, 2019

Date/Time of Last Poll	Signal Name	Detector ID	Detector Name	Detector Type	Fault Type(s)
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	7	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	8	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:01 AM	601 Oak Park Ave @ South Blvd/North Blvd (Oak Park Ave @ South Blvd/North Blvd)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	3	Vehicle Reported	Vehicle Reported	Open Loop Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	5	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	6	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	8	Vehicle Reported	Vehicle Reported	Open Loop Fault

601 = Oak Park Ave. @ North/South Blvds.  
105 = Lake St. @ Euclid Ave.



0819  
1748  
I-91

7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM <b>105</b>	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 8:56:02 AM	105 Lake St @ Euclid Ave (Lake St @ Euclid Ave)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	4 Ø4p, WBp	Pedestrian	Pedestrian	No Activity Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	7 Ø4, EB	Vehicle Reported	Vehicle Reported	Shorted Loop Fault <b>To be repaired as part of RFP 19-141</b>
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM <b>603</b>	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault

105 = Lake St. @ Euclid Ave.  
 603 = Oak Park Ave. @ Washington Blvd.

7/31/2019 9:09:01 AM	<b>603</b>	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	5	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	6	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	7 Ø4, SB	Vehicle Reported	Vehicle Reported	Open Loop Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	8 Ø8, NB	Vehicle Reported	Vehicle Reported	Open Loop Fault <span style="border: 1px solid red; padding: 2px;">To be repaired as part of RFP 19-141</span>
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	<b>106</b>	106 Lake St @ East Ave (Lake St @ East Ave)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		106 Lake St @ East Ave (Lake St @ East Ave)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	<b>305</b>	305 Ridgeland Ave @ South Blvd (Ridgeland Ave @ South Blvd)	8 Ø8p, WBp	Pedestrian	Pedestrian	No Activity Fault
7/31/2019 9:09:01 AM		502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	2 Ø2p, NBp	Pedestrian	Pedestrian	No Activity Fault
7/31/2019 9:09:01 AM		502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	5	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	6	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	<b>502</b>	502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	8 Ø8p, WBp	Pedestrian	Pedestrian	No Activity Fault
7/31/2019 9:09:01 AM		502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault

**603 = Oak Park Ave. @ Washington Blvd.**  
**106 = Lake St. @ East Ave.**  
**305 = Ridgeland Ave. @ South Blvd.**  
**502 = Oak Park Ave. @ Augusta St.**

7/31/2019 9:09:01 AM	502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	502 Oak Park Ave @ Augusta St (Oak Park Ave @ Augusta St)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	1 Ø4, EB	Vehicle Reported	Vehicle Reported	Open Loop Fault <span style="border: 1px solid red; padding: 2px;">To be repaired as part of RFP 19-141</span>
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	5	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	6	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	7	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	8	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault

7/31/2019 9:09:01 AM	<b>602</b>	602 Oak Park Ave @ Pleasant St (Oak Park Ave @ Pleasant St)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	2 Ø8, WB	Vehicle Reported	Vehicle Reported	Open Loop Fault <span style="background-color: red; color: white;">To be repaired as part of RFP 19-141</span>
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	3 Ø2, NB	Vehicle Reported	Vehicle Reported	Shorted Loop Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	4	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	5	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	6	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	7	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	8	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM	<b>607</b>	607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:01 AM		607 Oak Park Ave @ Garfield St (Oak Park Ave @ Garfield St)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	1 Ø2, NB	Vehicle Reported	Vehicle Reported	Open Loop Fault <span style="background-color: red; color: white;">To be repaired as part of RFP 19-141</span>
7/31/2019 9:09:02 AM	<b>605</b>	605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault

602 = Oak Park Ave. @ Pleasant St.  
607 = Oak Park Ave. @ Garfield St.  
605 = Oak Park Ave. @ Jackson Blvd.

7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	605	605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		605 Oak Park Ave @ Jackson Blvd (Oak Park Ave @ Jackson Blvd)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	2	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	5	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	6	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	7 Ø7p, SBp	Pedestrian	Pedestrian	No Activity Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	103	103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	11	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	12	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM		103 Lake St @ Kenilworth Ave (Lake St @ Kenilworth Ave)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	604	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	5 Ø4, EB	Vehicle Reported	Vehicle Reported	Open Loop Fault To be repaired as part of RFP


605 = Oak Park Ave. @ Jackson Blvd.  
 103 = Lake St. @ Kenilworth Ave.  
 604 = Oak Park Ave. @ Madison St.

7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	6 Ø4, EB	Vehicle Reported	Vehicle Reported	Open Loop Fault <span style="border: 1px solid red; padding: 2px;">To be repaired as part of RFP 19-141</span>
7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	9	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	10	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	12 Ø8, WB	Vehicle Reported	Vehicle Reported	Open Loop Fault <span style="border: 1px solid red; padding: 2px;">To be repaired as part of RFP 19-141</span>
7/31/2019 9:09:02 AM <span style="border: 1px solid red; padding: 2px; display: inline-block; width: 20px; height: 15px; vertical-align: middle;"></span> 604	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	13	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	14	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	15	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:09:02 AM	604 Oak Park Ave @ Madison St (Oak Park Ave @ Madison St)	16	Vehicle Reported	Vehicle Reported	Watchdog Fault
7/31/2019 9:13:01 AM <span style="border: 1px solid red; padding: 2px; display: inline-block; width: 20px; height: 15px; vertical-align: middle;"></span> 603	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	2 Ø2p, NBp	Pedestrian	Pedestrian	No Activity Fault
7/31/2019 9:13:01 AM <span style="border: 1px solid red; padding: 2px; display: inline-block; width: 20px; height: 15px; vertical-align: middle;"></span> 603	603 Oak Park Ave @ Washington Blvd (Oak Park Ave @ Washington Blvd)	8 Ø8p, WBp	Pedestrian	Pedestrian	No Activity Fault

604 = Oak Park Ave. @ Madison St.  
603 = Oak Park Ave. @ Washington Blvd.



0819-1  
8.5  
1/1



### Centracs 2.0 Traffic Signal Detector Loop status on Wednesday, July 31, 2019

#### Signalized Intersections

- Green square: Working Detector Loops (30 each)
- Red circle: Faulty Detector Loops(s) (9 each)
- Blue star: Faulty Pedestrian Detector (3 each)
- Purple diamond: Not an Oak Park Signal (34 each)


#### To be repaired under Bid 19-141

(7 each)



The traffic signals at Oak Park Ave. & North Blvd. and at Oak Park Ave. & South Blvd. are both controlled by the same traffic signal controller.

The error message appears to be due to the fact that this detector is coded in Centracs 2.0 as being associated with a phase movement that apparently doesn't exist. Staff is looking into this and will edit the code for this detector.



Traffic Signal Detector Loop status on Wednesday, July 31, 2019 as reported by the Village of Oak Park's Centracs 2.0 traffic signal interconnect monitoring system

0819-1  
OE1  
1/4

Parking and Traffic Action Item Activity Summary								Grayed out row indicates the item has been completed and closed
Project No.	Date Opened	Opened By	Date Closed	Petition mailed out on	Petition received on	Action Item Description	Name Address Phone Number	Commission Recommendation Village Board Action Final Disposition
1553	07/02/18	JAJ	07/23/18			Request to review Home/South Blvd intersection for pedestrian signage		
								TWO #12744 written on 07/23/2018
1554	07/02/18	JAJ		07/03/18		Issues with bypass traffic, speeding vehicles on the 500 block of N Grove		
1555	07/05/18	JAJ				Request to review/analyze crash data for Chicago/Lombard		no Trans Com involvement necessary
1556	07/09/18	JAJ				Look at possible changes at Randolph & Marion/Wisconsin to enhance safety		no Trans Com involvement necessary
1557	07/09/18	JAJ		07/19/18		Traffic issues on Greenfield btwn OPA & Forest Ave		
1558	07/11/18	MJK				pedestrian hit & run incident at the Chicago and Scoville/Fair Oaks intersection		no Trans Com involvement yet...
1559	07/16/18	MJK				request for traffic calming on 800 S Elmwood block, preferably cul-de-sac		
1560	07/16/18	JAJ				request for information on school traffic safety plans		no Trans Com involvement necessary
1561	07/17/18	JAJ		07/17/18		request for speed humps in alley adjacent to 1200 Edmer		no Trans Com involvement necessary
1562	07/19/18	JAJ		07/19/18	10/01/18	Request for traffic calming on the 800 block of N Cuyler Avenue		
1563	07/19/18	JAJ		07/19/18		Request for STOP sign petition		
1564	08/03/18	JAJ		08/03/18		Request for speed bumps in alley		no Trans Com involvement necessary
1565	08/03/18	JAJ		08/06/18		Request for speed bump in alley and street on the 1100 block of N Taylor Ave		
1566	07/25/18	JAJ	08/06/18			Traffic Safety Plan for Children's School at St Edmund's School location		School does not think a TSP is necessary now.
1567	08/06/18	JAJ		08/06/18		Request for alley speed bumps		no Trans Com involvement necessary
1568	08/06/18	JAJ	08/07/18			Request for crosswalk markings on Ridgeland Ave at Pleasant St		no Trans Com involvement necessary
								TWO #12753 written on 08/07/2018
1569	08/23/18	JAJ	10/17/18	08/30/18	09/24/18	Request for alley speed bumps		no Trans Com involvement necessary
								TWO 12769 written on 10/17/2018
1570	08/29/18	JAJ				Traffic concerns about the Chicago/Grove intersection		
1571	09/04/18	JAJ				Safety concerns in alley in back of Beyond Properties		
1572	09/05/18	JAJ				Traffic issues in alleys adjacent to Madison St, Austin Blvd and Humphrey Ave		no Trans Com involvement necessary
1573	09/05/18	JAJ		09/06/18	10/17/18	Request for traffic calming on the 1150 block of Home		
1574	09/06/18	JAJ			09/24/18	Parking and traffic issues at Iowa & Kenilworth during arrival/dismissal time periods for Holmes School		
1575	09/06/18	JAJ				More noticeable signage on Euclid Ave at Washington Blvd to reduce violation rates		no Trans Com involvement necessary

0819-1  
OE1  
2/4

Parking and Traffic Action Item Activity Summary								Grayed out row indicates the item has been completed and closed
Project No.	Date Opened	Opened By	Date Closed	Petition mailed out on	Petition received on	Action Item Description	Name Address Phone Number	Commission Recommendation Village Board Action Final Disposition
1576	09/10/18	JAJ				Traffic/parking issues on the 800 block of S Scoville		
1577	09/12/18	JAJ				Requesting traffic calming at intersection of Jackson Blvd & East Ave		
1578	09/17/18	JAJ				Request to review Julian Middle School traffic safety plan		
1579	09/20/18	JAJ				Safety concerns regarding Ridgeland Ave traffic @ Van Buren		
1580	09/20/18	JAJ		10/12/18		Request for traffic calming petition for 1100 block of S Euclid Ave		
1581	09/26/18	JAJ		09/27/18		Request for alley speed hump petition		no Trans Com involvement necessary
1582	09/26/18	JAJ				Request for traffic data		no Trans Com involvement necessary
1583	10/01/18	JAJ		10/01/18		Traffic calming petition 500 block of S Harvey		
1584	10/05/18	JAJ	05/29/19	10/08/18	05/07/19	Request for alley speed hump petition		no Trans Com involvement necessary
1585	10/08/18	JAJ			10/08/18	Traffic Calming petition for Washington/Grove intersection		TWO # 12772 written on 10/17/2018
1586	09/27/18	MJK	10/17/18			parked cars blocking alley. Request NPAT signs or painted yellow curb		TWO 12770 written on 10/17/18
1587	10/15/18	MJK	10/17/18			change the way ped push buttons work so that they activate immediately when pressed		MJK notified street lighting about reported locations closed.
1588	10/16/18	MJK				concerned about blocked alley returns on the 900 S. Humphrey Avenue block		no Trans Com involvement necessary
1589	10/16/18	MJK	10/17/18			report 20 mph school speed limit sign is blocked by parking sign		no Trans Com involvement necessary
1590	10/19/18	JAJ	03/22/19	10/23/18	11/20/18	Bypass traffic issue in east-west alleys south of North Ave		TWO 12804 written on 03-22-2019
1591	10/25/18	MJK/JAJ		11/15/18	12/07/18	Traffic Calming Petition questions (600 N Euclid)		TWOs 12793 & 12794 written on 02-04-2019
1592	10/29/18	JAJ	11/02/18			Issue with pedestrian signal timing at Ridgeland/Harrison - near miss with vehicle traffic		no Trans Com involvement necessary
1593	11/02/18	JAJ	11/09/18			Request for NO LEFT TURN on NB Maple Ave at Chicago Ave during the holidays		Talked w/resident, PW to check ped PBs
1594	11/26/18	MJK		11/26/18		upgrade South Blvd. and Scoville to all-way stop signs		no Trans Com involvement necessary
1595	11/26/18	MJK				request alley NO THRU TRAFFIC sign on 1200 Linden block		no Trans Com involvement necessary
1596	12/04/18	JAJ				issues with pedestrian crossing on Washington Blvd at Maple Ave		no Trans Com involvement necessary
1597	12/08/18	JAJ	12/10/18			Traffic data request Lake/Forest, Forest/Ontario, Forest/Marion for meeting w Mayor & residents		no Trans Com involvement necessary
1598	12/12/18	MJK	12/18/18			review pedestrian safety at South Blvd & Marion intersection		Provided historical ADT & TMC data
								requested by McKenna via email
								recommendations submitted to McKenna
								on 12/18/2018
								explained petition process, would send petition

0819-1  
OE1  
3/4

Parking and Traffic Action Item Activity Summary								Grayed out row indicates the item has been completed and closed
Project No.	Date Opened	Opened By	Date Closed	Petition mailed out on	Petition received on	Action Item Description	Name Address Phone Number	Commission Recommendation Village Board Action Final Disposition
1599	12/18/18	JAJ				traffic issues on 1100 block of Lyman Ave		resident will check with neighbors before starting
1600	12/03/18	MJK				problem crossing at a stop sign location		Koperniak left voice mail message on his machine at 1:29 PM on 12/6/2018
1601	01/11/19	JAJ				Traffic issues on the 100 block of N East Ave		
1602	01/17/19	JAJ		01/18/19		Request for NO THRU TRAFFIC signs at alley adjacent to 800 N Cuyler & Ridgeland		no Trans Com involvement necessary
1603	01/18/19	JAJ	02/26/19			Request for crosswalk markings across Ridgeland on southern leg of Ontario		TWO #12789 written on 1/18/2019
1604	01/22/19	JAJ				Issues with traffic in the alley behind resident's home.		no Trans Com involvement necessary
1605	02/12/19	JAJ				Issues with drop-off/pick-up in Cuyler cul-de-sac at Longfellow School		no Trans Com involvement necessary
1606	03/08/19	JAJ				Request for improved pedestrian safety on Chicago Ave at Forest Ave		
1607	03/12/19	JAJ				Request for crosswalk markings on Washington at Cuyler by Percy Julian School		no Trans Com involvement necessary
1608	03/12/19	JAJ	04/10/19			Request in-street ped crossing sign on Ridgeland at Van Buren		no Trans Com involvement necessary
1609	03/15/19	JAJ	03/29/19			Issues with signal timing and bus stops along Harlem Ave at Lake St		Responded to resident's concerns no Trans Com involvement necessary
1610	03/28/19	JAJ	04/12/19			Traffic issues on Home at Madison due to parked vehicles		no Trans Com involvement necessary
1611	04/04/19	MJK				request for traffic signals at Jackson and Cuyler		TWO #12807 written on 04/22/2019 email forwarded to McKenna for consideration see PF # 1051 - 10/02/2012
1612	04/08/19	MJK				on the 400 N. Maple Ave. block - prevent cars from illegally driving SB on the one-way NB street		copies to VE, JJ and DC Limon
1613	04/26/19	JAJ		04/26/19		request for speed humps in east-west alley north of Chicago between Taylor & Humphrey		no Trans Com involvement necessary
1614	04/19/19	JAJ	04/29/19			request for STOP sign on 1110 Westgate		no Trans Com involvement necessary TWO #12809 written on 04/29/2019.
1615	04/26/19	JAJ	05/06/19			request for RRFB on a busy street (Ridgeland at Erie)		no Trans Com involvement necessary
1616	05/01/19	JAJ				Concerns about traffic & pedestrian safety around Hatch School		
1617	05/06/19	JAJ		05/06/19		request for speed bumps in alley on the 1400 block of N Harlem Ave		no Trans Com involvement necessary
1618	05/03/19	JAJ		05/03/19		Request for the TC petition for 1150 block of Wisconsin Ave		
1619	05/07/19	JAJ		05/07/19		Request for TC petition for the 1150 block of S Kenilworth Ave		
1620	05/06/19	JAJ	05/08/19			Request for replacement of KKAD25 banner on 1200 block of N Taylor		no Trans Com involvement necessary SMO #30110 written on 05/08/2019
1621	05/08/19	JAJ				Issues with traffic safety at Chicago/Euclid		
						Traffic calming petition for		

0819-1  
OE1  
4/4



# Village of Oak Park

123 Madison St  
Oak Park, Illinois 60302  
[www.oak-park.org](http://www.oak-park.org)

0819-1  
OE2  
1/6

## Meeting Minutes

### President and Board of Trustees

---

Monday, June 17, 2019

7:00 PM

Village Hall

---

#### I. Call to Order

Village President Abu-Taleb called the Meeting to order at 7:02 P.M.

#### II. Roll Call

**Present:** 6 - Village President Abu-Taleb, Village Trustee Andrews, Village Trustee Boutet, Village Trustee Buchanan, Village Trustee Moroney, and Village Trustee Taglia

**By Phone:** 1 - Village Trustee Walker-Peddakotla

**Absent:** 0

#### III. Consideration of Motion to Adjourn to Executive Session to Discuss Litigation

**It was moved by Village Trustee Andrews, seconded by Village Trustee Moroney, to enter into Executive Session pursuant to 5 ILCS 120/2(c)(11) - litigation. The motion was approved. The roll call on the vote was as follows:**

**AYES:** 7 - Village President Abu-Taleb, Village Trustee Andrews, Village Trustee Boutet, Village Trustee Buchanan, Village Trustee Moroney, Village Trustee Taglia, and Village Trustee Walker-Peddakotla

**NAYS:** 0

**ABSENT:** 0

#### V. Reconvene to Regular Meeting in Council Chambers and Call to Order

The Regular Meeting reconvened at 7:40 P.M.

#### VI. Roll Call

**Present:** 6 - Village President Abu-Taleb, Village Trustee Andrews, Village Trustee Boutet, Village Trustee Buchanan, Village Trustee Moroney, and Village Trustee Taglia

**By Phone:** 1 - Village Trustee Walker-Peddakotla

**Absent:** 0

#### VII. Agenda Approval

**It was moved by Village Trustee Andrews, seconded by Village Trustee Moroney, to approve the Agenda. A voice vote was taken and the motion was approved.**

#### VIII. Minutes

- T. [MOT 19-78](#) A Motion to Approve the May 2019 Monthly Treasurer's Report for All Funds

This Motion was approved.

## XVI. Regular Agenda

- U. [MOT 19-64](#) A Motion to Concur with the Transportation Commission's Recommendation to Upgrade from Two-Way, East-West STOP Signs to All-Way STOP Signs at the Intersection of Adams Street and Wisconsin Avenue

Village Manager Pavlicek stated that staff has received the traffic calming petition from residents. Staff does not support this because it doesn't meet the standard traffic warrants in terms of crash data and traffic volume.

Meghann Moses is a member of the Transportation Commission but also resides near the intersection where the proposed signs would be installed. She stated that none of her neighbors knew this would be discussed tonight and would've liked to be present. She disagrees with the Village's policy regarding placement of stop signs. This intersection is near a hospital, with high traffic speeding through, and there are children present walking to and from school. She doesn't understand why other intersections with lesser concerns have been upgraded to all-way stop signs.

Village Trustee Boutet suggested tabling the item, as no member of the Transportation Commission is present to discuss their recommendation, nor are residents present to speak their concerns. Village Trustee Walker-Peddakotla agreed.

**It was moved by Village Trustee Boutet, seconded by Village Trustee Walker-Peddakotla, that this Motion be tabled. The motion was approved. The roll call on the vote was as follows:**

**AYES:** 5 - Village President Abu-Taleb, Village Trustee Boutet, Village Trustee Buchanan, Village Trustee Taglia, and Village Trustee Walker-Peddakotla

**NAYS:** 2 - Village Trustee Andrews, and Village Trustee Moroney

**ABSENT:** 0

- V. [MOT 19-77](#) A Motion to Concur with the Aging In Place Commission's Recommendation for the Village of Oak Park to Pursue Designation as a Dementia Friendly Community

Aging In Place Commission Chair Lance Taylor described the Dementia Friendly Community initiative as education for all to understand what dementia is, what it is like to have dementia and how to help those who have it. He discussed the success of the initiative in River Forest. He noted that there is no initial cost involved and asked the Board to approve this recommendation in order for them to move forward. Mr. Taylor discussed the economic benefit to the community.

Village Trustees Andrews and Taglia expressed support for the initiative.

Village Trustee Boutet asked what the next steps are. Mr. Taylor replied that it would include getting people involved and a plan created and implemented.



# Village of Oak Park

123 Madison St  
Oak Park, Illinois 60302  
[www.oak-park.org](http://www.oak-park.org)

0819-1  
OE2  
3/6

## Meeting Minutes

### President and Board of Trustees

---

Monday, July 8, 2019

7:30 PM

Village Hall

---

#### I. Call to Order

Village President Abu-Taleb called the Meeting to order at 7:31 P.M.

#### II. Roll Call

**Present:** 7 - Village President Abu-Taleb, Village Trustee Andrews, Village Trustee Boutet, Village Trustee Buchanan, Village Trustee Moroney, Village Trustee Taglia, and Village Trustee Walker-Peddakotla

**Absent:** 0

#### III. Agenda Approval

Village Trustee Andrews requested that Item J be moved from the Consent Agenda to the Regular Agenda.

**It was moved by Village Trustee Andrews, seconded by Village Trustee Boutet, that the Agenda be approved as amended. A voice vote was taken and the motion was approved.**

#### IV. Minutes

- A. [ID 19-207](#) Motion to Approve Minutes from the June 17, 2019 Regular Meeting and June 24, 2019 Special Meeting of the Village Board.

**It was moved by Village Trustee Andrews, seconded by Village Trustee Moroney, that the Minutes be approved. A voice vote was taken and the motion was approved.**

#### V. Non-Agenda Public Comment

Clarence Ward. Mr. Ward expressed concern that patrons and employees of businesses on Madison Street are parking on his block, a residential cul-de-sac, to avoid paying for parking. He discussed possible solutions given to him by staff. Residents have signed a petition looking for relief.

#### VI. Village Manager Reports

- B. [ID 19-201](#) Review of the Village Board Meeting Calendars for July , August, September.

Village Manager Pavlicek referred to the calendars given to the Board for July, August and September and to let her know as soon as possible if there are any questions or conflicts.

information to distribute to patrons regarding the project.

Mr. Prescott answered questions from the Board.

As a former business owner on Lake Street, Village Trustee Taglia appreciates this proposal to have a plan that helps business owners.

Village Trustee Andrews suggested that social media links be added to the website in order to share resources.

Village President Abu-Taleb stressed the importance of posting a project completion date, even if it requires changing, for every construction project in the Village.

**N. MOT 19-83**

**A Motion to Concur with the Transportation Commission's  
Recommendation to Upgrade from Two-Way, East-West STOP Signs to  
All-Way STOP Signs at the Intersection of Adams Street and Wisconsin  
Avenue and Direct Staff to Prepare the Necessary Ordinance**

Village Manager Pavlicek commented that this Item was tabled from a prior meeting in order to notify residents of the area.

Charlene Schwar. Ms. Schwar expressed concern regarding safety on the street due to continued traffic patterns.

Camilla Willson. Ms. Willson urged the Board to approve the stop sign; there are approximately 20 children on this block. She discussed the high speed in which vehicles drive down that street.

Judith Baxter. Ms. Baxter strongly supports the four-way stop signs. She spoke about speeding vehicles trying to get out of the area after driving through construction diversions.

George Yanos. Mr. Yanos stated that the traffic is largely hospital employees looking for parking. He described them as in a hurry and frustrated. Parents and grandparents are fearful of leaving their children outside.

Village Engineer Bill McKenna summarized how data was collected. Staff does not see speed issues or a lot of traffic volume, and there has been only one accident in the last three years. Staff does not recommend the four-way stop sign, but are looking at pedestrian safety and parking enhancements.

Jim Thompson of the Transportation Commission stated that there is a school bus stop at that intersection with a lot of children crossing. He discussed the activity taking place in that area, largely due to the hospital. Street parking causes low visibility as well.

Village Trustee Walker-Peddakotla asked why some intersections in the Village are two-way and others four-way. Mr. McKenna stated that data from the traffic study in the 90's was used to implement the current alternating stop sign approach. He noted that the Village is currently updating the traffic data and once those results are in, the existing system in place will be reviewed.

Village Trustee Taglia commented that the commission's recommendation is the opposite of what the data disclosed. He noted that changes in traffic patterns can be impactful and the Board should look at the Transportation Commissions findings. He is concerned that

staff finds this unnecessary.

Village Trustee Andrews sympathizes with these concerns but doesn't believe a four-way stop sign will make a difference.

Village Trustee Buchanan doesn't understand how a four-way stop sign won't slow traffic. She asked if there are negative impacts of a four-way stop. Mr. McKenna's rationale was that they create a false sense of security for pedestrians. Drivers may control speed at the intersection but tend to increase speeds mid-block once away from it. It is not an effective speed control tool.

Village Trustee Moroney commented that every block in Oak Park has some type of undesirable traffic pattern. Instituting every request for safety enhancement would not come without unintended consequences, such as diverting traffic to another block. He trusts staff's objective analysis.

Village Trustee Boutet asked how staff reconciled their data with residents' experiences, as there is obvious concern. Mr. McKenna stated that data is validated with previous data. Interpreting drivers' speed is difficult for the average person. In addition, data cannot be captured on near-misses, only actual accidents. Village Trustee Boutet stated that a variety of factors are contributing to challenges for this block. She asked if there was a chance to take a holistic look and decide what is the best plan for this neighborhood. She believes the Board should be looking for a solution.

Village Trustee Andrews asked what specific problem it is that residents are trying to solve. Mr. Thompson stated that they are looking for pedestrian safety. Adding a stop sign where drivers tend to slow down to make a turn would not be overly burdensome.

Village President Abu-Taleb stated that based on the Village Engineer's expertise, he does not think this should move forward and that this type of request is becoming a trend. In addition, there is no data from the Transportation Commission to support their recommendation.

**It was moved by Village Trustee Moroney, seconded by Village Trustee Andrews, that this Motion be approved. The motion failed. The roll call on the vote was as follows:**

**AYES:** 3 - Village Trustee Andrews, Village Trustee Buchanan, and Village Trustee Walker-Peddakotla

**NAYS:** 4 - Village President Abu-Taleb, Village Trustee Boutet, Village Trustee Moroney, and Village Trustee Taglia

**ABSENT:** 0

**O. MOT 19-85 A Motion to Concur with the Transportation Commission's Recommendation to Upgrade from Two-Way, North-South STOP Signs to All-Way STOP Signs at the Intersection of Kenilworth Avenue and Lexington Street; and Direct Staff to Prepare the Necessary Ordinance**

April Johnson. Ms. Johnson stated that this intersection is one block from Lincoln School. Staff and the Transportation Commission agree that traffic is particularly heavy. Pedestrian crossing is her main concern. She questions the results of the traffic study, as it was not done during typical conditions and only for one day.

Mr. Thompson stated that this is somewhat similar to the last item. A key difference is

that Lincoln School is one block away. He summarized the rationale behind the commission's recommendation.

Mr. McKenna doesn't disagree that Lexington carries above normal traffic for a residential street. However, there is no data supporting speeding and no accident information. Staff believes there is no need for the four-way stop sign, although they acknowledge the data supports volume on Lexington.

Village Trustee Boutet asked if there were options available such as an additional crossing guard at that location or road closures during certain school hours. Mr. McKenna noted that they were not seeing children in general crossing Lexington in the morning. There is currently a road closure in the area, as well as a nearby cul-de-sac and one-way street that push traffic onto Lexington. He discussed the timeline and methodology of the current traffic study. Village Trustee Boutet stated that she would like to see an updated plan for the entire Village.

Village Trustee Moroney commented that in southeast Oak Park, every single intersection is a four-way stop sign. It does create safety, however, it also increases the stop and go pattern. He asked if there is any evidence that suggests that quadrant of the Village is safer in terms of accidents, speeding, etc. Mr. McKenna stated that staff can look at that as part of the Village-wide study.

Village Trustee Buchanan stated that residential streets should prioritize the residents. Cars should be on the major arteries.

Village Trustee Taglia asked why the commission tabled this item at their meeting. Mr. Thompson stated that staff suggested they table it pending installation of the new left turn only signal at Oak Park and Garfield to see if there was still as much traffic on Lexington.

**It was moved by Village Trustee Moroney, seconded by Village Trustee Andrews, that this Motion be approved. The motion failed. The roll call on the vote was as follows:**

**AYES:** 3 - Village Trustee Andrews, Village Trustee Buchanan, and Village Trustee Walker-Peddakota

**NAYS:** 4 - Village President Abu-Taleb, Village Trustee Boutet, Village Trustee Moroney, and Village Trustee Taglia

**ABSENT:** 0

P. MOT 19-84

**A Motion to Create a Pilot Program to Provide a Point of Use Water Filter Pitcher with Replacement Filters for Properties where Partial Lead Water Service Line Replacement Occurs as Part of Project 19-17, Water and Sewer Main Improvements, and Direct Staff to Purchase Water Filters in an Amount not to Exceed \$30,000**

Village Manager Pavlicek stated that the Board directed staff to look into protection from increased lead levels in water for residents during partial lead line replacement. Staff researched what other communities have done and they are recommending purchasing filtered water pitchers. After evaluation of this program, staff would look at doing a more formalized long-term program in 2020.

Village Trustee Buchanan read aloud a statement from Dr. David Jacobs, an authority on childhood lead poisoning prevention. He urged the Board to provide lead water filters during water main repairs, as such repairs are known to increase lead in water due to