

# FACILITATOR\_GUIDE

- [This document provides a detailed facilitator's guide for running the 3-hour workshop.](#)
  - [Timing and Flow Tips](#)
  - [0. Kickoff & Setup \(0:00 – 0:15, 15 min\)](#)
  - [0.5. GitHub Copilot Features Overview \(0:15 – 0:30, 15 min\)](#)
    - [Inline Completions \(Ghost Text\)](#)
    - [Copilot Chat Panel \(Ctrl+Alt+I or Cmd+Shift+I\)](#)
    - [Inline Chat \(Ctrl+I or Cmd+I\)](#)
    - [Slash Commands](#) - Shortcuts for common tasks:
    - [📝 Plan First with Agents \(Demo\)](#)
    - [Agent Mode & MCP Tools](#)
    - [Chat Participants \(Agents\)](#) - Specialized assistants:
    - [Context Variables](#) - Provide specific context:
    - [Copilot Edits](#) (Multi-file editing)
  - [1. Controlling Context with Copilot Instructions \(0:30 – 1:00, 30 min\)](#)
  - [2. Requirements → Backlog → Code \(1:00 – 1:45, 45 min\)](#)
  - [3. Code Generation & Refactoring in .NET \(1:45 – 2:30, 45 min\)](#)
  - [4. Testing, Documentation, Workflow \(2:30 – 2:45, 15 min\)](#)
  - [5. Wrap-Up & Discussion \(2:45 – 3:00, 15 min\)](#)
  - [Troubleshooting Common Issues](#)
    - [Copilot Not Working](#)
    - [.NET Build Issues](#)
    - [Copilot Generating Wrong Code](#)
  - [Deliverables Recap](#)
  - [Appendix: GitHub Copilot Chat Modes](#)
    - [Overview of Chat Modes](#)
    - [1. General Chat \(Default Mode\)](#)
    - [2. @workspace Mode](#)
    - [3. @vscode Mode](#)
    - [4. @terminal Mode](#)
    - [5. @azure Mode \(If Available\)](#)
    - [Mode Comparison Table](#)
    - [Teaching Chat Modes in the Workshop](#)
    - [Advanced Mode Tips for Facilitators](#)
    - [Mode Selection Flowchart for Participants](#)
    - [Troubleshooting Chat Modes](#)
    - [Practice Exercise for Participants](#)
    - [Key Takeaways for Facilitators](#)
    - [Additional Resources](#)

**This document provides a detailed facilitator's guide for running the 3-hour workshop.**

## Timing and Flow Tips

- **Keep labs hands-on:** Minimize lecture time, maximize coding time

- **Walking around:** Circulate during labs to help with issues
- **Backup plans:** Have pre-built examples ready if participants struggle
- **Flex time:** Each section has 5-10 minutes of flex time built in
- **Energy management:** Take 5-minute breaks between major sections
- **Advanced participants:** Have optional extension exercises ready
- **Copilot Instructions:** Repository uses `.github/copilot-instructions.md` for automatic configuration - no manual setup required by participants!

---ilitator's Guide: Using AI for Application Development with GitHub Copilot (.NET Edition)

This document provides a detailed facilitator's guide for running the 3-hour workshop.

---

## 0. Kickoff & Setup (0:00 – 0:15, 15 min)

**You do:**

- Welcome participants, introduce goals: *"We'll learn how to use AI (Copilot) to help with requirements, code, tests, docs, and workflow in .NET projects."*
- Explain **Copilot Instructions** concept and `.github/copilot-instructions.md` approach.
- Quick demo: show that the repository already has instructions configured automatically.

**Participants do:**

- Confirm environment:
    - VS Code open
    - GitHub Copilot enabled
    - .NET 9 SDK installed (`dotnet --version`)
    - Clone the repository and checkout the main branch:

```
git clone https://github.com/centricconsulting/ai-coding-workshop.git
cd ai-coding-workshop
git checkout main
```
  - Open the repository in VS Code
  - **Copilot Instructions are automatically active** via `.github/copilot-instructions.md` (no manual setup needed!)
  - Verify build: `dotnet build` and `dotnet test`
- 

## 0.5. GitHub Copilot Features Overview (0:15 – 0:30, 15 min)

**You do** - Quick tour of Copilot capabilities:

## Inline Completions (Ghost Text)

- As you type, Copilot suggests code in gray text
- Press Tab to accept, Esc to dismiss
- Alt+] / Alt+[ to cycle through suggestions
- Works in comments, code, and tests

## Copilot Chat Panel (Ctrl+Alt+I or Cmd+Shift+I)

- Open chat interface for conversational coding
- Ask questions: *"How do I configure logging in .NET?"*
- Request code: *"Create a repository interface for Task entity"*
- Iterate on solutions without leaving VS Code

## Inline Chat (Ctrl+I or Cmd+I)

- Quick chat directly in your editor at cursor position
- Perfect for small edits: *"Add error handling"* or *"Make this method async"*
- Less context switching than full chat panel

## Slash Commands - Shortcuts for common tasks:

- /explain - Understand code functionality
- /fix - Suggest fixes for errors or bugs
- /tests - Generate unit tests for selected code
- /doc - Create documentation comments
- /refactor - Improve code structure
- /new - Scaffold new files or projects
- /clear - Clear chat history

**Demo:** Show /tests on a method, /explain on complex code

---



## Plan First with Agents (Demo)

**Goal:** Demonstrate how Copilot (in Agent Mode) or a custom agent like @planner can propose a step-by-step plan before any code is changed.

### How to show it:

- In Copilot Chat (Agent Mode), ask: "Propose a step-by-step plan to refactor LegacyTaskProcessor to use async/await, add logging, and follow Object Calisthenics."
- Review the plan with the group. Edit or reorder steps as needed.
- Only then, ask Copilot (or @engineer) to implement the plan, step by step.

### Discussion:

- Why is planning first valuable?
- Did the plan catch any issues or clarify the approach?
- How does this workflow compare to direct code generation?

**Tip:** Encourage participants to always ask for a plan before executing large or multi-file changes.

## Agent Mode & MCP Tools

**Agent Mode** allows Copilot to operate more autonomously, chaining together multiple steps, tools, and reasoning to solve complex tasks. This is especially powerful for:

- Multi-file or cross-cutting changes
- Automated codebase analysis or refactoring
- Running evaluation or test suites with minimal manual intervention
- Integrating with Model Context Protocol (MCP) tools for advanced workflows

**MCP Tools** provide specialized capabilities (e.g., evaluation, tracing, agent orchestration) that can be invoked directly in Agent Mode. These tools enable:

- Automated evaluation of code or models
- Tracing and observability for AI workflows
- Agent-driven code generation and review

### How to use Agent Mode:

1. Select "Agent" from the Copilot chat mode dropdown (or use the command palette).
2. Describe your goal in natural language (e.g., "Refactor all service classes to use async/await and add logging").
3. For advanced scenarios, reference MCP tools directly (e.g., "Evaluate this model using the aitr-evaluation\_planner tool").
4. Review the proposed plan and results; iterate as needed.

### When to use Agent Mode:

- When a task spans multiple files or requires orchestration
- For codebase-wide refactoring or analysis
- To automate repetitive or evaluation-heavy workflows
- When you want Copilot to propose and execute a plan, not just a single edit

### Facilitator Tips:

- Encourage participants to try Agent Mode for at least one lab (e.g., Lab 3 or 4)
- Compare results from Ask/Edit vs. Agent Mode
- Demonstrate invoking an MCP tool (e.g., evaluation or tracing) and discuss the output

### Example prompt:

"Use Agent Mode to generate unit tests for all public methods in the Application layer, then run the tests and summarize the results."

---

## Chat Participants (Agents) - Specialized assistants:

- @workspace - Answers about your entire codebase
  - "@workspace Where is the Task entity defined?"
  - "@workspace How is logging configured?"
- @vscode - VS Code settings and commands
  - "@vscode How do I change theme?"
- @terminal - Terminal commands and shell help
  - "@terminal How do I run tests in watch mode?"
- @azure - Azure-specific guidance (if available)

**Demo:** Show @workspace finding code across solution

## Context Variables - Provide specific context:

- #file - Reference specific files
  - *"Refactor #file:TaskService.cs to use dependency injection"*
- #selection - Reference selected code
  - *"Add unit tests for #selection"*
- #editor - Current file context
- #terminalSelection - Selected terminal output

**Demo:** Select code, use #selection in chat

## Copilot Edits (Multi-file editing)

- Edit multiple files at once with AI guidance
- Add files to working set, describe changes
- Copilot proposes changes across all files
- Review and accept/reject changes

**Demo:** Add multiple files, request cross-cutting change

## Participants do (Quick practice):

1. Try inline completion by typing a method comment
  2. Open Copilot Chat (Ctrl+Alt+I), ask: *"What testing frameworks are used in this project?"*
  3. Select a method, use Inline Chat (Ctrl+I): *"Add XML documentation"*
  4. Try a slash command: */explain* on any method
  5. Use @workspace: *"@workspace Where is ITaskRepository implemented?"*
- 

# 1. Controlling Context with Copilot Instructions (0:30 – 1:00, 30 min)

## You do:

- Explain why *context matters* for Copilot output.
- Show the .github/copilot-instructions.md file in the repository.
- Explain that this file automatically configures Copilot for everyone working in this repo (no manual setup needed).
- **Emphasize Section 1: TDD Workflow** - "When asked to implement a feature, propose/emit tests before code"
- Show difference with/without instructions (e.g., generate a class, note coding style vs messy defaults).
- Highlight key instructions in the file:
  - **TDD first:** Write tests before implementation
  - Coding style (file-scoped namespaces, nameof, async/await, sealed classes)
  - Clean Architecture project layout (Domain/Application/Infrastructure/API)
  - DDD aggregates and value objects
  - Test rules (xUnit + FakeItEasy, organize by feature, class-per-method folders)
  - Conventional commits
  - OpenTelemetry for observability

## Participants do (Lab 1) - Following TDD Red-Green-Refactor:

**Scenario:** Create a NotificationService that sends task notifications via email and SMS.

### Step 1: Create Interface First (Design)

1. Ask Copilot Chat: *"Create an INotificationService interface in the Application layer for sending email and SMS notifications about tasks. Include methods for both individual and combined notifications."*
2. Review generated interface - should be in `src/TaskManager.Application/Services/INotificationService.cs`

### Step 2: Write Tests FIRST (Red)

1. Ask Copilot: *"Create xUnit tests for NotificationService in the pattern specified in .github/copilot-instructions.md. Organize tests by method with separate test classes. Use FakeItEasy for mocking ILogger. Test happy path and all guard clauses."*
2. Review test structure: Should create folder `tests/TaskManager.UnitTests/Services/NotificationServiceTests/` with separate test classes per method
3. Run tests: `dotnet test` - **Tests should FAIL** (Red) because NotificationService doesn't exist yet

### Step 3: Implement Code (Green)

1. Ask Copilot: *"Implement NotificationService that passes all the tests. Follow the coding style in .github/copilot-instructions.md: sealed class, file-scoped namespace, ILogger dependency injection, async/await, guard clauses with nameof."*
2. Review implementation - verify it follows all conventions:
  - ☒ sealed class
  - ☒ File-scoped namespace
  - ☒ Constructor with ILogger and null check using nameof
  - ☒ Async methods with proper CancellationToken support
  - ☒ Guard clauses at method start (fail fast, no else)
  - ☒ Structured logging with parameters
1. Run tests: `dotnet test` - **Tests should PASS** (Green)

### Step 4: Observe & Reflect (Refactor)

1. Review the generated code quality:
  - Does it follow Clean Architecture (Application layer, no infrastructure concerns)?
  - Are test names descriptive?
  - Is the code intention-revealing?
2. Try asking Copilot: *"Are there any improvements we could make to this code?"*

### Key Learning Points to Emphasize:

- ☒ **TDD enforces design thinking** - interface and tests force you to think about API before implementation
- ☒ **Copilot respects instructions** - consistent style across all generated code
- ☒ **Tests document behavior** - reading tests tells you exactly what the service does
- ☒ **Red-Green-Refactor cycle** - see tests fail, then pass, then improve

- ⚠️ **Don't skip the "Red" step** - if you write implementation first, you miss design feedback from tests

#### Common Mistakes to Call Out:

- ❌ Asking for implementation before tests (violates TDD)
  - ❌ Not organizing tests by feature/method (makes tests hard to navigate)
  - ❌ Accepting code without verifying it follows instructions
  - ❌ Not running tests after each step
- 

## 2. Requirements → Backlog → Code (1:00 – 1:45, 45 min)

#### You do:

- Introduce the idea: AI can turn **requirements** → **backlog items** → **tests** → **code**.
- Demo:  
*User story: "As a user, I want to manage a list of tasks so I can track progress."*  
→ Copilot generates backlog items (stories), acceptance criteria, test stubs.

#### Participants do (Lab 2):

1. Write prompt: *"Generate 3 backlog items for a task manager, with acceptance criteria."*
  2. Pick one (e.g., Add Task).
  3. Generate a unit test skeleton in xUnit for AddTask.
  4. Implement TaskService.AddTask with Copilot.
  5. Run `dotnet test` → verify.
- 

## 3. Code Generation & Refactoring in .NET (1:45 – 2:30, 45 min)

#### You do:

- Show Copilot scaffolding: create a TasksController with minimal API.
- Show refactor of messy method (provided in repo):
  - Before: long function, nested ifs, poor naming
  - After: Copilot helps split into smaller methods, add async, ILogger logging.

#### Participants do (Lab 3):

1. Use `@workspace` to understand the API structure: *"@workspace Show me the API endpoint extensions"*
  2. Scaffold minimal Web API endpoints using Chat:
    - `GET /tasks/{id}` - *"Implement the GetTaskByIdAsync endpoint in EndpointExtensions"*
    - `POST /tasks` - Use inline chat (Ctrl+I) with `#file:EndpointExtensions.cs`
  3. Use `/refactor` on the `LegacyTaskProcessor.ProcessTaskBatch` method:
    - Select the method, Chat: `/refactor` enforce guard clauses and add async
    - Or use Inline Chat: *"Refactor this to use async/await and add logging"*
  4. Use `/tests` on refactored code to generate unit tests
  5. Re-run `dotnet build && dotnet test`.
-

## 4. Testing, Documentation, Workflow (2:30 – 2:45, 15 min)

### You do:

- Show Copilot generating:
  - xUnit tests using `/tests` command
  - README docs using `/doc` command
  - Commit message using Chat with staged changes context
  - PR summary with `@workspace` for full context

### Participants do (Lab 4):

1. Select a method in `TaskService`, use `/tests` to generate xUnit tests
  2. Use `/doc` to generate XML documentation for a class or method
  3. Stage changes (`git add`), then use Chat: *"Write a Conventional Commit message for these staged changes"*
  4. Ask Chat: *"@workspace Draft a PR description including intent, scope, and risks for the changes I made"*
  5. Generate a README section: *"Create a Getting Started section for the API in #file:README.md"*
- 

## 5. Wrap-Up & Discussion (2:45 – 3:00, 15 min)

### You do:

- Recap: where Copilot helped (backlog shaping, scaffolding, refactoring, testing, docs, workflow).
- Call out **anti-patterns**:
  - Prompt roulette (unversioned prompts, inconsistent results)
  - Over-trusting Copilot without tests
  - Letting AI sneak domain logic into API layer
- Next steps:
  - Standardize Copilot Instructions in team repos
  - Build shared prompt/playbook library
  - Apply to real legacy code modernization

### Participants do:

- Share takeaways.
  - Ask Q&A: where would they use this tomorrow?
- 

## Troubleshooting Common Issues

### Copilot Not Working

- **Check subscription:** Verify active GitHub Copilot subscription
- **Extension enabled:** Ensure Copilot extension is installed and enabled in VS Code
- **Authentication:** Sign out and back in to GitHub in VS Code
- **Instructions not loading:**
  - Ensure you're working in the repository root (where `.github/` folder exists)
  - Restart VS Code to reload repository-level instructions



- Check that `.github/copilot-instructions.md` exists in the repo
- Try Command Palette → "GitHub Copilot: Restart Language Server"

## .NET Build Issues

- **Wrong version:** Ensure .NET 9 SDK is installed (`dotnet --version`)
- **Missing dependencies:** Run `dotnet restore` in project directory
- **Path issues:** Use absolute paths or ensure correct working directory

## Copilot Generating Wrong Code

- **Check instructions:** Verify workshop instructions are properly configured
  - **Context matters:** Include relevant files in VS Code workspace
  - **Prompt clarity:** Be specific about requirements and constraints
  - **Restart Copilot:** Command Palette → "GitHub Copilot: Restart Language Server"
- 

## Deliverables Recap

- **Repo:** Clean Architecture solution with Domain/Application/Infrastructure/API layers in the main branch
  - **Copilot Instructions:** `.github/copilot-instructions.md` (automatically applied, repository-level configuration)
  - **Documentation:**
    - Main README with workshop outline
    - Facilitator's Guide (this document)
    - Detailed Lab Walkthroughs in `docs/labs/`
    - Starter Projects README with architecture details
  - **Code Examples:** Console app, Web API with OpenTelemetry, legacy code for refactoring (LegacyTaskProcessor)
  - **Test Infrastructure:** xUnit test stubs with FakeItEasy ready for participants
- 

## Appendix: GitHub Copilot Chat Modes

GitHub Copilot offers different chat modes that provide specialized assistance for various development tasks. Understanding when and how to use each mode helps participants get the most relevant and accurate responses.

### Overview of Chat Modes

Chat modes are specialized contexts that Copilot uses to tailor its responses. You can access them in the Copilot Chat panel by typing `@` followed by the mode name, or by using the mode selector in the chat interface.

---

### 1. General Chat (Default Mode)

**When to use:**

- General coding questions
- Conceptual explanations

- Architecture discussions
- Best practices inquiries





**How to use:**

- Simply type your question in chat without any prefix
- Or use @copilot explicitly



**Examples:**

What is the repository pattern in DDD?  
How should I structure a .NET Web API project?  
Explain the benefits of async/await in C#

**Best for:**

-  Learning concepts
-  Getting design advice
-  Understanding patterns
-  General programming questions

**Limitations:**

-  No direct access to your codebase context (use @workspace for that)
  -  May give generic answers without project-specific context
- 

## 2. @workspace Mode

**When to use:**

- Questions about YOUR specific codebase
- Finding code across the project
- Understanding project structure
- Locating implementations or definitions






**How to use:**

- Type @workspace followed by your question
- Copilot will search and analyze your entire workspace

**Examples:**

@workspace Where is the Task entity defined?  
@workspace How is logging configured in this project?  
@workspace Find all implementations of IRepository  
@workspace Show me how authentication is handled  
@workspace What testing frameworks are used?

**Best for:**

-  Code navigation and discovery
-  Understanding existing implementations
-  Finding patterns used in your project
-  Locating specific classes, methods, or files
-  Understanding project conventions

### Workshop Tips:

- Emphasize @workspace in Labs 2-4 when participants need to understand existing code
  - Show how it finds code across all layers (Domain, Application, Infrastructure, API)
  - Demonstrate finding repository interfaces, endpoint patterns, test structures
- 

## 3. @vscode Mode

### When to use:

- Questions about VS Code functionality
- Setting up extensions
- Configuring workspace settings
- Keyboard shortcuts
- Editor features






### How to use:

- Type @vscode followed by your question

### Examples:

@vscode How do I change the editor theme?  
@vscode What's the keyboard shortcut for formatting code?  
@vscode How do I configure auto-save?  
@vscode How do I debug a .NET application?  
@vscode How do I set up a launch configuration?

### Best for:

-  VS Code configuration
-  Editor productivity tips
-  Extension recommendations
-  Debugging setup
-  Workspace customization

### Workshop Tips:

- Use when participants struggle with VS Code features
  - Helpful for debugging configuration questions
  - Good for keyboard shortcut discovery
- 

## 4. @terminal Mode

### When to use:

- Shell command questions
- Terminal operations
- Command-line tool usage
- Script writing






**How to use:**

- Type @terminal followed by your question
- Ask about bash, zsh, PowerShell, or cmd commands

**Examples:**

@terminal How do I run tests in watch mode?  
@terminal What command finds all .cs files?  
@terminal How do I check git commit history?  
@terminal Create a command to list all NuGet packages  
@terminal How do I build in release mode?

**Best for:**

-  Shell commands
-  Git operations
-  .NET CLI commands
-  Build scripts
-  Terminal productivity

**Workshop Tips:**

- Useful for participants unfamiliar with .NET CLI
  - Help with git commands during Labs 4
  - Good for showing batch operations
- 

## 5. @azure Mode (If Available)

**When to use:**

- Azure-specific questions
- Cloud deployment guidance
- Azure service configuration
- Azure CLI commands






**How to use:**

- Type @azure followed by your question

**Examples:**

@azure How do I deploy a .NET Web API to Azure App Service?  
@azure What's the best Azure service for hosting this application?  
@azure How do I configure Application Insights?  
@azure Generate an Azure Bicep template for this project

**Best for:**

-  Azure deployment strategies
-  Service recommendations
-  Configuration guidance
-  Azure CLI commands
-  Infrastructure as Code

## Workshop Notes:

- Not core to this workshop but useful for deployment discussions
- Mention in wrap-up as next steps
- Good for "how would I deploy this?" questions

---

## Mode Comparison Table

Mode	Scope	Best Use Case	Example
<b>Default</b>	General programming	Concepts, patterns, best practices	"What is Clean Architecture?"
<b>@workspace</b>	Your codebase	Find code, understand structure	"@workspace Where is IRepository?"
<b>@vscode</b>	VS Code editor	Settings, shortcuts, configuration	"@vscode How do I format on save?"
<b>@terminal</b>	Command line	Shell commands, scripts	"@terminal Run tests in watch mode"
<b>@azure</b>	Azure cloud	Deployment, Azure services	"@azure Deploy to App Service"

---

## Teaching Chat Modes in the Workshop

### Section 0.5 (Copilot Features Tour)

#### Demo Strategy (5 minutes on modes):

##### 1. Show Default Chat:

What is the repository pattern?

→ Generic explanation

##### 2. Compare with @workspace:

@workspace Where is the repository pattern implemented?

→ Specific file locations in YOUR project

##### 3. Show the Difference:

- Default: Generic, educational
- @workspace: Specific, actionable

##### 4. Quick @terminal Demo:

@terminal How do I run tests with detailed output?

→ Shows actual commands for their environment

## Throughout Labs - Mode Usage Guide

### Lab Recommended Modes When to Use

**Lab 1** Default, @workspace Concepts, finding test patterns

**Lab 2** @workspace, Default Finding entities, understanding layers

**Lab 3** @workspace, @terminal Finding endpoints, refactoring commands

**Lab 4** @workspace, @terminal Git commands, understanding test structure

### Common Participant Mistakes

#### 1. Using Default Instead of @workspace:

- **Mistake:** "Where is the Task entity?"
- **Better:** "@workspace Where is the Task entity?"
- **Result:** Specific file path vs. generic explanation

#### 2. Using @workspace for Concepts:

- **Mistake:** "@workspace What is dependency injection?"
- **Better:** "What is dependency injection?" (default)
- **Result:** Educational explanation vs. code search

#### 3. Not Using @terminal for Commands:

- **Mistake:** "How do I run tests?"
- **Better:** "@terminal How do I run tests?"
- **Result:** Generic vs. environment-specific commands

---

## Advanced Mode Tips for Facilitators

### Mode Chaining

You can use multiple modes in sequence:

#### 1. Understand concept (Default):

Explain the CQRS pattern

#### 2. Find in code (@workspace):

@workspace Show me examples of commands and queries in this project

#### 3. Run tests (@terminal):

@terminal Run tests for the command handlers

### Context Variables with Modes

Combine modes with context variables for precision:

@workspace What tests exist for #file:CreateTaskCommandHandler.cs?

@terminal How do I run tests in #file:CreateTaskCommandHandlerTests.cs?

## When Modes Don't Help

Sometimes participants need to:

- **Read documentation:** Point them to official docs
  - **Debug interactively:** Use VS Code debugger
  - **Review logs:** Look at actual error messages
  - **Ask human experts:** Some questions need human judgment
- 

## Mode Selection Flowchart for Participants

```
START: I have a question
  ↓
Is it about MY code?
  ↓ YES → Use @workspace
  ↓ NO
  ↓
Is it about VS Code?
  ↓ YES → Use @vscode
  ↓ NO
  ↓
Is it about terminal/commands?
  ↓ YES → Use @terminal
  ↓ NO
  ↓
Is it about Azure/deployment?
  ↓ YES → Use @azure
  ↓ NO
  ↓
Use Default Chat
```

---

## Troubleshooting Chat Modes

### @workspace Not Finding Code

**Symptoms:** Says "I couldn't find..." for code that exists

**Solutions:**

1. Ensure all relevant files are in workspace (not excluded)
2. Wait for indexing to complete (check bottom status bar)
3. Reload window: Cmd/Ctrl+Shift+P → "Reload Window"
4. Try being more specific: include file names or paths

### Modes Not Available

**Symptoms:** @azure or other modes don't work

### Solutions:

1. Check Copilot extension version (update if needed)
2. Verify subscription includes advanced features
3. Some modes require specific extensions installed
4. Try restarting VS Code

### Wrong Mode Selected

**Symptoms:** Generic answers when you wanted specific ones

### Solutions:

1. Check which mode you're using (shown in chat)
  2. Rephrase with explicit mode: "@workspace [question]"
  3. Clear chat and start over with correct mode
- 

## Practice Exercise for Participants

**5-Minute Hands-On** (during Section 0.5):

Ask participants to try each mode:

#### 1. **Default Chat:**

What is Test-Driven Development?

*Expected:* Conceptual explanation of TDD

#### 2. **@workspace:**

@workspace Where are the xUnit tests located?

*Expected:* Actual file paths in their project

#### 3. **@terminal:**

@terminal Show me the command to build and test

*Expected:* dotnet build && dotnet test or similar

#### 4. **@vscode:**

@vscode How do I toggle the terminal?

*Expected:* Keyboard shortcut (Ctrl+` or Cmd+`)

### Debrief:

- Which mode gave the most useful answer for each question?
  - When would you use each mode during the labs?
-



## Key Takeaways for Facilitators

- ✓ **@workspace is most important** for this workshop - emphasize it!
- ✓ **Default chat** is good for learning concepts
- ✓ **@terminal** helps with .NET CLI commands
- ✓ **Modes are contextual** - teach when to use which
- ✓ **Practice makes perfect** - participants learn by using them

### Don't Overwhelm:

- Focus on @workspace and default chat primarily
- Introduce other modes as needed during labs
- Reference this appendix for detailed explanations
- Let participants discover advanced usage naturally

---

## Additional Resources

- [GitHub Copilot Chat Documentation](#)
- [Using Chat Participants](#)
- [Copilot Context Variables](#)