

# The LaTeX report

#### Generated by local1 on 01 October 2014, 15:49:39

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,

MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology, Comput. Phys. Commun. **184** (2013) 222-256, arXiv:1206.1599 [hep-ph].

To contact us:

 ${\bf http://madanalysis.irmp.ucl.ac.be} \\ {\bf ma5team@iphc.cnrs.fr} \\$ 

#### Contents 1 Setup 2 Command history 2 1.1 Configuration 1.2 2 3 Datasets 2.1 defaultset 3 3 Histos and cuts 4 3.1 Histogram 1 4 Histogram 2 3.2 5 Histogram 3 3.3 6

# 1 Setup

#### 1.1 Command history

#### 1.2 Configuration

- MadAnalysis version 1.1.11 (2014/09/15).
- Histograms given for an integrated luminosity of 10fb<sup>-1</sup>.

### 2 Datasets

#### 2.1 defaultset

- $\bullet$  Samples stored in the directory: /media/sf\_darkphotons/madanalysis/madanalysis5/bin .
- Sample consisting of: signal events.
- Generated events: 100000 events.
- $\bullet$  Normalization to the luminosity: 23719560000000+/-3209676000 events.
- Ratio (event weight): 237195600 warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/media/sf_darkphotons/- madgraph/e+e-2e+e- /Events/run_03/- unweighted_events.lhe	100000	2371956000 @ 0.014%	0.0

# 3 Histos and cuts

### 3.1 Histogram 1

\* Plot: PT ( a )

Table 1. Statistics table

Dataset	Integral	Entries / events	Mean	RMS	%Underflo	%Overflow
defaultset	0.0 +/- 0.0	0.0	0.0	0.0	0.0	0.0




Figure 1.

# 3.2 Histogram 2

\* Plot: PT ( e+ )

Table 2. Statistics table

Dataset	Integral	Entries / events	Mean	RMS	%Underflo	%Overflow
defaultset	$2.371956e{+}13$	1.0	0.0155719	0.005867	0.0	0.0




Figure 2.

# 3.3 Histogram 3

\* Plot: PT ( e- )

Table 3. Statistics table

Dataset	Integral	Entries / events	Mean	RMS	%Underflo	%Overflow
defaultset	$2.371956e{+}13$	1.0	0.0155719	0.005867	0.0	0.0




Figure 3.