

www.sigmaaldrich.com

# SAFETY DATA SHEET

Version 6.7 Revision Date 04.09.2024 Print Date 12.09.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Lab-desiccator cartridge

Product Number : Z163392 Brand : Aldrich

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : MilliporeSigma Canada Ltd.

2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8

CANADA

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

1.4 Emergency telephone

Emergency Phone # : +1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Carcinogenicity, Inhalation (Category 1B), H350

Reproductive toxicity (Category 1B), H360

Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Aldrich - Z163392

Page 1 of 12



#### Pictogram



Signal Word Danger

Hazard Statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H350 May cause cancer by inhalation.

H360 May damage fertility or the unborn child. H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/

doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration *
synthetic amorph	nous silica, pptd.		
CAS-No. EC-No.	112926-00-8 231-545-4		>= 80 - <= 100 %

Aldrich - Z163392

Page 2 of 12

	1; Eye Dam. 1;  >= 0.1 - < 1
	1; Eye Dam. 1; >= 0.1 - < 1
Index-No. 027-004-00-5 1; Muta. 2; Repr. 1B; Adaptic Chr. H318, H334 H350, H360 Concentration >= 0.01 % H350; >= 0.18, H350; M-Factor - Adaptic Chr. Mata. 2; Repr. 1B; Adaptic Chr. H318, H334 H350, H350; >= 0.18, H350; M-Factor - Adaptic Chr. Mata. 2; Repr. 1B; Adaptic Chr. H318, H350; Adaptic Chr. H350; M-Factor - Adaptic Chr. Mata. 2; Repr. 1B; Adaptic Chr. H318, H350; Adaptic Chr. H318, H350; M-Factor - Adaptic Chr. Mata. 2; Repr. 1B; Adaptic Chr. H318, H334 H350; Adaptic Chr. H318, H334 H350; Adaptic Chr. H318,	1; Skin Sens.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available



#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

silicon oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Aldrich - Z163392

Page 4 of 12



For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Ingredients with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
synthetic amorphous silica, pptd.	112926- 00-8	TWAEV	10 mg/m3	Canada. Ontario OELs
		TWAEV	6 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Remarks	The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1 $\%$ .			
		TWA	1.5 mg/m3	Canada. British Columbia OEL
		TWA	4 mg/m3	Canada. British Columbia OEL
		TWAEV	6 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Cobalt(II) chloride	7646-79-9	TWA	0.02 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

Aldrich - Z163392 Page 5 of 12



	TWAEV	0.02 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Sensitizer Carcinogenic effect detected in animals. Results of studies relating to the carcinogenocity of these substances in animals are not necessarily applicable to humans.			
	TWA	0.02 mg/m3	Canada. British Columbia OEL
Substance w	ubstance with specific evidence of sensitization by dermal route ubstance with specific evidence of sensitization by respiratory route ARC '2B' applies to substances deemed possibly carcinogenic to humans.		
	TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## **Personal protective equipment**

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing



## Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	pH	No data available
e)	Melting	No data available

Initial boiling point and boiling range

point/freezing point

No data available

g) Flash point ()No data available h) Evaporation rate No data available

Flammability (solid, gas)

The product is not flammable.

Upper/lower j) flammability or explosive limits No data available

No data available k) Vapor pressure Vapor density No data available No data available m) Density Relative density No data available n) Water solubility No data available o) Partition coefficient: No data available

n-octanol/water

p) Autoignition temperature Not applicable

Decomposition temperature

No data available



r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled. Mixture may cause an allergic skin reaction.

## Germ cell mutagenicity

No data available

#### Carcinogenicity

Aldrich - Z163392

Millipore SigMa Possible carcinogen.

## **Reproductive toxicity**

May harm the unborn child.

May impair fertility.

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

## Components

## synthetic amorphous silica, pptd.

## **Acute toxicity**

Oral: No data available

Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

#### Serious eye damage/eye irritation

Remarks: No data available

## Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

No data available

#### Carcinogenicity

No data available

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available



## Cobalt(II) chloride

## **Acute toxicity**

LD50 Oral - Rat - male and female - 537 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

## Respiratory or skin sensitization

May cause allergic respiratory and skin reactions Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: S. typhimurium

Result: negative

Method: OECD Test Guideline 475 Species: Mouse - male and female

Result: negative

# Carcinogenicity

May cause cancer by inhalation.

## Reproductive toxicity

May damage fertility.

# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Mixture**

No data available

Aldrich - Z163392

Millipore

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

## **Components**

## synthetic amorphous silica, pptd.

No data available

# Cobalt(II) chloride

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

#### **TDG**

UN number: 3077 Class: 9 Packing group: III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Cobalt(II) chloride)

Labels: 9 ERG Code: 171 Marine pollutant: no

**IMDG** 

Aldrich - Z163392

Page 11 of 12



UN number: 3077 Class: 9 Packing group: III EMS-

No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Cobalt(II) chloride)
Marine pollutant : yes
Marine pollutant : no

**IATA** 

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Cobalt(II)

chloride)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

## **SECTION 15: Regulatory information**

**NPRI Components** : Cobalt(II) chloride

## The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA

inventory.

#### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 04.09.2024 Print Date: 12.09.2024

Aldrich - Z163392

Page 12 of 12