

www.sigmaaldrich.com

# SAFETY DATA SHEET

Version 6.6 Revision Date 25.04.2025 Print Date 26.04.2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Propylene glycol

Product Number : W294004 Brand : Aldrich CAS-No. : 57-55-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : MilliporeSigma Canada Ltd.

2149 WINSTON PARK DRIVE

OAKVILLE ON L6H 6J8

CANADA

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

1.4 Emergency telephone

Emergency Phone # : +1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

# **GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

# Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Aldrich - W294004

Page 1 of 13



#### Components

Chemical name	CAS-No.	Concentration (% w/w)
1,2-propanediol	57-55-6	>= 80 - <= 100 *

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most). Consult doctor if feeling unwell.

Most important symptoms and effects

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Vapors are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Aldrich - W294004

Page 2 of 13



Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: In the event of fire, wear self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapors, aerosols.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

Cover drains. Collect, bind, and pump off spills.Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent material (e.g.

Chemizorb® ). Dispose of properly. Clean up affected

area.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Storage class : 10, Combustible liquids

Recommended storage : Recommended storage temperature see product label.

Aldrich - W294004

Page 3 of 13



Further information on : hygroscopic

storage stability

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2-propanediol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aerosol)	10 mg/m3	CA ON OEL

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber : 480 min Break through time Glove thickness : 0.11 mm : Full contact Protective index

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.11 mm Protective index : Splash contact



Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Hygiene measures : Change contaminated clothing. Wash hands after

working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : colorless

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point/ range : -60 °C

Method: lit.

Boiling point/boiling range : 187 °C

Method: lit.

Flash point : 104 °C

(1,000.1 hPa)

Method: Regulation (EC) No. 440/2008, Annex, A.9,

closed cup GLP: yes

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Aldrich - W294004

Page 5 of 13



Self-ignition : > 400 °C

> 1,000.1 - < 1,014.4 hPa

GLP: yes

Upper explosion limit / Upper flammability limit

: 12.5 %(V)

Lower explosion limit / Lower flammability limit : 2.6 %(V)

Vapor pressure : 0.2 hPa (25 °C)

Method: Regulation (EC) No. 440/2008, Annex, A.4

GLP: yes

Relative vapor density : No data available

Relative density : 1.03 (20 °C)

Method: Regulation (EC) No. 440/2008, Annex, A.3

GLP: yes

Density : 1.036 g/cm3 (25 °C)

Method: lit.

Solubility(ies)

Water solubility : completely miscible (20 °C)

pH: 7.1 - 7.8

Method: Regulation (EC) No. 440/2008, Annex, A.6

GLP: yes

Partition coefficient: n-

octanol/water

: Pow: 0.085 (20.5 °C)

log Pow: -1.07 (20.5 °C)

pH: 6.2 - 6.4

Method: Regulation (EC) No. 440/2008, Annex, A.8

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature :  $> 400 \, ^{\circ}\text{C} \, (> 1,000.1 \, - < 1,014.4 \, \text{hPa})$ 

Method: Regulation (EC) No. 440/2008, Annex, A.15

GLP: yes

Decomposition

temperature

: No data available

Viscosity

Viscosity, dynamic : 12.78 mPa.s (45 °C)

Viscosity, kinematic : No data available

Flow time : No data available

Aldrich - W294004

Page 6 of 13

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Surface tension : 71.6 mN/m, 1.01 g/l, 21.5 °C, Surface tension, GLP:

Molecular weight : 76.09 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: increased reactivity with:

Oxidizing agents Acid anhydrides Acid chlorides

Conditions to avoid : Strong heating.

Incompatible materials : various plastics

products

Hazardous decomposition : In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 22,000 mg/kg

Remarks: (ECHA)

Inhalation: No data available

Acute toxicity estimate Dermal - > 2,000 mg/kg

(Calculation method)

LD50 Dermal - Rabbit - > 2,000 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h



(OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative Remarks: (ECHA)

Test Type: Chromosome aberration test in vitro

Species: Rat

Cell type: Bone marrow Application Route: Oral

Result: negative Remarks: (ECHA)

Test Type: dominant lethal test

Species: Rat

Application Route: Oral

Result: negative Remarks: (ECHA) Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

Aldrich - W294004

Millipore

No data available

# Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - 2 yr - NOAEL (No observed adverse effect

level) - 1,700 mg/kg Remarks: (ECHA)

RTECS: TY2000000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## **Components:**

# 1,2-propanediol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613

mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic invertebrates

: LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

End point: mortality Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: US-EPA

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green

algae)): 19,000 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Aldrich - W294004 Page 9 of 13



Toxicity to daphnia and

other aquatic

microorganisms

invertebrates (Chronic

toxicity)

: NOEC (Ceriodaphnia (water flea)): 29,000 mg/l

End point: mortality Exposure time: 7 d

Test Type: semi-static test Analytical monitoring: yes

Method: US-EPA

Toxicity to : NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h Remarks: (ECHA)

# **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

# Persistence and degradability

#### **Components:**

# 1,2-propanediol:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 100 mg/l

Dissolved organic carbon (DOC) Result: Readily biodegradable. Biodegradation: 98.3 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Stability in water : Degradation half life: 2.3 yr

Remarks: reaction with hydroxyl radicals

(IUCLID)

## **Bioaccumulative potential**

## **Components:**

#### 1,2-propanediol:

Partition coefficient: n-

octanol/water

: Pow: 0.085 (20.5 °C) log Pow: -1.07 (20.5 °C)

pH: 6.2 - 6.4

Method: Regulation (EC) No. 440/2008, Annex, A.8

GLP: yes

Remarks: Bioaccumulation is not expected.

## Mobility in soil

No data available



#### Other adverse effects

#### **Components:**

# 1,2-propanediol:

Additional ecological information

: Biological effects:

When discharged properly, no impairments in the function of adapted biological wastewater treatment

plants are to be expected.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues

: Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National regulation**

#### **TDG**

Not regulated as a dangerous good

## **Special precautions for user**

Remarks : Not classified as dangerous in the meaning of

transport regulations.

## **SECTION 15. REGULATORY INFORMATION**

#### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

Aldrich - W294004

....

Page 11 of 13

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made

under the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 -Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 25.04.2025

Aldrich - W294004

Page 12 of 13



Date format : mm/dd/yyyy

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

CA / EN

