

www.sigmaaldrich.com

# SAFETY DATA SHEET

Version 6.10 Revision Date 13.11.2024 Print Date 14.11.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Triton™ X-100

Product Number : T8787 Brand : Sigma

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : MilliporeSigma Canada Ltd.

2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8

CANADA

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

1.4 Emergency telephone

Emergency Phone # : +1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Sigma - T8787

Page 1 of 10



Pictogram



Signal Word Danger

**Hazard Statements** 

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330 Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Igepal CA

Polyethylene glycol mono(tert-octylphenyl) ether

Component	Classification	Concentration *
Octylphenol polyethoxyethanol		
	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	<= 100 %
* Weight %		·

Sigma - T8787

Page 2 of 10



#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma - T8787

Page 3 of 10



#### **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 **Environmental precautions**

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 **Reference to other sections**

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### **Precautions for safe handling**

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed.

#### Storage class

Storage class (TRGS 510): 10: Combustible liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Sigma - T8787

Page 4 of 10

#### Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

**Body Protection** 

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: viscous liquid

Color: colorless

b) Odor weak

Sigma - T8787

Page 5 of 10



c) Odor Threshold No data available

d) pH 5.0 - 8.0 at 10 g/l at 20 °C (68 °F)

e) Melting Solidification point: 6 °C (43 °F)

point/freezing point

f) Initial boiling point > 200 °C > 392 °F at 1,013 hPa and boiling range

g) Flash point 251 °C (484 °F) - closed cup - c.c.

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available flammability or

k) Vapor pressure < 0.01 hPa at 20 °C (68 °F)

I) Vapor density No data available

m) Density 1.06 g/mL at 25 °C (77 °F)

Relative density No data available

n) Water solubility soluble

o) Partition coefficient: No data available

n-octanol/water

explosive limits

p) Autoignition No data available

temperature

a) Decomposition No data available

q) Decomposition temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Sigma - T8787

**√**illipore

Strong oxidizing agents Strong acids

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

Oral: No data available

LD50 Oral - Rat - 1,900 - 5,000 mg/kg

Remarks: (External MSDS)

Symptoms: Vomiting, Irritations of mucous membranes in the mouth, pharynx,

oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may

cause pulmonary edema and pneumonitis.

Inhalation: No data available

LD50 Dermal - Rabbit - > 3,000 mg/kg

Remarks: (External MSDS)

# Skin corrosion/irritation

Skin - Rabbit

Result: irritating - 4 h (OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(Draize Test)

Remarks: Risk of corneal clouding.

# Respiratory or skin sensitization

Sensitisation test: - Human

Result: negative

Remarks: (External MSDS)

Patch test on human volunteers did not demonstrate sensitization properties.

# Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

#### Reproductive toxicity

Sigma - T8787

Page 7 of 10

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity. Did not show teratogenic effects in animal experiments.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Ingestion of large amounts may cause:

Nausea

Diarrhea

Ingestion of large amounts may cause:, Nausea, Diarrhea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

semi-static test LC50 - Leuciscus idus (Golden orfe) - 0.26 mg/l - 96 Toxicity to fish

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances:

4-(1,1,3,3-tetramethylbutyl)phenol

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 0.011 mg/l - 48 h

Remarks: (ECOTOX Database)

invertebrates The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

static test EC50 - Pseudokirchneriella subcapitata (green algae) - 1.9 Toxicity to algae

> mg/l - 96 h Remarks: (ECHA)

The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

Toxicity to

flow-through test NOEC - Danio rerio (zebra fish) - 0.012 mg/l

(OECD Test Guideline 210) fish(Chronic toxicity)

Remarks: The value is given in analogy to the following substances:

4-(1,1,3,3-tetramethylbutyl)phenol

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - 0.03 mg/l -

21 d invertebrates(Chronic (OECD Test Guideline 202) toxicity)

Remarks: The value is given in analogy to the following substances:

Sigma - T8787

Page 8 of 10



# 4-(1,1,3,3-tetramethylbutyl)phenol

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 22 % - Not readily biodegradable.

(OECD Test Guideline 301C)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Causes endocrine disruption.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **SECTION 14: Transport information**

**TDG** 

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-

tertiary-Octylphenoxy polyethyl alcohol)

Labels: 9 ERG Code: 171 Marine pollutant: no

**IMDG** 

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-

tertiary-Octylphenoxy polyethyl alcohol)

Marine pollutant : yes

Sigma - T8787

Page 9 of 10



Marine pollutant : no

**IATA** 

UN number: 3082 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (p-tertiary-

Octylphenoxy polyethyl alcohol)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

#### **SECTION 15: Regulatory information**

**NPRI Components** : Octylphenol polyethoxyethanol

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.10 Revision Date: 13.11.2024 Print Date: 14.11.2024

