The What and the Why of Statistics

EDP 613

Week 1

Basic Ideas

- **Parameter** - A number describing an entire *population*

- **Statistic** - A number describing a slice, or a *sample* of a *population*

Polar Views of the World

Frequentist Statisticians believe that there is one and only one correct parameter that can be found by using multiple samples.

- parameters are fixed and data vary
- there is a single truth that can be found with enough indicators
- only objectibity can be used

Bayesian Statisticians believe that multiple parameters exist which are all based on varying probabilities.

- parameters vary and the data is fixed
- there are multiple truths and getting to any one is based on chance
- subjectivity is a built feature

Learning Statistics

- You likely do not know enough about probability so for now assume that the frequentist point-of-view is correct.

- It is easier to begin to learn statistics if you don't have to consider multiple outcomes in superposition.

- We will come back to the Bayesian vs. Frequentist arguement

Start

Descriptive Statistics - Mathematical techniques for organizing and summarizing a set of numerical data

Finish

Inferential Statistics - Generalizing from a sample to a population

Definitions

- Information is collected on *elements* or *individuals*

- The characteristics of the individuals about which we collect information are called *variables*

- The values of the variables that we obtain are called *data*

Overarching Types of Data

- *Qualitative variables* (aka *categorical variables*) classify elements into categories.

- *Quantitative variables* tell how much or how many of something there is.

Example

Which of the following variables are qualitative and which are quantitative?

	Situation	Type
1	The name of the schools in your district.	
2	The number of schools in your district.	
3	The amount of each ingredient in a cake.	
4	The ingredients in a cake.	

Solution

	Situation	Type
1	The name of the schools in your district.	Qualitative
2	The number of schools in your district.	Quantitative
3	The amount of each ingredient in a cake.	Quantitative
4	The ingredients in a cake.	Qualitative

Levels of Measurement

	Nominal	Ordinal	Interval	Ratio
Naming, labeling, or classifying observations	✔	✔	✔	✔
Ranks categories in order		✔	✔	✔
Known equal intervals			✔	✔
Includes a natural zero point				✔

Note

Your textbook pools interval and ratio together as *interval-ratio*.

Example

	Situation	Type
1	The (typical) letter grade distribution in a school	
2	Toppings on a cheeseburger	
3	Social economic status	
4	A telephone number	
5	Time	

Solution

	Situation	Type
1	The (typical) letter grade distribution in a school	Ordinal
2	Toppings on a cheeseburger	Nominal
3	Social economic status	Ordinal
4	A telephone number	Ordinal
5	Time	Interval Ratio

Discrete and Continuous

- *Discrete variables* are quantitative variables whose possible values can be listed

  - possibly infinite
  - obtained by counting

- *Continuous variables* are quantitative variables that can take on any value in some interval.

  - possibly infinite
  - obtained by measuring

Example

Which of the following variables are discrete or continuous?

	Situation	Type
1	Time it takes to get to school	
2	Water temperature	
3	Ratings on a 5-point rating scale	
4	Number of cars currently in a parking lot	

Solution

	Situation	Type
1	Time it takes to get to school	Continuous
2	Water temperature	Continuous
3	Ratings on a 5-point rating scale	Discrete
4	Number of cars currently in a parking lot	Discrete

That's it. Take a break before our R session!