

MATH 330 – HW #20

Cristobal Forno

November 10, 2017

Proposition 10.7: Let $x, y \in \mathbb{Z}$. Then $|x| < |y|$ if and only if $x^2 < y^2$.

Proof: Let $x, y \in \mathbb{Z}$. We want to prove if $|x| < |y|$, then $x^2 < y^2$ (1) and if $x^2 < y^2$, then $|x| < |y|$ (2).

(1) Assume $|x| < |y|$. Then $|y| - |x| \in \mathbb{R}_{>0}$. Now, $|y|^2 - |x|^2$. Proposition 10.6 implies, $|y|^2 - |x|^2 = y^2 - x^2$. Equivalently, $x^2 < y^2$. This proves our statement, if $|x| < |y|$, then $x^2 < y^2$.

(2) Assume $x^2 < y^2$. Then, $y^2 - x^2 \in \mathbb{R}_{>0}$. Equivalently, $(y - x) \cdot (y + x)$. We have $x < y$ and $x < -y$. These two inequalities can only hold if $|x| < |y|$, by the definition of absolute value. \square

Proposition 10.9: Let $x \in \mathbb{R}$ be such that $0 \leq x \leq 1$, and let $m, n \in \mathbb{N}$ be such that $m \geq n$. Then $x^m \leq x^n$.

Proof: Let $0 \leq x \leq 1$ and a fix $n \in \mathbb{N}$. Let $P(m)$ be the statement $x^m \leq x^n$. We will prove this by induction on m that $P(m)$ is true for all $m \geq n$.

Base Case: When $m = n$ is obviously true since $x^n \leq x^n$.

Induction: Now suppose $k \geq n$ and $P(k)$ is true. Since $0 \leq x \leq 1$, we have $x^n \cdot x < x^n \cdot 1 = x^n$. So,

$$x^{k+1} = x^k \cdot x \leq x^n \cdot x \leq x^n,$$

where the first inequality follows from the induction hypothesis, completing our proof by induction. \square