MAT 308: Exam 2	2
Fall - 2022	
11/18/2022	
'∞' Minutes	

Name:	

Write your name on the appropriate line on the exam cover sheet. This exam contains 11 pages (including this cover page) and 10 questions. Check that you have every page of the exam. Answer the questions in the spaces provided on the question sheets. Be sure to answer every part of each question and show all your work. If you run out of room for an answer, continue on the back of the page — being sure to indicate the problem number.

Question	Points	Score
1	10	
2	10	
3	10	
4	10	
5	10	
6	10	
7	10	
8	10	
9	10	
10	10	
Total:	100	

MAT 308: Exam 2 2 of 11

- 1. (10 points) Consider the 'rule' $f: \mathbb{R} \to \mathbb{R}^2$ given by $t \mapsto (3\cos t, 3\sin t)$.
 - (a) Is f(t) a function? Explain.
 - (b) Consider im $f \subseteq \mathbb{R}^2 = \{(x,y) \colon x,y \in \mathbb{R}\}$. If $(x,y) \in \text{im } f$, show that $x^2 + y^2 = 9$.
 - (c) Considered as a subset of \mathbb{R}^2 , geometrically describe im f.
 - (d) Can $\operatorname{im} f$ be given by the image of a function of x? What about a function of y? Explain.

MAT 308: Exam 2 3 of 11

- 2. (10 points) Define functions $f,g:\mathbb{R}\to\mathbb{R}$ by f(x)=|x+5| and g(x)=7-3x.
 - (a) Find an element in $\operatorname{im} f$ and also find an element in $\operatorname{im} g$.
 - (b) Is $-5 \in \text{im } f$? If not, explain why, and if so, find its preimage.
 - (c) Is $12 \in \text{im } g$? If not, explain why, and if so, find its preimage.
 - (d) Compute f([-6,6)) and g((-6,6]).
 - (e) Compute $f^{-1} ig([-1,1] ig)$ and $g^{-1} ig([-1,1] ig)$.

MAT 308: Exam 2 4 of 11

- 3. (10 points) Define the function $f: \mathbb{R} \to \mathbb{R}$ via $x \mapsto x^2 + 5$.
 - (a) Is f(x) an injective function? If it is injective, explain why; if it is not injective, give a counterexample.
 - (b) Is f(x) a surjective function? If it is surjective, explain why; if it is not surjective, give a counterexample.
 - (c) Is f(x) a bijective function? Explain.
 - (d) Does f(x) have an inverse function? Explain.

MAT 308: Exam 2 5 of 11

- 4. (10 points) A fixed point for a function $f: \mathbb{R} \to \mathbb{R}$ is $x_0 \in \mathbb{R}$ such that $f(x_0) = x_0$.
 - (a) Show that -5 is a fixed point for f(x) = 3x + 10.
 - (b) Show that 4 is not a fixed point for $g(x) = \frac{x+4}{2-x}$.
 - (c) Find the fixed points for $h(x) = 2x^2 + 6x 3$.
 - (d) Use the quadratic formula to show that $j(x) = x^2 3x + 5$ has no fixed points in $\mathbb R$ but does have fixed points in $\mathbb C$.

5. (10 points) Showing all your work, compute the following:

(a)
$$\sum_{k=-2}^{3} (5-k)$$

(b)
$$\prod_{k=1}^{5} (2k-3)$$

(c)
$$\sum_{k=0}^{1000} (k-7)$$

(d)
$$\sum_{k=0}^{1000} \left(\sqrt{k+5} - \sqrt{k} \right)$$

(e)
$$\prod_{k=1}^{1000} \left(1 + \frac{1}{k}\right)$$

MAT 308: Exam 2 7 of 11

6. (10 points) Being sure to show all your work and fully justify your logic complete the following:

- (a) Using the definition of odd/even, show that -237 is odd but not even.
- (b) Express 1854/17 using the division algorithm.
- (c) Find the prime factorization of 2040.
- (d) Compute $\gcd(2^{173} \cdot 3^{187} \cdot 5^{685} \cdot 11^{203},\ 2^{578} \cdot 3^{281} \cdot 7^{323} \cdot 13^{360})$ and find the next smallest divisor of the two given numbers.
- (e) Compute $lcm(2^{173} \cdot 3^{187} \cdot 5^{685} \cdot 11^{203}, \ 2^{578} \cdot 3^{281} \cdot 7^{323} \cdot 13^{360})$ and find the next largest multiple of the two given numbers.

MAT 308: Exam 2 8 of 11

7. (10 points) Showing all your work, compute the following:

- (a) $(2468 \cdot 3579 + 97531) \mod 2$
- (b) $(10-18)^{100} \mod 3$
- (c) $(3^{11} + 3^{10}) \mod 4$
- (d) $(16 \cdot -7) \mod 5$
- (e) $(-17 \cdot 13 + 145) \mod 6$

MAT 308: Exam 2 9 of 11

8. (10 points) Being sure to show all your work and fully explaining your logic, complete the following:

- (a) What is the remainder when 2022^{2024} is divided by 2023?
- (b) What are the last three digits of 2022^{50} ?
- (c) Show that working modulo two that $(x+y)^2 = x^2 + y^2$.

MAT 308: Exam 2 10 of 11

- 9. (10 points) Let a = 1561 and b = 8525.
 - (a) Use the Euclidean algorithm to find gcd(a, b).
 - (b) Explain why a^{-1} exists mod b.
 - (c) Continuing your work in (a), use the extended Euclidean algorithm to compute $a^{-1} \mod 8525$.
 - (d) Prove that your answer in (c) is correct.

MAT 308: Exam 2 11 of 11

10. (10 points) Solve the following system of congruences and show that your solution is correct:

$$\begin{cases} x+1 \equiv 2 \bmod 3 \\ x \equiv 0 \bmod 5 \\ 3x+4 \equiv 2 \bmod 7 \\ 1-x \equiv 4 \bmod 11 \end{cases}$$