

Name: \_\_\_\_\_

MATH 308

Fall 2021

HW 5: Due 10/08

*“Penny, while I subscribe to the many worlds theory which posits the existence of an infinite number of Sheldons in an infinite number of universes—I assure you that in none of them am I dancing.”*

*– Sheldon Cooper, Big Bang Theory*

**Problem 1.** (10pt) List at least 3 elements from each of the following sets:

(a)  $\{n \in \mathbb{N} : x = 6k\}$

(b)  $\{x \in \mathbb{R} : \exists y, x = y^2\}$

(c)  $\{m \in \mathbb{N} : \sqrt[3]{m} \in \mathbb{N}\}$

(d)  $\{q \in \mathbb{Q} : 4q + 1 \in \mathbb{N}\}$

(e)  $\{a \in \mathbb{N} : \exists b \exists c, a^2 + b^2 = c^2\}$

**Problem 2.** (10pt) Use the set-builder notation to give a set equal to each of the following sets:

- (a)  $\{1, 4, 9, 16, 25, 36, 49, 64, \dots\}$
- (b)  $\{0, \pm 3, \pm 6, \pm 9, \pm 12, \pm 15, \dots\}$
- (c) The set of rational numbers between 0 and 1.
- (d) The set of functions passing through the point  $(6, 5)$ .
- (e) The set of differentiable functions with a horizontal tangent line at  $x = 1$ .

**Problem 3.** (10pt) Let  $\mathcal{U} = \{1, 2, 3, \{1\}, \{2\}, \{1, 2\}\}$ . Let  $A = \{2, 1, 2\}$  and  $B = \{1\}$ .

(a) Is  $A \in \mathcal{U}$ ? Explain.

(b) Is  $A \subseteq \mathcal{U}$ ? Explain.

(c) Is  $B \in \mathcal{U}$ ? Explain.

(d) Is  $B \subseteq \mathcal{U}$ ? Explain.

**Problem 4.** (20pt) Define the following sets:

$$A = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

$$B = \{1, 3, 5, 7, 9\}$$

$$C = \{2, 4, 6, 8, 10\}$$

$$D = \{2, 3, 5, 7\}$$

$$E = \{4, 8, 9\}$$

$$F = \{1, 2, \{3\}\}$$

Compute the following sets:

(a)  $A \cap B$

(b)  $C \cup D$

(c)  $D \cap E$

(d)  $D \setminus B$

(e)  $B \setminus A$

(f)  $B \times C$

(g)  $(D \cap F) \cup (B \cap E)$

In addition, answer the following:

(h) Is  $F \subseteq A$ ? Explain.

(i) Is  $B \cap F = \{1, 3\}$ ? Explain.

(j) Is  $A$  a universal set for  $B, C, D, E, F$ ? If it is, compute  $D^c$ . If not, explain why.

**Problem 5.** (10pt) Compute each of the following sets:

(a)  $\mathcal{P}(\emptyset)$

(b)  $\mathcal{P}(\{1, \{1\}\})$

(c)  $\mathcal{P}(\{1, e, \pi\})$

(d)  $\mathcal{P}(\{1\} \times \{a, b\})$




**Problem 6.** (10pt) Suppose  $A, B$  are sets with a common universal set  $\mathcal{U}$ . Denote each of the following sets with a Venn diagram:

(a)  $A \cap B^c$

(b)  $(A \cup B)^c$

(c)  $(A \cup B) \setminus (A \cap B)$

**Problem 7.** (10pt) Suppose  $A, B, C$  are sets with a common universal set  $\mathcal{U}$ . For each of the Venn diagrams, write down the shaded sets.



**Problem 8.** (10pt) Let  $A = \{b, c\}$ . Suppose that  $A \cup B = \{a, b, c, e\}$  and  $B \cup C = \{a, c, d, e, f\}$ . From this information can we determine the sets  $A, B, C$ ? Explain. If not, what is the minimal additional information (in terms of unions and intersections of the sets alone) would uniquely determine the three sets?