Name: _______MATH 308

Fall 2023

HW 9: Due 10/12

"We will always have STEM with us. Some things will drop out of the public eye and will go away, but there will always be science, engineering, and technology. And there will always, always be mathematics."

-Katherine Johnson

Problem 1. (10pt) For each of the following functions, determine whether the function is injective, surjective, or bijective. Be sure to fully justify your answer.

(a)
$$f: \mathbb{R} \to \mathbb{R}$$
, $f(x) = 7 - 3x$

(b)
$$g: \mathbb{R} \to \mathbb{R}^{\geq 0}, g(x) = x^2 + 1$$

(c)
$$h: \mathbb{R}^2 \to \mathbb{R}^2$$
, $h(x,y) = (x-2y, -2x+4y)$

(d)
$$k:[0,\infty)\to\mathbb{R}, k(x)=6-x^2$$

Problem 2. (10pt) Let $A = B = \mathbb{R}$. Consider the function $f: A \to B$ given by $f(x) = x^2 - 4x + 7$.

- (a) Sketch a graph of f(x). Be sure your graph includes an interval around the vertex of f(x).
- (b) Is f(x) injective? Explain. [Hint: $f(x) = (x-2)^2 + 3$.]
- (c) Is f(x) surjective? Explain. [Hint: $f(x) = (x-2)^2 + 3$.]
- (d) Do your responses in (b) and (c) change if $A = [2, \infty)$? Explain.
- (e) Do your responses in (b) and (c) change if $B = [3, \infty)$? Explain.

Problem 3. (10pt) Let $X = \{1, 2, 3, 4, 5\}$, $Y = \{1, 2, 3, 4\}$, and $A = \{1, 2, 3\}$. If S is a set and $\phi: S \to S$ is a function, we say that $s \in S$ is a fixed point for ϕ if $\phi(s) = s$. Recall that a function $\psi: \mathbb{R} \to \mathbb{R}$ is strictly increasing if $\psi(x) < \psi(y)$ for all $x, y \in \mathbb{R}$ with x < y.

- (a) Determine a function $F: A \to Y$ that is nondecreasing with no fixed point. Be sure to fully specify the function and justify that F has the required properties.
- (b) Determine a function $G: X \to Y$ such that $G|_A = F$ and G is neither surjective nor injective but so that G does have a fixed point. Be sure to fully specify the function and justify that G has the required properties.
- (c) Is G a strictly increasing function? Explain.

below so that it is a correct, logically sound proof with 'no gaps.'
Proposition. If $f: X \to Y$ is a function and $A, B \subseteq Y$, then $f^{-1}(A \cup B) = f^{-1}(A) \cup f^{-1}(B)$.
<i>Proof.</i> To prove that $f^{-1}(A \cup B) = f^{-1}(A) \cup f^{-1}(B)$, we need to show
and
Clearly, if $f^{-1}(A \cup B) = \emptyset$, then $f^{-1}(A \cup B) \subseteq f^{-1}(A) \cup f^{-1}(A) \cup f^{-1}(B)$. Similarly, if $f^{-1}(A) \cup f^{-1}(A) \cup f^{-1}(B) = \emptyset$, then $f^{-1}(A) \cup f^{-1}(A) \cup f^{-1}(B) \subseteq f^{-1}(A \cup B)$. Assume neither $f^{-1}(A \cup B)$ nor $f^{-1}(A) \cup f^{-1}(A) \cup f^{-1}(B)$ are empty.
$f^{-1}(A \cup B) \subseteq f^{-1}(A) \cup f^{-1}(A) \cup f^{-1}(B)$: Let $x \in \underline{\hspace{1cm}}$. But then $f(x) \in A \cup B$. This
implies that either $f(x) \in \underline{\hspace{1cm}}$ or $f(x) \in \underline{\hspace{1cm}}$.
Case 1, $f(x) \in \underline{\hspace{1cm}}$: If $f(x) \in A$, then $\underline{\hspace{1cm}} \in f^{-1}(A)$. But then $x \in \underline{\hspace{1cm}}$
Case 2, $f(x) \in B$: If $\in B$, then $x \in f^{-1}(B)$. But then $x \in f^{-1}(A) \cup f^{-1}(B)$.
Therefore, if $x \in f^{-1}(A \cup B)$, we know that $x \in$ This shows that
$f^{-1}(A) \cup f^{-1}(A) \cup f^{-1}(B) \subseteq f^{-1}(A \cup B)$: Suppose that This implies
that $x \in f^{-1}(A)$ or $f^{-1}(B)$.
Case 1,: If $x \in f^{-1}(A)$, then $f(x) \in$ But then $x \in$
This shows that $x \in f^{-1}(A \cup B)$. Case 2, $x \in f^{-1}(B)$: If $x \in f^{-1}(B)$, then $f(x) \in$ But then $x \in B$. This shows
that $x \in \underline{\hspace{1cm}}$.
But then if $x \in$, we know that $x \in f^{-1}(A \cup B)$. This shows that

Problem 4. (10pt) Below is a partial proof of the fact that if $f: X \to Y$ is a function and $A, B \subseteq Y$, then $f^{-1}(A \cup B) = f^{-1}(A) \cup f^{-1}(B)$. By filling in the missing portions, complete the partial proof

Because ______ and ______, we know that $f^{-1}(A \cup B) = f^{-1}(A) \cup f^{-1}(B).$ \Box