CGore-Utilities: A Library for Ansi Common Lisp

Christopher Mark Gore cgore@cgore.com http://www.cgore.com

 $March\ 5,\ 2013$

Contents

1	Cop	yright		9
2	The	Behave	e Package	11
	2.1	Macro	S	12
		2.1.1	The Behavior Macro	12
		2.1.2	The Spec Macro	12
		2.1.3	The Should Macro	12
		2.1.4	The Should-Not Macro	12
		2.1.5	The Should-Be-Null Macro	12
		2.1.6	The Should-Be-A Macro	12
		2.1.7	The Should= Macro	12
		2.1.8	The Should/= Macro	12
		2.1.9	The Should Macro	12
		2.1.10	The Should> Macro	12
		2.1.11	The Should<= Macro	12
		2.1.12	The Should>= Macro	12
		2.1.13	The Should-Eq Macro	12
		2.1.14	The Should-Not-Eq Macro	12
			The Should-Eql Macro	12
		2.1.16	The Should-Not-Eql Macro	12
		2.1.17	The Should-Equal Macro	12
		2.1.18	The Should-Not-Equal Macro	12
		2.1.19	The Should-EqualP Macro	12
		2.1.20	The Should-Not-EqualP Macro	12
		2.1.21	The Should-String= Macro	12
		2.1.22	The Should-Not-String= Macro	12
		2.1.23	The Should-String/= Macro	12
		2.1.24	The Should-Not-String/= Macro	12
		2.1.25	The Should-String< Macro	12
		2.1.26	The Should-Not-String< Macro	12
			The Should-String> Macro	12
			The Should-Not-String> Macro	12
			The Should-String<= Macro	12
			The Should-Not-String = Macro	19

		2.1.31	The Should-String>= Macro
		2.1.31 $2.1.32$	The Should-Not-String>= Macro
		2.1.32 $2.1.33$	The Should-String-Equal Macro
		2.1.34	<u> </u>
		2.1.34 $2.1.35$	<u> </u>
			S I
		2.1.36	The Should-Not-String-Not-Equal Macro
		2.1.37	The Should-String-LessP Macro
		2.1.38	The Should-Not-String-LessP Macro
		2.1.39	The Should-String-GreaterP Macro
		2.1.40	The Should-Not-String-GreaterP Macro
		2.1.41	The Should-String-Not-GreaterP Macro
		2.1.42	The Should-Not-String-Not-GreaterP Macro 13
		2.1.43	The Should-String-Not-LessP Macro
		2.1.44	The Should-Not-String-Not-LessP Macro
•	m.	~ .	- D - I
3			ol Package 15
	3.1		s
		3.1.1	The AIf Macro
		3.1.2	The A?If Macro
		3.1.3	The AAnd Macro
		3.1.4	The A?And Macro
		3.1.5	The ALambda Macro
		3.1.6	The A?Lambda Macro
		3.1.7	The ABlock Macro
		3.1.8	The A?Block Macro
		3.1.9	The ACond Macro
		3.1.10	The A?Cond Macro
		3.1.11	The AWhen Macro
		3.1.12	The A?When Macro
		3.1.13	The AWhile Macro
		3.1.14	
		3.1.15	The DeleteF Macro
		3.1.16	The Do-While Macro
			The Do-Until Macro
			The For Macro
			The Forever Macro
			The Multicond Macro
			The OpF Macro
		3.1.23	The Swap-Unless Macro
		3.1.24	The Swap-When Macro
		3.1.24	The Until Macro
			The While Macro
	3.2	5.1.20 Functi	
	ა.∠	3.2.1	
		0	The Compose Function
		3.2.2	The Conjoin Function

		3.2.3	The Curry Function
		3.2.4	The Disjoin Function
		3.2.5	The Function-Alias Function
		3.2.6	The Operator-To-Function Function
		3.2.7	The RCompose Function
		3.2.8	The RCurry Function
		3.2.9	The Unimplemented Function
	3.3	Generi	cs
		3.3.1	The Duplicate Generic
4	The	Numeri	ic Package 17
	4.1	Macros	s
		4.1.1	The DivF Macro
		4.1.2	The MultF Macro
	4.2	Function	ons
		4.2.1	The Bit? Function
		4.2.2	The Fractional-Part Function
		4.2.3	The Fractional-Value Function
		4.2.4	The Integer-Range Function
		4.2.5	The Nonnegative? Function
		4.2.6	The Nonnegative-Integer? Function
		4.2.7	The Positive-Integer? Function
		4.2.8	The Product Function
		4.2.9	The Sum Function
		4.2.10	The Unsigned-Integer? Function
	4.3	Types	
		4.3.1	The Nonnegative-Float Type
		4.3.2	The Nonnegative-Integer Type
		4.3.3	The Positive-Float Type
		4.3.4	The Positive-Integer Type
5	The	OS Pa	ckage 19
	5.1	Function	ons
		5.1.1	The Perl Function
		5.1.2	The Python Function
		5.1.3	The Read-File Function
		5.1.4	The Read-Lines Function
		5.1.5	The Ruby Function
	5.2	Param	eters
		5.2.1	The *Perl-Path* Parameter
		5.2.2	The *Python-Path* Parameter
		5.2.3	The *Ruby-Path* Parameter

6	The	Probal	bility Package	21
	6.1	Macro	S	21
		6.1.1	The Decaying-Probabiliity? Macro	21
	6.2	Functi	ons	21
			The Probability? Function	21
	6.3	Types		21
			The Probability Type	21
7			m Package	23
	7.1		8	23
		7.1.1	The NShuffle Macro	23
	7.2		ons	23
		7.2.1	The Gauss Function	23
		7.2.2	The Random-Argument Function	23
		7.2.3	The Coin-Toss Function	23
		7.2.4	The Random-In-Range Function	23
		7.2.5	The Random-In-Ranges Function	23
		7.2.6	The Random-Range Function	23
		7.2.7	The Randomize-Array Function	23
		7.2.8	The Random-Array Function	23
	7.3	Generi	ics	23
		7.3.1	The Random-Element Generic	23
		7.3.2	The Shuffle Generic	23
8	The	Seque	nce Package	2 5
	8.1	Macro	8	26
		8.1.1	The Arefable? Macro	26
		8.1.2	The NConcF Macro	26
		8.1.3	The Nthable? Macro	26
		8.1.4	The Set-NthCdr Macro	26
	8.2	Functi	ons	26
		8.2.1	The Array-Values Function	26
		8.2.2	The Nth-From-End Function	26
		8.2.3	The Sequence? Function	26
		8.2.4	The Empty-Sequence? Function	26
		8.2.5	The Join-Symbol-To-All-Following Function	26
		8.2.6	The Join-Symbol-To-All-Preceeding Function	26
		8.2.7	The List-To-Vector Function	26
		8.2.8	The Set-Equal Function	26
		8.2.9	The Simple-Vector-To-List Function	26
		8.2.10	The Sort-Order Function	26
		8.2.11	The The-Last Function	26
			The Vector-To-List Function	26
	8.3		ics	26
	J.9	8.3.1	The Best Generic	26
		8.3.2		26

CONTENTS		7

		8.3.3 The Minimum? Generic	26
		8.3.4 The Maximum Generic	26
		8.3.5 The Maximum? Generic	26
		8.3.6 The Sort-On Generic	26
		8.3.7 The Slice Generic	26
		8.3.8 The Split Generic	26
			26
9	The	String Package 2	27
_	9.1		27
			27
		0	28
		6	28
		1	28
			28
			28
			28
		<u> </u>	28
		<u> </u>	28
	9.2	<u> </u>	28
	5.2		28
		5.2.1 The bp110 filemons	
10	The	Time-Series Package 2	29
	10.1	Macros	29
		10.1.1 The Snap-Index Macro	29
	10.2	Functions	29
		10.2.1 The Array-Raster-Line Function	29
		10.2.2 The Distance Function	29
		10.2.3 The Norm Function	29
		10.2.4 The Raster-Line Function	29
		10.2.5 The Similar-Points? Function	29
		10.2.6 The Time-Series? Function	29
		10.2.7 The Time-Multiseries? Function	29
			29
			29
			29
			29
	10.3		29
	10.0		29
		-J F	
11	The	8	3 1
	11.1		31
		11.1.1 The [?] Function	31
		11.1.2 The Toggle Function	31
	11.2		31
		11.2.1 The ? Generic	31

12	The	Utilities Package	33
	12.1	Variables	33
		12.1.1 The *CGore-Utilities-Packages* Variable	33
	12.2	Functions	33
		12.2.1 The Use-All-CGore-Utilities Function	33
		12.2.2 The Use-All-Utilities Function	33

Copyright

Copyright © 2005 – 2013, Christopher Mark Gore, Soli Deo Gloria, All rights reserved.

8729 Lower Marine Road, Saint Jacob, Illinois 62281 USA.

Web: http://cgore.com Email: cgore@cgore.com

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Christopher Mark Gore nor the names of other contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the copyright holder or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

The Behave Package

_	_		-		
2 .	1	N /	\sim	On	OS
/		11/			

- 2.1.1 The Behavior Macro
- 2.1.2 The Spec Macro
- 2.1.3 The Should Macro
- 2.1.4 The Should-Not Macro
- 2.1.5 The Should-Be-Null Macro
- 2.1.6 The Should-Be-A Macro
- 2.1.7 The Should= Macro
- 2.1.8 The Should/= Macro
- 2.1.9 The Should Macro
- 2.1.10 The Should> Macro
- 2.1.11 The Should<= Macro
- 2.1.12 The Should>= Macro
- 2.1.13 The Should-Eq Macro
- 2.1.14 The Should-Not-Eq Macro
- 2.1.15 The Should-Eql Macro
- 2.1.16 The Should-Not-Eql Macro
- 2.1.17 The Should-Equal Macro
- 2.1.18 The Should-Not-Equal Macro
- 2.1.19 The Should-EqualP Macro
- 2.1.20 The Should-Not-EqualP Macro
- 2.1.21 The Should-String= Macro
- 2.1.22 The Should-Not-String= Macro
- 2.1.23 The Should-String/= Macro
- 2.1.24 The Should-Not-String/= Macro
- 2.1.25 The Should-String< Macro

2.1. MACROS 13

- 2.1.33 The Should-String-Equal Macro
- 2.1.34 The Should-Not-String-Equal Macro
- 2.1.35 The Should-String-Not-Equal Macro
- 2.1.36 The Should-Not-String-Not-Equal Macro
- 2.1.37 The Should-String-LessP Macro
- 2.1.38 The Should-Not-String-LessP Macro
- 2.1.39 The Should-String-GreaterP Macro
- 2.1.40 The Should-Not-String-GreaterP Macro
- 2.1.41 The Should-String-Not-GreaterP Macro
- 2.1.42 The Should-Not-String-Not-GreaterP Macro
- 2.1.43 The Should-String-Not-LessP Macro
- 2.1.44 The Should-Not-String-Not-LessP Macro

The Control Package

_	_		-		
3.	1	N /	.	On	OS
. D .		11/			. 15

- 3.1.1 The Alf Macro
- 3.1.2 The A?If Macro
- 3.1.3 The AAnd Macro
- 3.1.4 The A?And Macro
- 3.1.5 The Alambda Macro
- 3.1.6 The A?Lambda Macro
- 3.1.7 The ABlock Macro
- 3.1.8 The A?Block Macro
- 3.1.9 The ACond Macro
- 3.1.10 The A?Cond Macro
- 3.1.11 The AWhen Macro
- 3.1.12 The A?When Macro
- 3.1.13 The AWhile Macro
- 3.1.14 The A?While Macro
- 3.1.15 The DeleteF Macro
- 3.1.16 The Do-While Macro
- 3.1.17 The Do-Until Macro
- 3.1.18 The For Macro
- 3.1.19 The Forever Macro
- 3.1.20 The Multicond Macro
- 3.1.21 The OpF Macro
- 3.1.22 The Swap Macro
- 3.1.23 The Swap-Unless Macro
- 3.1.24 The Swap-When Macro
- 3.1.25 The Until Macro

The Numeric Package

	70 47			
4.1	M	a	cr	'OS

- 4.1.1 The DivF Macro
- 4.1.2 The MultF Macro

4.2 Functions

- 4.2.1 The Bit? Function
- 4.2.2 The Fractional-Part Function
- 4.2.3 The Fractional-Value Function
- 4.2.4 The Integer-Range Function
- 4.2.5 The Nonnegative? Function
- 4.2.6 The Nonnegative-Integer? Function
- 4.2.7 The Positive-Integer? Function
- 4.2.8 The Product Function
- 4.2.9 The Sum Function
- 4.2.10 The Unsigned-Integer? Function

4.3 Types

- 4.3.1 The Nonnegative-Float Type
- 4.3.2 The Nonnegative-Integer Type
- 4.3.3 The Positive-Float Type
- 4.3.4 The Positive-Integer Type

The OS Package

- 5.1 Functions
- 5.1.1 The Perl Function
- 5.1.2 The Python Function
- 5.1.3 The Read-File Function
- 5.1.4 The Read-Lines Function
- 5.1.5 The Ruby Function
- 5.2 Parameters
- 5.2.1 The *Perl-Path* Parameter
- 5.2.2 The *Python-Path* Parameter
- 5.2.3 The *Ruby-Path* Parameter

The Probability Package

- 6.1 Macros
- 6.1.1 The Decaying-Probabiliity? Macro
- 6.2 Functions
- 6.2.1 The Probability? Function
- 6.3 Types
- 6.3.1 The Probability Type

The Random Package

	78. AT
7. L	Macros

- 7.1.1 The NShuffle Macro
- 7.2 Functions
- 7.2.1 The Gauss Function
- 7.2.2 The Random-Argument Function
- 7.2.3 The Coin-Toss Function
- 7.2.4 The Random-In-Range Function
- 7.2.5 The Random-In-Ranges Function
- 7.2.6 The Random-Range Function
- 7.2.7 The Randomize-Array Function
- 7.2.8 The Random-Array Function
- 7.3 Generics
- 7.3.1 The Random-Element Generic
- 7.3.2 The Shuffle Generic

The Sequence Package

Ω 1		n /	_		_	_
8.1	1	M	а	\mathbf{r}	വ	-

- 8.1.1 The Arefable? Macro
- 8.1.2 The NConcF Macro
- 8.1.3 The Nthable? Macro
- 8.1.4 The Set-NthCdr Macro

8.2 Functions

- 8.2.1 The Array-Values Function
- 8.2.2 The Nth-From-End Function
- 8.2.3 The Sequence? Function
- 8.2.4 The Empty-Sequence? Function
- 8.2.5 The Join-Symbol-To-All-Following Function
- 8.2.6 The Join-Symbol-To-All-Preceeding Function
- 8.2.7 The List-To-Vector Function
- 8.2.8 The Set-Equal Function
- 8.2.9 The Simple-Vector-To-List Function
- 8.2.10 The Sort-Order Function
- 8.2.11 The The-Last Function
- 8.2.12 The Vector-To-List Function

8.3 Generics

- 8.3.1 The Best Generic
- 8.3.2 The Minimum Generic
- 8.3.3 The Minimum? Generic
- 8.3.4 The Maximum Generic
- 8.3.5 The Maximum? Generic
- 8.3.6 The Sort-On Generic
- 837 The Slice Concric

The String Package

The String package contains useful tools for working with strings.

9.1 Functions

9.1.1 The Character-Range Function

The character-range function returns a list of characters from the *start* to the *end* character. Note that this is returning a list, not a string.

Syntax

```
(character-range start\ end) \implies '(start\ \dots\ end)
```

Arguments and Values

Start The character to start the range with, inclusive.

End The character to end the range with, inclusive.

Examples

(character-range #\a #\z)
$$\implies$$
 '(#\a #\b #\c #\d #\e)

- 9.1.2 The Character-Ranges Function
- 9.1.3 The Escape-Tildes Function
- 9.1.4 The Replace-Char Function
- 9.1.5 The StrCat Function
- 9.1.6 The StrMult Function
- 9.1.7 The String-Join Function
- 9.1.8 The Stringify Function
- 9.1.9 The To-String Function
- 9.2 Methods
- 9.2.1 The Split Methods

The Time-Series Package

10.1	Macros
10.1.1	The Snap-Index Macro
10.2	Functions
10.2.1	The Array-Raster-Line Function
10.2.2	The Distance Function
10.2.3	The Norm Function
10.2.4	The Raster-Line Function
10.2.5	The Similar-Points? Function
10.2.6	The Time-Series? Function
10.2.7	The Time-Multiseries? Function
10.2.8	The TMSref Function
10.2.9	The TMS-Dimensions Function
10.2.10	The TMS-Raster-Line Function
10.2.11	The TMS-Values Function
10.3	Types

10.3.1 The Time-Multiseries Type

The Truth Package

- 11.1 Functions
- 11.1.1 The [?] Function
- 11.1.2 The Toggle Function
- 11.2 Generics
- 11.2.1 The? Generic

The Utilities Package

- 12.1 Variables
- 12.1.1 The *CGore-Utilities-Packages* Variable
- 12.2 Functions
- 12.2.1 The Use-All-CGore-Utilities Function
- 12.2.2 The Use-All-Utilities Function