

TECHNISCHE UNIVERSITEIT DELFT

TI3800 BACHELORPROJECT

A NON-CENTRALIZED APPROACH TO VIDEO ON DEMAND ON MOBILE  
DEVICES

---

# Plan of Action

---

*Authors:*

Martijn BREET

(1265458)

Jaap VAN TOUW

(1380753)

*Supervisor:*

Cor-Paul BEZEMER



July 24, 2013

# Contents

Preface . . . . .	3
Summary . . . . .	4
<b>1 Introduction</b>	<b>5</b>
1.1 Plan of Action . . . . .	5
1.2 Department description . . . . .	5
1.3 Background and cause of assignment . . . . .	6
<b>2 Project Assignment</b>	<b>7</b>
2.1 Introduction . . . . .	7
2.2 Client . . . . .	7
2.3 Stakeholders . . . . .	7
2.4 The Research question . . . . .	8
2.5 Goal . . . . .	8
2.6 Assignment Formulation . . . . .	8
2.7 Deliverables . . . . .	8
2.8 Requirements and constraints . . . . .	9
2.9 Conditions . . . . .	9
<b>3 Approach</b>	<b>10</b>
3.1 Introduction . . . . .	10
3.2 Orientation Phase . . . . .	10
3.3 Design Phase . . . . .	10
3.4 Implementation Phase . . . . .	10
3.5 Release Phase . . . . .	11
3.6 Methodology . . . . .	11
3.6.1 Scrum . . . . .	11
3.6.2 MoSCoW . . . . .	11
3.6.3 Test Driven Development . . . . .	12
3.7 Planning . . . . .	12
<b>4 Project Design</b>	<b>13</b>
4.1 Introduction . . . . .	13
4.2 Project members . . . . .	13
4.3 Planning . . . . .	14
4.4 Release Phase . . . . .	14
4.5 Orientation Phase . . . . .	14
<b>Appendices</b>	<b>15</b>

<b>A Approach</b>	<b>16</b>
A.1 Introduction . . . . .	16
A.2 Orientation Phase . . . . .	16
A.3 Design Phase . . . . .	16
A.4 Implementation Phase . . . . .	16
A.5 Release Phase . . . . .	17
A.6 Methodology . . . . .	17
A.6.1 Scrum . . . . .	17
A.6.2 MoSCoW . . . . .	17
A.6.3 Test Driven Development . . . . .	18
A.7 Planning . . . . .	18

**Preface**

This document forms the Plan of Action which is part of the Bachelor Thesis that will be performed by Jaap van Touw and Martijn Breet. The Plan of Action will give insight on which problem will be solved during the project. The responsibilities of the project members as well as the client will be covered. Additionally insight will be given into the overall process and phasing of the project.

## **Summary**

# Chapter 1

## Introduction

### 1.1 Plan of Action

This document describes the goal of the proposed Bachelor project and elaborates on how this goal will be accomplished, as well as the timeframe in which it needs to be completed. The document is structured as follows. The remaining part of this chapter will focus on preliminary background information that will explain the context within the proposed Bachelor project will be performed. This will include a brief description of the research department as well as background information on the topic of the project, as well as the causes that led to the project assignment. Chapter 2 will give a detailed description of the project. The project stakeholders are identified, as well as the main research question that the project will focus on answering. Additionally, a list of all the deliverables for the project will be covered. The last part of the chapter will cover the general requirements and limits of the project, as well the conditions under which the project will be performed. Chapter 3 will focus on the approach that will be used to answer the research question together with the project planning. The administrative part of the project will be covered in Chapter 4. Finally, Chapter 5 will focus on the measures that will be taken to assure the quality of the project.

### 1.2 Department description

The Parallel and Distributed Systems group (hereafter: PDS) is a research group within the Software and Computer Technology (hereafter: SCT) department, which is part of the Faculty Electrical Engineering, Mathematics and Computer Science (hereafter: EEMCS) of Delft University of Technology. The research within the PDS group concentrates on the modeling, the design, the implementation, and the analysis of parallel and distributed systems and algorithms. Most of this research is experimental: the aim is to build prototypes of systems, preferably used in the real world, to demonstrate the quality of the proposed solutions. The main research areas of the PDS group are Peer-to-Peer (hereafter: P2P) systems and online social networks, massive multiplayer online games, grids and clouds, and multicore architectures and parallel programming.

### 1.3 Background and cause of assignment

Distribution of radio and television programs, movies, music, ringtones, games, and various data applications to the general public is possible today via a variety of dedicated networks and special end user terminals. As broadband Internet becomes ubiquitous in both desktop and mobile device environments, all content distribution services will be combined and conveyed to the general public via a common pipeline, the Internet. Today several technologies are used for the media distribution across the Internet: unicast, IP multicast, content distribution networks, and most recently Peer-to-Peer. P2P is considered by many as an efficient, reliable, and low cost mechanism for distributing any media file or live stream, and it is used extensively. Much of the current research activities in P2P within the PDS group are centered around Tribler<sup>1</sup>. Tribler is an application that enables its users to find, enjoy and share content through a P2P network. Tribler builds on BitTorrent<sup>2</sup> and is currently only available on desktop environments. Currently mobile internet traffic continues to consistently gain on desktop traffic in terms of volume<sup>3</sup> and mobile traffic is estimated to surpass traffic from wired devices in 2017<sup>4</sup>. In response to this growth and to meet the increasing demands of the market, the development of a mobile version of Tribler would be of great value.

---

<sup>1</sup><http://www.tribler.org>

<sup>2</sup><http://www.bittorrent.com>

<sup>3</sup><http://gs.statcounter.com/mobile-vs-desktopwwmonthly200812201306>

<sup>4</sup>[http://www.cisco.com/en/US/solutions/collateral/ns341/ns525/ns537/ns705/ns827/VNI.Hyperconnectivity\\_WP.pdf](http://www.cisco.com/en/US/solutions/collateral/ns341/ns525/ns537/ns705/ns827/VNI.Hyperconnectivity_WP.pdf)

## Chapter 2

# Project Assignment

### 2.1 Introduction

In this chapter, key aspects of the project are set out such as the main research question that the project will be focused on answering, the goal of the project, as well as an exact formulation of the project assignment. General requirements and constraints for the project are also given here.

### 2.2 Client

The client is Dr. Ir. Johan Pouwelse, he is Assistant Professor at the Parallel and Distributed Systems Group of the Faculty of EEMCS, Delft University of Technology, and is also co-founder of Tribler. Moreover, he is Scientific director of several P2P research initiatives with a total budget of 26 Million Euro.

### 2.3 Stakeholders

*The Client:*

**Dr. Ir. Johan Pouwelse**

J.A.Pouwelse@tudelft.nl

+31 (0)15 27 82539

Room: HB 07.290

Mekelweg 4

2628 CD Delft

*Project Supervisor:*

**MSc. Cor-Paul Bezemer**

C.Bezemer@tudelft.nl

+31 (0)15 27 82467

Mekelweg 4

2628 CD Delft



*Bachelor Project Coordinator:*

**Martha A. Larson**

M.A.Larson@tudelft.nl

+31 (0)15 27 87357

Room: HB 11.040

Mekelweg 4

2628 CD Delft

## 2.4 The Research question

The project will be focused on answering the following main research question:

*“How can we make video-on-demand available for mobile devices using a non-centralized approach?”*

## 2.5 Goal

The goal of the project will be to create a prototype application for mobile devices, that allows users to enjoy video-on-demand through the Internet, using a non-centralized network architecture. The application will allow users to search for a video, which will start playing after the user presses a play button. Additionally, seeking functionality will be provided.

## 2.6 Assignment Formulation

In this project, a prototype of the P2P-based video-on-demand mobile application will be realised, that will allow users to search for videos on the Internet. Once the user has found a video to his or her liking, and issued a play command, the application will play the video by means of streaming it through a P2P-based network. The application will also feature the possibility to seek to different parts of a video, by means of a slider, that can be adjusted by the user.

## 2.7 Deliverables

During and after the completion of the project, the following products will be delivered:

1. Orientation Report.
2. Requirements Analysis Document
3. Architectural Design Document
4. Technical Design Document

5. Test- and Implementation Plan
6. Implementation (the prototype)
7. Source code evaluation by SIG<sup>1</sup>
8. Final report

The deliverables above are further defined in section 3.3.

## 2.8 Requirements and constraints

The final product will offer the features that are described in section 2.6 and should be considered a “prototype”. The prototype will offer video-on-demand, including built-in search functionality. The development of the prototype will be targeted to the Android platform.

The exact functional- and nonfunctional requirements, as well as the constraints will be specified in the Requirements and Analysis Document.

## 2.9 Conditions

The project members listed under section 4.2 will deliver the products listed in section 2.7 within a period of 11 weeks, starting from the 8th of July till the 20th of September 2013.

The client will facilitate the project members by supplying them with all the resources needed for the development of the deliverables, such as (mobile) testing devices, required office space, etc.

The project members will have weekly meetings with the supervisor (see section 2.3) to discuss the status and progression of the project, as well as to receive feedback on completed work. These weekly meetings are also part of the development methodology which will be elucidated in section 3.2.

---

<sup>1</sup><http://www.sig.eu>

## Chapter 3

# Approach

### 3.1 Introduction

In this chapter insight is given into the approach that will be used to complete the project, including a brief description for every project phase and its deliverables. The next section will focus on the methodology that will be used during the project. Finally, this chapter will focus on the project planning.

### 3.2 Orientation Phase

In this phase, the research question is further crystallize into subquestions, which will create a better understanding of the problem as well its scope. After this is clarified, research will be conducted, by exploring existing (partial) solutions that can contribute towards a general solution for the problem. The findings of this research will be stated in the Orientation Report.

### 3.3 Design Phase

As a first step in the design phase, both functional-, nonfunctional requirements and constraints for the prototype will be elicited. From these requirements, usecases will be derived that convey how the system should interact with the user. Based on these requirements and use cases, an architectural design document will be created, consisting of a description of the proposed software architecture including subsystem decomposition, persistent data management, global resource handling, concurrency, software control and boundary conditions. Next, a detailed description of the packages, class diagram and a specification of the classes and methods is given in the Technical Design Document. Finally, a Test- and Implementation Plan is created that describes how the different features of the prototype are tested and implemented.

### 3.4 Implementation Phase

Building the application is the main part of the project and consists of implementing the different components that were derived in the Design Phase. The

source code of the prototype will be sent to the SIG for a thorough review in week eight of the project. The feedback provided by the SIG will be used to improve the code during the implementation phase.

### 3.5 Release Phase

In this final stage of the project, all the documents that were create during the previous phases of the project will be bundled into one final report. This will include a general conclusion and evaluation. After handing in the Final Report to the stakeholders, the source code of the prototype is sent to the SIG one more time for a final evaluation. The finished prototype will then be presented to the client, bachelor coordinator and supervisor.

### 3.6 Methodology

#### 3.6.1 Scrum

During the project several methods will be put into practice. One of these methods, namely Scrum<sup>1</sup>, will be used in all phases starting from the design phase. Scrum is an iterative and incremental Agile method. Scrum uses sprints in which the team goes through the process of adding functionality to the software, always keeping a working product. We chose to do sprints of one week to quickly see the progression and to be able to keep steering things in the right direction. Traditionally, Scrum makes use of a number of roles to assign the different responsibilities to different members of the team. Since our team consists out of two persons we chose not to assign these roles and have all responsibilities shared. The weekly Scrum meetings, the sprint plannings, will be attended by our supervisor. In this manner, he has a better insight and is able to provide more meaningful feedback. In the sprint planning the following is discussed:

- What was completed during the last sprint (demo it, if possible).
- How did it go; what went well and what we can improve.
- Select what work is to be done in the upcoming sprint
- Determine the time it will take to do that work and divide it amongst the team.

The daily scrum meetings will only be attended by the team and they will discuss what each person did yesterday, what each person is going to do and if there are any impediments that are needed to overcome. Furthermore, demo sessions for the client will be held at his request and also on a two-weekly basis to keep him informed about the progress we have been making.

#### 3.6.2 MoSCoW

MoSCoW is a de facto standard in prioritizing a list of requirements into the following categories:

---

<sup>1</sup><http://www.scrum.org>

- Must have: requirements that must be satisfied in the final solution for the solution to be considered a success.
- Should have: high-priority requirements that should be included in the solution if possible.
- Could have: requirements which are considered desirable but not necessary.
- Would have: requirements that will not be implemented in a given release, but may be considered for the future.

The MoSCoW method will be used to prioritize the elicited requirements in the Requirements Analysis Document.

### **3.6.3 Test Driven Development**

Conventionally, testing used to be done after the implementation of the software, by means of writing and executing test cases. This approach however, is criticised because often the tests are written based on the source code, instead of the functional requirements. A passing test in that case does not guarantee whether or not the function under test satisfies the functional requirement. Designing and writing the test cases beforehand ensures that the functional requirements are validated in an early stage. This approach is called Test Driven Development (hereafter: TDD). Another advantage of TDD is that it works well in combination with Agile methods such as the previously described Scrum method, because each time a new function is implemented, the associated test can be immediately executed. As a consequence, the system that is being developed can be in a validated and verified state at all times during the development process.

## **3.7 Planning**

A Gantt chart of the project planning can be found in Appendix A. The chart is complemented with a timeline, for a quick overview.

## Chapter 4

# Project Design

### 4.1 Introduction

This chapter will cover the administrative aspects of the project such as the project members, reporting, financing and facilities.

### 4.2 Project members

The project members are: Martijn Breet and Jaap van Touw. A short introduction is given, describing who they are and what they have previously done.

Jaap van Touw

Jaap is a bachelor student at the faculty of EEMCS. His main programming language is Java and before starting this project he worked at the DUT Racing Team as software engineer.

J.vanTouw@tudelft.nl

+31 (0)6 505 37 951

Room: HB 07.240

Mekelweg 4

2628 CD Delft

Martijn Breet

Martijn is a bachelor student at the faculty of EEMCS. His main programming language is Java and before starting this project he worked at the Delta Lloyd Solar Boat as software engineer.

M.S.Breet@student.tudelft.nl

+31 (0)6 505 37 951

Room: HB 07.240

Mekelweg 4

2628 CD Delft

### **4.3 Planning**

A Gantt chart of the project planning can be found in Appendix A. The chart is complemented with a timeline, for a quick overview.

### **4.4 Release Phase**

In this final stage of the project, all the documents that were create during the previous phases of the project will be bundled into one final report. This will include a general conclusion and evaluation. After handing in the Final Report to the stakeholders, the source code of the prototype is sent to the SIG one more time for a final evaluation. The finished prototype will then be presented to the client, bachelor coordinator and supervisor.

### **4.5 Orientation Phase**

In this phase, the research question is further crystallize into subquestions, which will create a better understanding of the problem as well its scope. After this is clarified, research will be conducted, by exploring existing (partial) solutions that can contribute towards a general solution for the problem. The findings of this research will be stated in the Orientation Report.

# Appendices



# Appendix A

## Approach

### A.1 Introduction

In this chapter insight is given into the approach that will be used to complete the project, including a brief description for every project phase and its deliverables. The next section will focus on the methodology that will be used during the project. Finally, this chapter will focus on the project planning.

### A.2 Orientation Phase

In this phase, the research question is further crystallize into subquestions, which will create a better understanding of the problem as well its scope. After this is clarified, research will be conducted, by exploring existing (partial) solutions that can contribute towards a general solution for the problem. The findings of this research will be stated in the Orientation Report.

### A.3 Design Phase

As a first step in the design phase, both functional-, nonfunctional requirements and constraints for the prototype will be elicited. From these requirements, usecases will be derived that convey how the system should interact with the user. Based on these requirements and use cases, an architectural design document will be created, consisting of a description of the proposed software architecture including subsystem decomposition, persistent data management, global resource handling, concurrency, software control and boundary conditions. Next, a detailed description of the packages, class diagram and a specification of the classes and methods is given in the Technical Design Document. Finally, a Test- and Implementation Plan is created that describes how the different features of the prototype are tested and implemented.

### A.4 Implementation Phase

Building the application is the main part of the project and consists of implementing the different components that were derived in the Design Phase. The

source code of the prototype will be sent to the SIG for a thorough review in week eight of the project. The feedback provided by the SIG will be used to improve the code during the implementation phase.

## A.5 Release Phase

In this final stage of the project, all the documents that were create during the previous phases of the project will be bundled into one final report. This will include a general conclusion and evaluation. After handing in the Final Report to the stakeholders, the source code of the prototype is sent to the SIG one more time for a final evaluation. The finished prototype will then be presented to the client, bachelor coordinator and supervisor.

## A.6 Methodology

### A.6.1 Scrum

During the project several methods will be put into practice. One of these methods, namely Scrum<sup>1</sup>, will be used in all phases starting from the design phase. Scrum is an iterative and incremental Agile method. Scrum uses sprints in which the team goes through the process of adding functionality to the software, always keeping a working product. We chose to do sprints of one week to quickly see the progression and to be able to keep steering things in the right direction. Traditionally, Scrum makes use of a number of roles to assign the different responsibilities to different members of the team. Since our team consists out of two persons we chose not to assign these roles and have all responsibilities shared. The weekly Scrum meetings, the sprint plannings, will be attended by our supervisor. In this manner, he has a better insight and is able to provide more meaningful feedback. In the sprint planning the following is discussed:

- What was completed during the last sprint (demo it, if possible).
- How did it go; what went well and what we can improve.
- Select what work is to be done in the upcoming sprint
- Determine the time it will take to do that work and divide it amongst the team.

The daily scrum meetings will only be attended by the team and they will discuss what each person did yesterday, what each person is going to do and if there are any impediments that are needed to overcome. Furthermore, demo sessions for the client will be held at his request and also on a two-weekly basis to keep him informed about the progress we have been making.

### A.6.2 MoSCoW

MoSCoW is a de facto standard in prioritizing a list of requirements into the following categories:

---

<sup>1</sup><http://www.scrum.org>

- Must have: requirements that must be satisfied in the final solution for the solution to be considered a success.
- Should have: high-priority requirements that should be included in the solution if possible.
- Could have: requirements which are considered desirable but not necessary.
- Would have: requirements that will not be implemented in a given release, but may be considered for the future.

The MoSCoW method will be used to prioritize the elicited requirements in the Requirements Analysis Document.

### **A.6.3 Test Driven Development**

Conventionally, testing used to be done after the implementation of the software, by means of writing and executing test cases. This approach however, is criticised because often the tests are written based on the source code, instead of the functional requirements. A passing test in that case does not guarantee whether or not the function under test satisfies the functional requirement. Designing and writing the test cases beforehand ensures that the functional requirements are validated in an early stage. This approach is called Test Driven Development (hereafter: TDD). Another advantage of TDD is that it works well in combination with Agile methods such as the previously described Scrum method, because each time a new function is implemented, the associated test can be immediately executed. As a consequence, the system that is being developed can be in a validated and verified state at all times during the development process.

## **A.7 Planning**

A Gantt chart of the project planning can be found in Appendix A. The chart is complemented with a timeline, for a quick overview.