

High-Level Architectural Design

21 Questions

Gabriel Lopez de Leon - lopezdg - 1310514

Curtis Milo - milocj - 1305877

Maxwell Moore - moorem8 - 1320009

Alexandra Rahman - rahmaa25 - 1305735

Connor Sheehan - sheehacg - 1330964

March 7th, 2016

Contents

1	Introduction	2
1.1	Purpose	2
1.2	System Description	2
1.3	Overview	2
2	Use Case Diagram	3
3	Analysis Class Diagram	8
4	Architectural Design	9
4.1	System Architecture	9
4.2	Subsystems	9
5	Class Responsibility Collaboration (CRC) Cards	10
A	Division of Labour	15

List of Figures

1	Use Case for BE1	3
2	Use Case for BE2	4
3	Use Case for BE3	5
4	Use Case for BE4	6
5	Use Case for BE5	7
6	Analysis Class Diagram	8

List of Tables

1	CRC for Expert Controller	10
2	CRC for Question Controller	10
3	CRC for Graphics User Interface Controller	11
4	CRC for Start Screen	11
5	CRC for Settings Screen	11
6	CRC for Question Screen	11
7	CRC for Map Screen	12
8	CRC for Location Data	12
9	CRC for Environment Data	12
10	CRC for Establishment Data	13
11	CRC for Location Database	13
12	CRC for Environment Database	13
13	CRC for Establishment Database	14
14	Division of Labour	15

1 Introduction

This document is called the High-Level Architectural Design document and it will be giving the stakeholders a broad overview of how the project 21 Questions is designed and will be organized.

1.1 Purpose

The High-Level Architectural Design document outlines the functionality of the system through Use Case diagrams, and details the key classes of the system and how they relate via the use of an Analysis Class Diagram. The main purpose of this document is to explain in detail the software system to be developed, which in this case is the application, 21 Questions. Through the use of the various diagrams mentioned before, the main components of the product and their relationships with each other are shown. The main target audience for this document is the software developers as they need to see, in greater detail, how the system and its modules interact and how they are designed to work in relation to each other.

1.2 System Description

21 Questions is an android application that can be used as a location identifier whose intended use is for any user above the age of ten. The application requires minimal training, experience or technical expertise to use, and can be easily picked up and used by anyone. 21 Questions is a simple games that asks the user a series of twenty-one polar or binary questions to try to identify their area of interest. In this game the area of interest is limited to an establishment, building, place, or effigy with a focus on locations only with an end goal of displaying the result through Google Maps.

1.3 Overview

This document will outline the design of the *21 Questions* application from an architectural perspective. The document will begin from a use case outlook, outlining application functionality from a practical point of view and taking different actors and stakeholders into consideration. Next, an analysis class diagram and associated interpretation details is outlined, to specify application behaviours and resources in a modularized form. Following this section is a detailed architectural design as well as a set of class responsibility collaboration cards. These sections specify modules in greater detail, including interfaces to be implemented in the future. The order of these sections reflects a systematic progression from requirements to a more easily constructed application.

2 Use Case Diagram

a) User wants to enter new search (Figure 1).

BE1.1 The user presses the start button on the start screen.

BE1.2 The system will respond by bringing them to the question screen and asking them a question.

BE1.3 The user will answer yes, no or undecided to the question.

BE1.4 The system will ask the user another question.

BE1.5 After 21 questions, the system will respond by displaying a map to the user.

BE1.6 The user will hit done.

BE1.7 The system will ask if this was the location the user had in mind.

BE1.8 The user will answer yes it was or no it was not.




Figure 1: Use Case for BE1

b) An unlisted establishment requests to be included in the application (Figure 2).

BE2.1 A new business opens or a business opens a new location.

BE2.2 The business or establishment contacts the company to inform them they wish to be added to the system.

BE2.3 The IT specialists will send them a form for the business to fill out.

BE2.4 The business will return the form to the company.

BE2.5 The IT will verify that the information is valid and add it to the system.

BE2.6 The business is added.




Figure 2: Use Case for BE2

c) Updates or maintenance of the application is required (Figure 3).

BE3.1 Internal management states an issue and requests an update/ maintenance.

BE3.2 Update/ maintenance is given a priority.

BE3.3 The IT specialist notifies the users that the system will update and be shut down for a certain period of time, if necessary.

BE3.4 The system will disconnect.

BE3.5 The necessary changes shall be made by the IT specialists.

BE3.6 The user will be notified if they need to update the application version.




Figure 3: Use Case for BE3

d) Management requests implementation or change of experts (Figure 4).

BE4.1 Internal management states a function needs to be changed(added or removed).

BE4.2 The change is given a priority.

BE4.3 Function will be added or removed.

BE4.4 A small focus group is selected.

BE4.5 A survey is created.

BE4.6 Update is released to focus group.

BE4.7 Survey is sent to focus group.

BE4.8 The update will be released depending on the results of the survey.

BE4.9 If the survey results are not favourable, the function will be under review and released again to the focus group (repeat steps 5-9). Otherwise the update is released to the general public and the user is notified that they need to update app version.




Figure 4: Use Case for BE4

e) User flags an incorrect or inappropriate search or result (Figure 5).

BE5.1 A business, user or internal management recognizes that the content is inappropriate.

BE5.2 The content shall automatically be hidden from other users.

BE5.3 The content is given a priority.

BE5.4 The content is put into a priority queue.

BE5.5 An IT will review the content and make appropriate changes (remove if necessary).




Figure 5: Use Case for BE5

3 Analysis Class Diagram

This section should provide an analysis class diagram for your application.




Figure 6: Analysis Class Diagram

4 Architectural Design

The desired system architecture for solving this issue is the blackboard architecture because of experts are able to identify different aspects of the area of interest, these module can be swapped out if needed to give a more accurate result. Each expert will be there own ADT on the front end of the application so that it will be easy to provide an interface for experts so that we increase the modularity of the design. Each expert will be able to communicate to there own database, the database is essential to ensure that multiple clients will have access to the same information without having to preform updates.

4.1 System Architecture

Figure 6 contains the analysis class diagram. The diagram is designed so that way each entity or boundary class will communication there controller and the controllers will communication between each other. The design is set up into three separate units of: interface, logic and data. The system design is a black board model with a data store, with the experts all using the same interface so that they can properly communicate to the question controller class. The system will have two controllers, one for handling the pages of the system and the other for controlling which expert can ask questions. Each expert will create a guess of what they might think is the item in which the user is thinking of. The controller will ask one expert at a time to provide a question to ask the user, based on the users response will either prove that is not the thing we are looking for or that it still might be. The experts will then provide there best guess to the controller, the controller will then compile these answers into a search in which will be displayed on a map for the user. In this way our system will not rely on any one expert, making it easy to add and remove experts in order to provide a better result.

4.2 Subsystems

The database controller will deal with different clients asking for unique information. This entitles that it will process any information, run the query that is needed, and send the information that is related to the problem.

The next tier to the system is the logical layer. This layer is responsible for the control flow of the game, ensuring that each expert entity will properly get to ask there respective questions. The controller will deal with receiving the information that is passed in from the GUI controller and dealing with incoming information from the Data layer. Using the guesses form each of the experts to create a final solution to the problem.

Finally the GUI controller, will with ensuring the proper screen is shown. The controller receive, process and send information from the screens to the question controller. The receive information from the logic controller to use in the questions or map boundary class. The start screen, which will show the initial menu a user will be viewing, this module will take user input to start a game or change the setting of the game. The question controller will display the questions for the user to answer and will pass off this information the the GUI controller. The setting screen will provide a sub-menu which would allow a user to change the functionality of the system in regards to: accessibility, font colors, sizes, and preferences. finally the map screen will be where we provide the user with a map of what the final result is and will take feedback from the user if it is correct or incorrect.

5 Class Responsibility Collaboration (CRC) Cards

This section should contain all of your CRC cards.

Class Name: Expert Controller	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Deals with messages passed from the Question Controller • Passes desired questions to the Question Controller • Creates and deletes tables that relate to experts • Accesses the information by performing a query on the tables • Adds information to tables • Modifies information in the tables 	<ul style="list-style-type: none"> • Establishment Table • Environment Table • Location Table

Table 1: CRC for Expert Controller

Class Name: Question Controller	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Requests questions from the Expert Controller based on the expert's needs • Accesses questions that have already been asked as well as the answers to said questions • Keeps track of the overall state of the game. This includes the number of questions total that have been asked • Provides a solution based on the experts' best guesses • Process answers from the GUI Controller • Provides the next question for the GUI Controller to display 	<ul style="list-style-type: none"> • Expert Controller • Facts Data • GUI Controller

Table 2: CRC for Question Controller

Class Name: Graphics User Interface Controller	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> Controls which boundary class the user can interact with Processes and verifies information to send to the Question Controller Receives information from the Question Controller to display information or direct to answer Tracks the current and past state 	<ul style="list-style-type: none"> Question Controller Map Screen Start Screen Question Screen Setting Screen

Table 3: CRC for Graphics User Interface Controller

Class Name: Start Screen	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> Provide an interface that the user can interact with Send information to the GUI Controller 	<ul style="list-style-type: none"> GUI Controller

Table 4: CRC for Start Screen

Class Name: Settings Screen	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> Display a variety of settings to the user Allow the user to verify the changes to the current settings Allow the user to go back to previous screens 	<ul style="list-style-type: none"> GUI Controller

Table 5: CRC for Settings Screen

Class Name: Question Screen	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> Receives information from the GUI Controller Takes user input from the users response for the question Sends the answer of the question to the GUI Controller Allows user to quit the current game 	<ul style="list-style-type: none"> GUI Controller

Table 6: CRC for Question Screen

Class Name: Map Screen	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Informs the user of the guesses on a map • Informs the user of the guesses as an address • Receives and passes information from the GUI Controller • Requests the user feedback on the correctness of the guess 	<ul style="list-style-type: none"> • GUI Controller

Table 7: CRC for Map Screen

Class Name: Location Data	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Holds the question that have been asked and their associated answers • Holds the number of questions the expert himself has asked • Holds most viable current guesses • Provides a probability in which the guess is correct 	<ul style="list-style-type: none"> • Question Controller

Table 8: CRC for Location Data

Class Name: Environment Data	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Holds the question that have been asked and their associated answers • Holds the number of questions the expert himself has asked • Holds most viable current guesses • Provides a probability in which the guess is correct 	<ul style="list-style-type: none"> • Question Controller

Table 9: CRC for Environment Data

Class Name: Establishment Data	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Holds the question that have been asked and their associated answers • Holds the number of questions the expert himself has asked • Holds most viable current guesses • Provides a probability in which the guess is correct 	<ul style="list-style-type: none"> • Question Controller

Table 10: CRC for Establishment Data

Class Name: Location Database	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Allows for the addition of an location • Allows for the removal of an location • Holds a set of questions that correspond to certain location • Search for location based on question results 	<ul style="list-style-type: none"> • Expert Controller

Table 11: CRC for Location Database

Class Name: Environment Database	
Responsibility:	Collaborators:
<ul style="list-style-type: none"> • Allows for the addition of an environment • Allows for the removal of an environment • Holds a set of questions that correspond to certain environment • Search for environment based on question results 	<ul style="list-style-type: none"> • Expert Controller

Table 12: CRC for Environment Database

Class Name: Establishment Database	
Responsibility:	Collaborators:
<ul style="list-style-type: none">• Allows for the addition of an establishment• Allows for the removal of an establishment• Holds a set of questions that correspond to certain establishments• Search for establishment based on question results	<ul style="list-style-type: none">• Expert Controller

Table 13: CRC for Establishment Database

A Division of Labour

Team Member	Contributions
Gabriel Lopez de Leon	
Maxwell Moore	Wrote introduction(1.0), helped design BE's entered 1,3 into draw.io for submission.
Curtis Milo	Generated the use case diagrams for every business event and the scenarios that correspond to them. Created and refined the class analysis diagram. Created and refined the CRC cards, helped input the class responsibility collaboration cards into the document. Finally edited the grammar of the document and ensured that everything was correct according to the design ideas proposed in the team meetings.
Alexandra Rahman	Wrote the system description and helped come up with the scenarios and use cases. Created the use case diagram for BE4. Collaborated on the CRC cards and the analysis class diagram. Refined the CRC cards and the analysis class diagram. Helped input the class responsibility collaboration cards into the document. Finally, helped edit and format the document.
Connor Sheehan	Created use case diagram for BE3. Added overview section. Added styling.

Table 14: Division of Labour

 Gabriel Lopez de Leon

 Date

 Curtis Milo

 Date

 Maxwell Moore

 Date

 Alexandra Rahman

 Date

 Connor Sheehan

 Date