# Quality and Risk Control

# 1.1 The Goals of Quality

### Correctness and Reliability

In the developed product, the functions should be correct and meet the requirements of the client, extracting and integrating information from the language of the videos. In addition, all functions should be reasonable and legal, and should not be harmful to the rights and interests of stakeholders.

This product can maintain certain performance. In addition, the product should be able to maintain the integrity of output data and input video. In the process of processing and analysing the video, the original video resources should not be damaged. When an incorrect type of input occurs, such as wrong file type or irrelative videos, the product could recognize and give notice in time.

### Usability

The developer should provide sufficient instructions when delivering the product, which means that the user can independently master the method of use. When the product is transferred, the content of the transfer should include the User Guidance.

In addition, product developers should provide sufficient code comments and instructions to ensure the maintainability of the product. There should be clear and distinct comments about important functions in the product's code. If necessary, the developers should explain and comment on the parameters used in algorithms and models.

### Maintainability

The product should be designed with future maintenance and upgrades in mind. Customers and other users should be able to easily modify the parameters of algorithms and models. When the client wants to add more functions or make it learning at a deeper level, the development team does not need to make subversive modifications to the existing code. The developer's design should focus on facilitating maintenance, modification, and testing.

### 1.2 The Methods of Quality Control

#### • Perform performance testing

In the different stages of product development and algorithm construction, performance tests would be carried out according to the current development progress, including the accuracy of the output labels, the algorithm calculation speed, and the frequency of the missing labels. After that, according to the client's needs and the development schedule, it would be determined whether it is necessary to further improve the performance.

# Black box testing

After the construction of the algorithm and model have been basically completed, a certain number of black box tests should be performed with the training set of the video. Extensive tests would be performed to figure out if there are any vulnerabilities and bugs that have not been considered. Once these problems are discovered, the developer needs to immediately make corrections and record them in the current work log.

### • Wrong Input Types Testing

After the basic structure of the product has been completed, the developer should try to use input with wrong types to test the program's ability of handling errors, including but not limited to the wrong file format, wrong video format, and video whose contents are irrelative to the labels.

#### Peer Review

After the code comments and the user guideline are completed, each member of the development team must conduct a peer review of the parts completed by others. When it is found that there is ambiguity, or the content is not detailed enough, it would be necessary to promptly give feedback to the members who wrote the part. Missing code comments or confusing variable names also need to be improved.

#### • Client Review

In each meeting with the client, show the latest progress, and ask the client for views and opinions on quality.

## 2.1 Risk prediction

The table records the identified potential risks and evaluates the level of risk. As the project progresses, different risk levels will change. Meanwhile, the table will also add new identified risks. The updated table will be displayed in the project repository.

Software Development Risk Register						
	Risk Description		Risk label			
	Insufficient QA time to validate by abundant					
A	training video.	High	Development Plan			
В	Too optimistic plan	High	Development Plan			
	Insufficient product performance, some					
C	algorithms need to be redesigned	High	Product			
D	Lacking sufficient training resources	(closed)	Development environment			
	According to testing, user guideline or comments					
E	need to be completed.	Medium	Client			
	It is difficult for developers to implement a					
F	necessary function.	Medium	Personnel			
G	External resource libraries cannot be used.	Low	Development environment			
Н	Feature creep	Low	Development Plan			
Ι	Conflicts and Inequality between members	Low	Personnel			
	difficult to meet the due time of the client's					
J	temporary needs	High	Client			
		Audit 2 Updated				

## 2.2 Risk solution

For the identified risks, the following table is the solution. For the risk changes that occur as the project progresses, the updated table will be displayed in the project repository.

Risk Event	Contingency Plan	Who is Responsible	Potential Cost	Activity
Α	Set aside time for QA and focus based on quality assurance	Manager	Null	Add three additional days of QA time when making the later plan
В	<ul><li>a) Use multiple estimation practices</li><li>b) Development based on schedule</li></ul>	Manager	More planning time	Start working on the first day of each work plan and revise the plan if you find that the workload exceeds expectations
С	Set aside time for QA and focus based on quality assurance	Manager	Null	Same as A
D	<ul> <li>a) Communicate with client in advance about available training resources</li> <li>b) Assign to someone to be responsible for collecting resources</li> </ul>	Spokesman Manager	Collecting resources may lead to cost consumption	None (The risk has disappeared)
E	Set aside time for QA and focus based on quality assurance	Manager	Null	Same as A
F	<ul><li>a) Reserve key members</li><li>before the project starts</li><li>b) Tutorial</li></ul>	Manager	Tutorials may lead to cost consumption.	Team members study at Github
G	Immediately switch to using other external libraries	Manager	External libraires tend to need money	Managers go to choose open resources at Github
Н	Use user-based practices	Manager	Null	Focusing on function when making plans
I	<ul><li>a) Communicate immediately to resolve conflicts</li><li>b) Re-assign tasks</li></ul>	Spokesman	May cause delays in progress	Spokesmen communicate with each other and team members re-assign tasks.
J	Increase communication frequency	Spokesman	Null	<ul> <li>a) Add more email conversations with customers</li> <li>b) If the deadline of the client's temporary needs is difficult to meet, propose to modify the deadline</li> </ul>