

## SUGGESTED SKILLS

## 1.B

Determine code that would be used to complete code segments.

## 1.C

Determine code that would be used to interact with completed program code.

## 3.E

Write program code to create, traverse, and manipulate elements in 2D array objects.



## AVAILABLE LABS

- Classroom Resources >
  - AP Computer Science A: Picture Lab
  - AP Computer Science A: Steganography Lab

## AVAILABLE RESOURCES

- Runestone Academy: AP CSA—Java Review: 10—Two-dimensional Arrays
- Practice-It!: BJP4 Chapter 7: Arrays—Self-Check 7.31–7.35
- Classroom Resources > GridWorld Resources: A Curriculum Module for AP Computer Science

## TOPIC 8.1

# 2D Arrays

### Required Course Content

#### ENDURING UNDERSTANDING

**VAR-2**

To manage large amounts of data or complex relationships in data, programmers write code that groups the data together into a single data structure without creating individual variables for each value.

#### LEARNING OBJECTIVE

**VAR-2.F**

Represent collections of related primitive or object reference data using two-dimensional (2D) array objects.

#### ESSENTIAL KNOWLEDGE

**VAR-2.F.1**

2D arrays are stored as arrays of arrays. Therefore, the way 2D arrays are created and indexed is similar to 1D array objects.

**EXCLUSION STATEMENT—**(EK VAR-2.F.1): 2D array objects that are not rectangular are outside the scope of the course and AP Exam.

**VAR-2.F.2**

For the purposes of the exam, when accessing the element at `arr[first][second]`, the first index is used for rows, the second index is used for columns.

**VAR-2.F.3**

The initializer list used to create and initialize a 2D array consists of initializer lists that represent 1D arrays.

**VAR-2.F.4**

The square brackets `[row][col]` are used to access and modify an element in a 2D array.

**VAR-2.F.5**

“Row-major order” refers to an ordering of 2D array elements where traversal occurs across each row, while “column-major order” traversal occurs down each column.

## TOPIC 8.2

## Traversing 2D Arrays

## Required Course Content

## ENDURING UNDERSTANDING

## VAR-2

To manage large amounts of data or complex relationships in data, programmers write code that groups the data together into a single data structure without creating individual variables for each value.

## LEARNING OBJECTIVE

## VAR-2.G

For 2D array objects:

- Traverse using nested `for` loops.
- Traverse using nested enhanced `for` loops.

## ESSENTIAL KNOWLEDGE

## VAR-2.G.1

Nested iteration statements are used to traverse and access all elements in a 2D array. Since 2D arrays are stored as arrays of arrays, the way 2D arrays are traversed using `for` loops and enhanced `for` loops is similar to 1D array objects.

## VAR-2.G.2

Nested iteration statements can be written to traverse the 2D array in “row-major order” or “column-major order.”

## VAR-2.G.3

The outer loop of a nested enhanced `for` loop used to traverse a 2D array traverses the rows. Therefore, the enhanced `for` loop variable must be the type of each row, which is a 1D array. The inner loop traverses a single row. Therefore, the inner enhanced `for` loop variable must be the same type as the elements stored in the 1D array.

## SUGGESTED SKILLS

## 2.B

Determine the result or output based on statement execution order in a code segment without method calls (other than output).

## 2.D

Determine the number of times a code segment will execute.

## 3.E

Write program code to create, traverse, and manipulate elements in 2D array objects.

## 4.A

Use test-cases to find errors or validate results.



## AVAILABLE LABS

- Classroom Resources >
  - AP Computer Science A: Picture Lab
  - AP Computer Science A: Steganography Lab

## AVAILABLE RESOURCES

- Runestone Academy: AP CSA—Java Review: 10.7—Looping through a 2D Array
- Practice-It!: BJP4 Chapter 7: Arrays—Exercises 7.19–7.19
- The Exam >
  - 2017 AP Computer Science A Exam Free-Response Question #4 (Position)
  - 2018 AP Computer Science A Exam Free-Response Question #4 (ArrayTester)
  - Past AP Exam Questions on 2D Arrays on AP Question Bank

**ENDURING UNDERSTANDING****CON-2**

Programmers incorporate iteration and selection into code as a way of providing instructions for the computer to process each of the many possible input values.

**LEARNING OBJECTIVE****CON-2.N**

For algorithms in the context of a particular specification that requires the use of 2D array traversals:

- Identify standard algorithms.
- Modify standard algorithms.
- Develop an algorithm.

**ESSENTIAL KNOWLEDGE****CON-2.N.1**

When applying sequential/linear search algorithms to 2D arrays, each row must be accessed then sequential/linear search applied to each row of a 2D array.

**CON-2.N.2**

All standard 1D array algorithms can be applied to 2D array objects.