

Name: _____


Date: _____

Trig Final (SLTN v660)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 3.8 radians. The radius is 69 meters. How long is the arc in meters?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$L = 262.2$ meters.


Question 2

Consider angles $\frac{11\pi}{3}$ and $-\frac{9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{11\pi}{3}\right)$ and $\sin\left(-\frac{9\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\cos(11\pi/3)$

$$\cos(11\pi/3) = \frac{1}{2}$$




Find $\sin(-9\pi/4)$

$$\sin(-9\pi/4) = -\frac{\sqrt{2}}{2}$$

Question 3

If $\sin(\theta) = \frac{-55}{73}$, and θ is in quadrant III, determine an exact value for $\tan(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}A^2 + 55^2 &= 73^2 \\A &= \sqrt{73^2 - 55^2} \\A &= 48\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\tan(\theta) = \frac{\frac{-55}{73}}{\frac{-48}{73}} = \frac{55}{48}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 7.13 meters, a midline at $y = -8.13$ meters, and a frequency of 5.54 Hz. At $t = 0$, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -7.13 \cos(2\pi 5.54t) - 8.13$$

or

$$y = -7.13 \cos(11.08\pi t) - 8.13$$

or

$$y = -7.13 \cos(34.81t) - 8.13$$