

Name: _____


Date: _____

Trig Final (SLTN v669)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 22 meters. The angle measure is 4.1 radians. How long is the arc in meters?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$L = 90.2$ meters.


Question 2

Consider angles $-\frac{8\pi}{3}$ and $\frac{9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(-\frac{8\pi}{3}\right)$ and $\cos\left(\frac{9\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\sin(-8\pi/3)$

$$\sin(-8\pi/3) = -\frac{\sqrt{3}}{2}$$




Find $\cos(9\pi/4)$

$$\cos(9\pi/4) = \frac{\sqrt{2}}{2}$$

Question 3

If $\sin(\theta) = \frac{-77}{85}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}A^2 + 77^2 &= 85^2 \\A &= \sqrt{85^2 - 77^2} \\A &= 36\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{36}{85}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 4.95 Hz, a midline at $y = -7.71$ meters, and an amplitude of 2.73 meters. At $t = 0$, the mass is at the maximum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 2.73 \cos(2\pi 4.95t) - 7.71$$

or

$$y = 2.73 \cos(9.9\pi t) - 7.71$$

or

$$y = 2.73 \cos(31.1t) - 7.71$$