



1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = f(x+2) - 2$$




$$g(x) = 2 \cdot f\left(\frac{x}{2}\right)$$



$$g(x) = \frac{f(2x)}{2}$$




$$g(x) = f(x-2) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f(x+2)}{2}$$




$$g(x) = f\left(\frac{x}{2}\right) - 2$$



$$g(x) = 2 \cdot f(x-2)$$




$$g(x) = f(2x) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f(x+2)}{2}$$




$$g(x) = f(x-2) + 2$$



$$g(x) = 2 \cdot f\left(\frac{x}{2}\right)$$




$$g(x) = f(2x) - 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(2x)$$




$$g(x) = \frac{f\left(\frac{x}{2}\right)}{2}$$



$$g(x) = f(x+2) + 2$$




$$g(x) = f(x-2) - 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(x-2)$$




$$g(x) = f\left(\frac{x}{2}\right) - 2$$



$$g(x) = \frac{f(x+2)}{2}$$




$$g(x) = f(2x) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f(x+2)}{2}$$




$$g(x) = 2 \cdot f(x-2)$$



$$g(x) = f(2x) - 2$$




$$g(x) = f\left(\frac{x}{2}\right) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(x-2)$$




$$g(x) = f\left(\frac{x}{2}\right) + 2$$



$$g(x) = f(x+2) - 2$$




$$g(x) = \frac{f(2x)}{2}$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f(2x)}{2}$$




$$g(x) = 2 \cdot f\left(\frac{x}{2}\right)$$



$$g(x) = f(x-2) + 2$$




$$g(x) = f(x+2) - 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f\left(\frac{x}{2}\right)}{2}$$




$$g(x) = 2 \cdot f(x+2)$$



$$g(x) = f(x-2) - 2$$




$$g(x) = f(2x) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f\left(\frac{x}{2}\right)}{2}$$




$$g(x) = 2 \cdot f(x+2)$$



$$g(x) = f(x-2) + 2$$




$$g(x) = f(2x) - 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = \frac{f(x-2)}{2}$$




$$g(x) = f(2x) - 2$$



$$g(x) = 2 \cdot f\left(\frac{x}{2}\right)$$




$$g(x) = f(x+2) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(x-2)$$




$$g(x) = f(2x) + 2$$



$$g(x) = f\left(\frac{x}{2}\right) - 2$$




$$g(x) = \frac{f(x+2)}{2}$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = f(2x) + 2$$




$$g(x) = f\left(\frac{x}{2}\right) - 2$$



$$g(x) = \frac{f(x-2)}{2}$$




$$g(x) = 2 \cdot f(x+2)$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(x+2)$$




$$g(x) = f(2x) + 2$$



$$g(x) = \frac{f\left(\frac{x}{2}\right)}{2}$$




$$g(x) = f(x-2) - 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = f(x+2) - 2$$




$$g(x) = f\left(\frac{x}{2}\right) + 2$$



$$g(x) = \frac{f(x-2)}{2}$$




$$g(x) = 2 \cdot f(2x)$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(x+2)$$




$$g(x) = \frac{f\left(\frac{x}{2}\right)}{2}$$



$$g(x) = f(2x) + 2$$




$$g(x) = f(x-2) - 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = 2 \cdot f(x-2)$$




$$g(x) = \frac{f(x+2)}{2}$$



$$g(x) = f(2x) - 2$$




$$g(x) = f\left(\frac{x}{2}\right) + 2$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = f(x-2) + 2$$




$$g(x) = \frac{f(x+2)}{2}$$



$$g(x) = f(2x) - 2$$




$$g(x) = 2 \cdot f\left(\frac{x}{2}\right)$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = f(x+2) - 2$$




$$g(x) = f(x-2) + 2$$



$$g(x) = \frac{f\left(\frac{x}{2}\right)}{2}$$




$$g(x) = 2 \cdot f(2x)$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:




Eq:



Eq:




Eq:




1. Each of the curves below represent a different $y = f(x)$. For each, draw a second curve, $y = g(x)$, defined by the equation above the graph.


$$g(x) = f(x-2) + 2$$




$$g(x) = f\left(\frac{x}{2}\right) - 2$$



$$g(x) = \frac{f(x+2)}{2}$$




$$g(x) = 2 \cdot f(2x)$$




2. On each graph below, curve $y = f(x)$ is shown as a dashed line with open dots at key points, and curve $y = g(x)$ is shown as a solid line with closed dots at key points. For each, write an equation that defines $g(x)$ as a transformation of $f(x)$.


Eq:



Eq:



Eq:



Eq:

