Name: Date:

Trig Final (Solution v6)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 2.6 meters. The arc length is 11 meters. What is the angle measure in radians?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$\theta = 4.231$ radians.

Question 2

Consider angles $\frac{-9\pi}{4}$ and $\frac{19\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{-9\pi}{4}\right)$ and $\cos\left(\frac{19\pi}{6}\right)$ by using a unit circle (provided separately).





$\sin(-9\pi/4) = \frac{-\sqrt{2}}{2}$

$\cos(19\pi/6) = \frac{-\sqrt{3}}{2}$

Question 3

If $\cos(\theta) = \frac{-7}{25}$, and θ is in quadrant II, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$7^2 + B^2 = 25^2$$
$$B = \sqrt{25^2 - 7^2}$$
$$B = 24$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\sin(\theta) = \frac{24}{25}$$

Question 4

A mass-spring system oscillates vertically with a midline at $y = 5.94$ meters, an amplitude of 4.35 meters, and a frequency of 8.57 Hz. At $t = 0$, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -4.35\cos(2\pi 8.57t) + 5.94$$

or

$$y = -4.35\cos(17.14\pi t) + 5.94$$

or

$$y = -4.35\cos(53.85t) + 5.94$$