
# Trig Final (SLTN v602)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

#### Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 8.6 meters. The radius is 2.9 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r}$$
  $r = \frac{L}{\theta}$   $L = r\theta$ 

 $\theta = 2.966$  radians.


### Question 2

Consider angles  $\frac{15\pi}{4}$  and  $\frac{-8\pi}{3}$ . For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for  $\cos\left(\frac{15\pi}{4}\right)$  and  $\sin\left(\frac{-8\pi}{3}\right)$  by using a unit circle (provided separately).



Find  $cos(15\pi/4)$ 

$$\cos(15\pi/4) = \frac{\sqrt{2}}{2}$$



Find  $sin(-8\pi/3)$ 

$$\sin(-8\pi/3) = \frac{-\sqrt{3}}{2}$$

## Question 3

If  $\cos(\theta) = \frac{-7}{25}$ , and  $\theta$  is in quadrant III, determine an exact value for  $\sin(\theta)$ .


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$7^2 + B^2 = 25^2$$
  
 $B = \sqrt{25^2 - 7^2}$   
 $B = 24$ 

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\sin(\theta) = \frac{-24}{25}$$

### Question 4

A mass-spring system oscillates vertically with a frequency of 8.36 Hz, a midline at y = -6.46 meters, and an amplitude of 5.4 meters. At t = 0, the mass is at the maximum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 5.4\cos(2\pi 8.36t) - 6.46$$

or

$$y = 5.4\cos(16.72\pi t) - 6.46$$

or

$$y = 5.4\cos(52.53t) - 6.46$$