

Name: _____


Date: _____

Trig Final (SLTN v692)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 270 meters. The radius is 70 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$\theta = 3.857$ radians.


Question 2

Consider angles $-\frac{7\pi}{3}$ and $\frac{9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(-\frac{7\pi}{3}\right)$ and $\cos\left(\frac{9\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\sin(-7\pi/3)$

$$\sin(-7\pi/3) = -\frac{\sqrt{3}}{2}$$




Find $\cos(9\pi/4)$

$$\cos(9\pi/4) = \frac{\sqrt{2}}{2}$$

Question 3

If $\tan(\theta) = \frac{-56}{33}$, and θ is in quadrant IV, determine an exact value for $\sin(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}33^2 + 56^2 &= C^2 \\ C &= \sqrt{33^2 + 56^2} \\ C &= 65\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\sin(\theta) = \frac{-56}{65}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 2.28 Hz, a midline at $y = -7.84$ meters, and an amplitude of 3.53 meters. At $t = 0$, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 3.53 \sin(2\pi 2.28t) - 7.84$$

or

$$y = 3.53 \sin(4.56\pi t) - 7.84$$

or

$$y = 3.53 \sin(14.33t) - 7.84$$