

Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 1)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 2)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 3)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 4)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 5)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 6)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 7)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 8)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 9)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 10)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 11)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.





Name: _____

Date: _____



PCW_0909_draw_even_or_odd (version 12)

A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.





2. I have drawn half of a function. Draw the other half to make it even or odd.





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 13)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 14)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 15)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 16)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 17)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 18)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 19)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 20)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 21)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 22)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 23)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 24)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 25)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 26)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




- I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 27)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 28)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 29)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 30)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 31)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 32)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 33)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 34)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 35)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 36)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 37)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 38)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 39)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 40)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 41)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 42)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 43)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




4. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN



ODD



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 44)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 45)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 46)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 47)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 48)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 49)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD





A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.



Name: _____


Date: _____

PCW_0909_draw_even_or_odd (version 50)


A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

1. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN




ODD




2. I have drawn half of a function. Draw the other half to make it even or odd.

EVEN





ODD



A function is even if $f(x) = f(-x)$ for all x in the domain. A function is odd if $f(x) = -f(-x)$ for all x in the domain.

3. I have drawn half of a function. Draw the other half to make it even or odd.



4. I have drawn half of a function. Draw the other half to make it even or odd.

