


Question 1

In terms of α and β , express all the lengths and other angle measures (θ and ϕ).



Variable	Algebraic expression
$p =$	
$q =$	
$r =$	
$s =$	
$\theta =$	
$t =$	
$u =$	
$\phi =$	
$v =$	
$w =$	

Question 2

The angle-sum and angle-difference identities are listed below:

$$\sin(\alpha \pm \beta) = \sin(\alpha) \cos(\beta) \pm \cos(\alpha) \sin(\beta)$$

$$\cos(\alpha \pm \beta) = \cos(\alpha) \cos(\beta) \mp \sin(\alpha) \sin(\beta)$$

You know the following:

$$\sin(225^\circ) = \frac{-\sqrt{2}}{2}$$

$$\sin(150^\circ) = \frac{1}{2}$$

$$\cos(225^\circ) = \frac{-\sqrt{2}}{2}$$

$$\cos(150^\circ) = \frac{-\sqrt{3}}{2}$$

Determine $\sin(-75^\circ)$ exactly.

Question 3

Prove the (sine) double-angle identity: $\sin(2x) = 2 \sin(x) \cos(x)$

(Hint: start with an angle-sum formula from Question 2.)

Question 4

Prove the (cosine) double-angle identity: $\cos(2x) = 2 \cos^2(x) - 1$

(Hint: start with an angle-sum formula from Question 2. Also, you will need to use the Pythagorean Identity: $\sin^2(x) + \cos^2(x) = 1$)

Question 5

Prove the (cosine) half-angle identity: $\cos\left(\frac{y}{2}\right) = \pm\sqrt{\frac{1+\cos(y)}{2}}$.

(Hint: start with the double-angle identity from Question 4.)

Question 6

Given $\cos(88^\circ) \approx 0.03$, what is $\cos(44^\circ)$? Please set up an expression, but do **not** try to simplify or evaluate a decimal approximation.

(Hint: $88/2 = 44$.)