
Trig Final (SLTN v643)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 510 meters. The radius is 110 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r}$$
 $r = \frac{L}{\theta}$ $L = r\theta$

 $\theta = 4.636$ radians.


Question 2

Consider angles $\frac{-15\pi}{4}$ and $\frac{11\pi}{3}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{-15\pi}{4}\right)$ and $\cos\left(\frac{11\pi}{3}\right)$ by using a unit circle (provided separately).



Find $sin(-15\pi/4)$

$$\sin(-15\pi/4) = \frac{\sqrt{2}}{2}$$




Find $cos(11\pi/3)$

$$\cos(11\pi/3) = \frac{1}{2}$$

Question 3

If $\tan(\theta) = \frac{-72}{65}$, and θ is in quadrant IV, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$65^{2} + 72^{2} = C^{2}$$

$$C = \sqrt{65^{2} + 72^{2}}$$

$$C = 97$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\sin(\theta) = \frac{-72}{97}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 8.73 Hz, a midline at y = -3.87 meters, and an amplitude of 7.21 meters. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 7.21\sin(2\pi 8.73t) - 3.87$$

or

$$y = 7.21\sin(17.46\pi t) - 3.87$$

or

$$y = 7.21\sin(54.85t) - 3.87$$