
# Trig Final (SLTN v650)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

#### Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 17 meters. The angle measure is 4.8 radians. How long is the arc in meters?




$$\theta = \frac{L}{r}$$
  $r = \frac{L}{\theta}$   $L = r\theta$ 

L = 81.6 meters.


## Question 2

Consider angles  $\frac{8\pi}{3}$  and  $\frac{-9\pi}{4}$ . For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for  $\cos\left(\frac{8\pi}{3}\right)$  and  $\sin\left(\frac{-9\pi}{4}\right)$  by using a unit circle (provided separately).



Find  $cos(8\pi/3)$ 

$$\cos(8\pi/3) = \frac{-1}{2}$$




Find  $sin(-9\pi/4)$ 

$$\sin(-9\pi/4) = \frac{-\sqrt{2}}{2}$$

## Question 3

If  $\sin(\theta) = \frac{63}{65}$ , and  $\theta$  is in quadrant II, determine an exact value for  $\cos(\theta)$ .

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$A^{2} + 63^{2} = 65^{2}$$

$$A = \sqrt{65^{2} - 63^{2}}$$

$$A = 16$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\cos(\theta) = \frac{-16}{65}$$

## Question 4

A mass-spring system oscillates vertically with a midline at y = -6.91 meters, an amplitude of 3.19 meters, and a frequency of 5.88 Hz. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 3.19\sin(2\pi 5.88t) - 6.91$$

or

$$y = 3.19\sin(11.76\pi t) - 6.91$$

or

$$y = 3.19\sin(36.95t) - 6.91$$