## P. chaitanya 1N19IS108

## Checking the hadoop version.

## start -dfs.sh

```
hdoop@admin1-HP-280-G4-MT-Business-PC:~$ start-dfs.sh
Starting namenodes on [localhost]
Starting datanodes
Starting secondary namenodes [admin1-HP-280-G4-MT-Business-PC]
```

1.Create a directory named by your name.

hadoop fs -mkdir /chaitanya

hadoop fs -ls /

```
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -mkdir /chaitanya
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /
Found 3 items
drwxr-xr - hdoop supergroup 0 2022-05-25 14:29 /chaitanya
drwxr-xr - hdoop supergroup 0 2021-07-28 12:58 /tmp
drwxr-xr-x - hdoop supergroup 0 2021-07-28 12:56 /user
```

2. Add two empty files into it.

hadoop fs -touchz /chaitanya/file1.txt

hadoop fs -touchz /chaitanya/file2.txt

3. List all the files in the directory that you have created.

hadoop fs -ls /chaitanya

```
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /chaitanya
Found 2 items
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:32 /chaitanya/file1.txt
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:32 /chaitanya/file2.txt
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /rwkir /chaitanya/iNT19IS108
```

4.Create one more directory by your USN and put that inside the directory of your name. hadoop fs -mkdir /chaitanya/1NT19IS108

## hadoop fs -ls /chaitanya

```
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -mkdir /chaitanya/1NT19IS108
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /chaitanya
Found 3 items
drwxr-xr-x - hdoop supergroup 0 2022-05-25 14:34 /chaitanya/1NT19IS108
-rw-r--r- 1 hdoop supergroup 0 2022-05-25 14:32 /chaitanya/file1.txt
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:32 /chaitanya/file2.txt
```

5. Create a file in your local system by the name\_usn.txt and add the contents as "Syntax to list Is command is hadoop fs-Is" cat > harshini\_1NT19IS108.txt
Syntax to list Is command is hadoop fs -Is

```
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ cat > chaitanya_INT19I5108.txt

syntax to list is command is hadoop fs -ls
^Z
[1]+ Stopped cat > chaitanya_INT19IS108.txt
```

Put the file usn\_name.txt in your hdfs directory called usn Put an empty file of hdfs into the local file system.

hadoop fs -touchz /chaitanya/1NT19IS108/1NT19IS108\_chaitanya.txt

hadoop fs -touchz /chaitanya/1NT19IS108/e1.txt

hadoop fs -ls /chaitanya/1NT19IS108

hadoop fs -copyToLocal /chaitanya/1NT19IS108/1NT19IS108\_chaitanya.txt ls

```
Adoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -touchz /chaitanya/1NT19IS108_chaitanya.txt hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -touchz /chaitanya/1NT19IS108_chaitanya.txt hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /chaitanya/1NT19IS108/INT19IS108_chaitanya.txt hdoop@admin1-HP-280-G4-MT-Business-PC:-$ HADOOP Fs -TOUCHZ /CHAITANYA/1NT19IS108/f1.txt HADOOP: command not found hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -touchz /chaitanya/1NT19IS108/f1.txt hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -touchz /chaitanya/1NT19IS108/f1.txt hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -touchz /chaitanya/1NT19IS108
Found 2 items
-TW-F--F-- 1 hdoop supergroup 0 2022-05-25 14:40 /chaitanya/1NT19IS108_chaitanya.txt
-TW-F--F-- 1 hdoop supergroup 0 2022-05-25 14:43 /chaitanya/1NT19IS108/f1.txt
```

Use mv command to move files from local file system and hdfs file system hadoop fs -mv /chaitanya/empty2.txt /h/1NT19IS108 hadoop fs -ls /chaitanya/1NT19IS108

```
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -mv /chaitanya/file2.txt /chaitanya/1NT19IS108
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /chaitanya/1NT19IS108
Found 3 items
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:40 /chaitanya/1NT19IS108/1NT19IS108_chaitanya.txt
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:43 /chaitanya/1NT19IS108/file2.txt
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -mv /chaitanya/file1.txt /chaitanya/1NT19IS108
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /chaitanya/1NT19IS108
Found 4 items
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:40 /chaitanya/1NT19IS108/INT19IS108_chaitanya.txt
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:43 /chaitanya/1NT19IS108/file1.txt
-rw-r--r-- 1 hdoop supergroup 0 2022-05-25 14:43 /chaitanya/1NT19IS108/file1.txt
-rw-r--- 1 hdoop supergroup 0 2022-05-25 14:32 /chaitanya/1NT19IS108/file1.txt
-rw-r---- 1 hdoop supergroup 0 2022-05-25 14:33 /chaitanya/1NT19IS108/file1.txt
```

Experiment of cp command hadoop fs -cp /chaitanya/empty1.txt /chaitanya/1NT19IS108 hadoop fs -ls /chaitanya/1NT19IS108

```
      doop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -cp /chaitanya/file1.txt /chaitanya/1NT19IS108

      doop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -ls /chaitanya/1NT19IS108

      ound 4 ltems

      rw-r--r-
      1 hdoop supergroup
      0 2022-05-25 15:11 /chaitanya/1NT19IS108/1NT19IS108/file1.txt

      rw-r--r-
      1 hdoop supergroup
      0 2022-05-25 15:11 /chaitanya/1NT19IS108/file1.txt

      rw-r--r-
      1 hdoop supergroup
      0 2022-05-25 15:11 /chaitanya/1NT19IS108/file2.txt
```

Display the total size of all files in name directory hadoop fs -du /chaitanya hadoop fs -du -s /chaitanya

```
hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -du /chaitanya/1NT19IS108
0 0 /chaitanya/1NT19IS108/1NT19IS108_chaitanya.txt
0 0 /chaitanya/1NT19IS108/file1.txt
0 0 /chaitanya/1NT19IS108/file1.txt
0 0 /chaitanya/1NT19IS108/file2.txt

hdoop@admin1-HP-280-G4-MT-Business-PC:-$ hadoop fs -du -s /chaitanya
0 0 /chaitanya
```

Display each file size in USN directory Use stat command on name and usn directories.

```
hdoop@adm.tn1-HP-280-G4-MT-Business-PC:-$ hadoop fs -du /chaitanya/1NT19IS108
0 0 /chaitanya/1NT19IS108/1NT19IS108_chaitanya.txt
0 0 /chaitanya/1NT19IS108/fil.txt
0 0 /chaitanya/1NT19IS108/file1.txt
0 0 /chaitanya/1NT19IS108/file1.txt
```

Illustrate the use of append command cat > empty1.txt Hello World hadoop fs -appendToFile empty1.txt /chaitanya/1NT19IS108/empty2.txt hadoop fs -cat /chaitanya/1NT19IS108/empty2.txt