

ed

on

NetExam

Sri Lanka Institute of Information Technology

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

XY + $\bar{X}.\bar{Y}$


X \bar{Y} + $\bar{X}.Y$

$\bar{X}\bar{Y}$ + X.Y

$\overline{XY} + \bar{X}.Y$

None of the above

Next page






Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.



NetExam

Sri Lanka Institute of Information Technology

Find the value of $\int_0^4 g(s) ds$, given that $\int_4^0 g(s) ds = \frac{21}{8}$.

Select one:

- 21/4
- 0
- 9
- 21/8
- None of the above.



DELL

Not yet answered

Marked out of
1.00

 Flag question

$$(x^3 - 1)^2 - x^6 + \sqrt{x} - 1$$

Select one:

$-\frac{12x^{\frac{11}{2}} + 12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$

$-\frac{12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$

$-\frac{12x^{\frac{7}{2}} + 1}{2x^{\frac{3}{2}}}$

$-7x^6 + 6x^2(x^3 - 1) - \frac{1}{2x^{\frac{3}{2}}}$

None of the above



Question 6

Not yet answered
Marked out of
1.00

Flag question

Find,

$$\frac{d}{dx} \left[(\sqrt{x} - 3)(x^2 - 5x) \right]$$

Select one:

$$\frac{\sqrt{x}(5x - 18) - 12x + 36}{2}$$

$$\frac{\sqrt{x}(5x - 15) - 12x + 30}{2}$$

$$\frac{\sqrt{x}(5x - 18) - 16x + 48}{2}$$

$$\frac{\sqrt{x}(5x - 3) - 16x + 8}{2}$$

None of the above

MOXIE

← → × C ⌂ ⌃

 NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of
1.00

 Flag question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

$XY + \bar{X}, \bar{Y}$

$X\bar{Y} + \bar{X}, Y$

$\bar{X}\bar{Y} + X, Y$

$\bar{X}\bar{Y} + \bar{X}, Y$

None of the above





NetExam

Sri Lanka Institute of Information Technology


Question 14

Not answered

0 out of

Flag question

Following circuit is equivalent to:



Select one:

- NOR Gate
- OR Gate
- AND Gate
- NOT Gate
- None of the above


Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

idle

x



NetExam

Sri Lanka Institute of Information Technology

ion 6

Find,

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 5x)]$$

Select one:

$\frac{\sqrt{x}(5x - 18) - 12x + 36}{2}$

$\frac{\sqrt{x}(5x - 15) - 12x + 30}{2}$

$\frac{\sqrt{x}(5x - 18) - 16x + 48}{2}$

$\frac{\sqrt{x}(5x - 3) - 16x + 8}{2}$

None of the above



NetExam

Sri Lanka Institute of Information Technology

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x - 2)^{1/3}$
- $f^{-1}(x) = (x - 2)^{1/2}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.



Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above



Question 17

Not yet answered

Marked out of
.00

Flag question

Convert the number 167_{10} to a base 11 positional number system.

Select one:

- 20A
- 812
- 113
- 11B
- None of the above.



NetExam

Sri Lanka Institute of Information Technology

on 21
answered
out of
question

Convert the number 4221_5 to equivalent decimal numbers.

Select one:

- 561
- 692
- 298
- 332
- None of the above.

Question 7

Not yet answered

Marked out of
1.00

 Flag question

Find,

$$\frac{d}{dx} \left[\frac{x^2 - 9}{2x + 1} \right]$$

Select one:

- $\frac{2(x^2 + x + 9)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 7)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 11)}{(2x + 1)^2}$
- None of the above



Question 2

Not yet answered

Marked out of

0.0

Flag question

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f .

Select one:

- one-to-many
- one-to-one
- many-to-one
- many-to-many
- None of the above



Answer 1 Idempotent Law ▾

Answer 2 Choose... ▾

Answer 3 Universal Bound Law. ▾

Answer 4 Identity Law ▾

on 12

et answered

ed out of

Flag question

Select the suitable answer for each blank.

proof:

$$AB + A$$

$$AB + A1 \quad \{ _ _ \underline{1} _ _ \}$$

$$A(B + 1) \quad \{ _ _ \underline{2} _ _ \}$$

$$A(1) \quad \{ _ _ \underline{3} _ _ \}$$

$$A \quad \{ _ _ \underline{4} _ _ \}$$

Answer 1 Choose... 

Answer 2 Choose... 

Answer 3 Choose... 

Answer 4 Choose... 



NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of
1.00

Flag question

Find the value of the following definite integral.

$$\int_0^2 12x(x+1)(2-x) dx$$

Select one:

- 64
- 32
- 30
- 28
- None of the above

Institute of Information Technology

Select Answer.

Commutative Law is

$$(A + B) + C = A + (B + C)$$

Associative Law is

$$A \cdot (B \cdot C) = (A \cdot B) \cdot (A \cdot C)$$

Distributive Law is

Choose...

Choose...

$$(A + B) + C = A + (B + C)$$

$$B + 1 = 0$$

$$A \cdot (B \cdot C) = (A \cdot B) \cdot (A \cdot C)$$

$$A \cdot (B \cdot C) = (A \cdot B) \cdot (A \cdot C)$$

$$C + 0 = C$$

$$(A \cdot B) + C = A + (B \cdot C)$$



Net Exam

Sri Lanka Institute of Information Technology

8
answered
out of
question

Differentiate the following function with respect to t.

$$5t^3 + \frac{1}{t^{\frac{5}{2}}} - 3$$

Select one:

$15t^2 - \frac{5}{2t^{\frac{3}{2}}}$

$15t^2 + \frac{5t^{\frac{1}{2}}}{2}$

$15t^2 - \frac{5}{2t^{\frac{3}{2}}} - 3$

$15t^2 - \frac{5}{2t^{\frac{1}{2}}}$

None of the above

Question 6

Not yet answered

Marked out of
1.00

Flag question

Find,

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 5x)]$$

Select one:

- $\frac{\sqrt{x}(5x - 18) - 12x + 36}{2}$
- $\frac{\sqrt{x}(5x - 15) - 12x + 30}{2}$
- $\frac{\sqrt{x}(5x - 18) - 16x + 48}{2}$
- $\frac{\sqrt{x}(5x - 3) - 16x + 8}{2}$
- None of the above



Question 7

Not yet answered

Marked out of
1.00

Flag question

Differentiate following function with respect to x

$$\frac{x^2 - 3}{2x + 1}$$

Select one:

- $\frac{2(x^2 + x + 4)}{(2x + 1)^2}$
-  $\frac{2(x^2 + x + 3)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 1)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- None of the above



vered
of
stion

Find the value of the following definite integral:

$$\int_{-1}^1 \frac{x^2 - \sqrt{25x^2}}{x} dx$$

Select one:

- 10
- 10
- 0
- 1
- None of the above

Differentiate, with respect to x,

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above

Differentiate following function with respect to x

$$\frac{x^2 - 3}{2x + 1}$$

Select one:

- $\frac{2(x^2 + x + 4)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 3)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 1)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- None of the above

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above



Next page

1
8
15
22

Mary deposits \$ 450 in a savings account at 2.5% simple annual interest. The value

of this account, v , is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

Find,

$$\int (x^3 - 5x + 8) \, dx$$

Select one:

- $\frac{x(x^3 - 10x + 20)}{4} + C$
- $\frac{x(x^3 - 10x + 24)}{4} + C$
- $\frac{x(x^3 - 10x + 32)}{4} + C$
- $\frac{x(x^3 - 10x - 12)}{4} + C$
- None of the above

Moodle

NetExam
Sri Lanka Institute of Information Technology

Question 8
Not yet answered
Marked out of 1.00
Flag question

Differentiate with respect to x,

$$-12x^2 + x^{\frac{3}{2}} - 3$$

Select one:

- $\frac{1}{2\sqrt{x}} - 24x$
- $-24x + \frac{3\sqrt{x}}{2} - 3$
- $24x + \frac{3\sqrt{x}}{2}$
- $\frac{3\sqrt{x}}{2} - 24x$
- None of the above

Quiz n
Finish attempt
Time left: 0:37
1 2
3 4
5 6
7 8
9 10
11 12
13 14
15 16
17 18
19 20
21 22
23 24
25 26
27 28
29 30
31 32
33 34
35 36
37 38
39 40
41 42
43 44
45 46
47 48
49 50
51 52
53 54
55 56
57 58
59 60
61 62
63 64
65 66
67 68
69 70
71 72
73 74
75 76
77 78
79 80
81 82
83 84
85 86
87 88
89 90
91 92
93 94
95 96
97 98
99 100



Differentiate the following function with respect to x,

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$
- $$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$
- $$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$
- None of the above



SLIT

Sri Lanka Institute of Information Technology

on 4
t answered
d out of
g question

Find the value of $\int_0^3 h(t) dt$, given that $\int_3^0 h(t) dt = 6$.

Select one:

- 6
- 0
- 9
- 21/8
- None of the above.

Moodle

NetExam

Sri Lanka Institute of Information Technology

Section 9

Not yet answered

Marked out of 0


Flag question

Integration

$\int x^3 - 2x + 5 \, dx$

Select one:

- $\frac{x(x^3 - 4x + 20)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x(x^3 - 4x + 12)}{4} + C$
- $\frac{x(x^3 - 4x - 8)}{4} + C$
- None of the above



Mary deposits \$ 450 in a savings account at 2.5% simple annual interest. The value of this account, v , is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

**Question 12**

Not yet answered

Marked out of
4.00

Flag question

Select the suitable answer for each blank.

$$Q = (A + B).(A + C)$$

 $A.A + A.C + A.B + B.C$ - Distributive law $A + A.C + A.B + B.C$ - 1 $A(1 + C) + A.B + B.C$ - Distributive law $A.1 + A.B + B.C$ - 2 $A(1 + B) + B.C$ - Distributive law $A.1 + B.C$ - 3 $Q = A + (B.C)$ - 4Answer 1 Answer 2 Answer 3 Answer 4



Find the value of the following definite integral:


$$\int_{1}^{7} x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above



Following circuit is equivalent to,



Select one:

- OR Gate
- NOR Gate
- NAND Gate
- NOT Gate
- None of the above



NetExam

Sri Lanka Institute of Information Technology


answered
out of
question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x - 2)^{1/2}$
- $f^{-1}(x) = (x - 2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

WB - 1000



Find the dual of the following expression.

$$(a + 0 + 1).(b \cdot c) = b \cdot c \cdot 1$$

Select one:

- $(a \cdot 0 \cdot 1) \cdot (b+c) = b+c+1$
- $(a \cdot 0 \cdot 1) + (b+c) = b+c+1$
- $(a \cdot 1 \cdot 0) + (b+c) = b+c+0$
- $(a \cdot 1 \cdot 0)(b+c) = b+c$
- None of the above

$$f(x) = 2(24 - 5x)^{1/2}$$

is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

$f^{-1}(x) = 12 - x^2/20$



$f^{-1}(x) = 5/2 + x/4$

$f^{-1}(x) = 24/5 + x^2/20$

$f^{-1}(x) = 24/5 - x^2/20$

 None of the above

Next page



NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of

0.00

Flag question

Simplify.

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 + 2)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 288x^2 + 440x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above

**Question 13**

Not yet answered

Marked out of
1.00

Flag question

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

$\bar{X}YZ + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$

$\bar{X}YZ + X\bar{Y}Z + XY\bar{Z} + XYZ$

$\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$

$\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + \bar{X}YZ$

None of the above


Quiz na

Finish attempt

Time left 0:21:32

1	2	3
9	10	11
17	18	19

Next page



NetExamination

Sri Lanka Institute of Information Technology

Convert the number 125.125_{10} to the equivalent binary number.

Select one:

- 100010001.01
- 100010001.111
- 100101100.11
- 1111101.001
- None of the above.

Differentiate following function with respect to x

$$\frac{x^2 - 3}{2x + 1}$$

Select one:

- $\frac{2(x^2 + x + 4)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 3)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 1)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

tion 10

ret answered
ed out of

ing question

Select the Correct Answer.

A Variant of Associative Law is,

A Variant of Identity Law is,

A Variant of Distributive Law is,

Choose...

Choose...

$$A \cdot (B \cdot C) = (A \cdot B) \cdot (A \cdot C)$$


$$A + (B + C) = (A + B) + (A + C)$$

$$(A + B) + C = A + (B + C)$$

$$C + 0 = C$$

$$(A \cdot B) + C = A + (B \cdot C)$$

$$B + 1 = B$$





NetExam

Sri Lanka Institute of Information Technology

Question 22

Not yet answered

Marked out of
1.00

Flag question

$$A = 0111101 + 1001001$$



Find the 2's Complement of A.

(No spaces should be there in your answer)

Answer:

Next page



NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x ,

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$
- $$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$
- $$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

$X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$

$XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$

$X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$

$\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$

None of the above

Quiz navigation

Finish attempt ...

Time left: 0:23:51

1	2	3	4	5
8	9	10	11	12
15	16	17	18	19
22	23			

Next page



Differentiate with respect to x .

$$(x^2 - 1)^{\frac{3}{2}} = x^3 + \sqrt{x} - 1$$

Select one:

$\frac{2x\sqrt{x} + 2x\sqrt{x} - 3}{2\sqrt{x}}$

$\frac{2x\sqrt{x} - 3}{2\sqrt{x}}$

$\frac{2x\sqrt{x} + 3}{2\sqrt{x}}$

$-2x^2 + 6x^2(x^2 - 1) = \frac{3}{2x\sqrt{x}}$

None of the above



ion 5
et answered
ed out of
ing question

Differentiate, with respect to x,

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above



differentiate the following function with respect to x ,


$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

$$\sqrt{x}(5x - 9) - 6x + 9$$

$$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$

$$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$



$$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$

None of the above

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:


$\bar{X}YZ + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$

$\bar{X}YZ + X\bar{Y}Z + XY\bar{Z} + XYZ$

$\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$

$\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + \bar{X}YZ$

None of the above



Question 12

Not yet answered
Marked out of
4.00

Flag question

Select the suitable answer for each blank.

$$Q = (A + B)(A + C)$$

$A \cdot A + A \cdot C + A \cdot B + B \cdot C$ - Distributive law

$A + A \cdot C + A \cdot B + B \cdot C$ - 1

$A(1 + C) + A \cdot B + B \cdot C$ - Distributive law

$A \cdot 1 + A \cdot B + B \cdot C$ - 2

$A(1 + B) + B \cdot C$ - Distributive law

$A \cdot 1 + B \cdot C$ - 3

$Q = A + (B \cdot C)$ - 4

Answer 1

Answer 2

Answer 3

Answer 4

☰ Qu

Finish a

Time le

1

9

17

1



NetExam

Sri Lanka Institute of Information Technology

Question 2
Not yet answered
Marked out of
1.00

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v , is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

on 3
answered
d out of
g question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

oodle x
→ X C | i | A



NetExam

Sri Lanka Institute of Information Technology

on 9

er answered
ed out of
ing question

Simplify

$$\int x^3 - 2x + 5 \, dx$$

Select one:

- $\frac{x(x^3 - 4x + 20)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x(x^3 - 4x + 12)}{4} + C$
- $\frac{x(x^3 - 4x - 8)}{4} + C$
- None of the above



6
swered
ut of
uestion

Calculate the 1's complement for the following binary number.

1000111011001

Select one:

- 11101101100011
- 10111111001111
- 111000100110
- 0101010000001
- None of the above.



NetExam

Sri Lanka Institute of Information Technology

Question 17

Not yet answered

Marked out of
.00

Flag question

Convert the number 168_{10} to a base 3 number system.

Select one:

- 22001
- 11111
- 10002
- 20020
- None of the above.

Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 - 3)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 420x \downarrow 216$
- $68x^3 - 288x^2 + 416x - 216$
- $68x^3 - 96x^2 + 36x - 8$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above



Question 2

Not yet answered

Marked out of
0.00

Flag question

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v , is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Select the suitable answer for each blank.

$$Q = (A + B)(A + C)$$

$$A.A + A.C + A.B + B.C \quad - \text{Distributive law}$$

$$A + A.C + A.B + B.C \quad - \quad \textcircled{1}$$

$$A(1 + C) + A.B + B.C \quad - \text{Distributive law}$$

$$A.1 + A.B + B.C \quad - \quad \textcircled{2}$$

$$A(1 + B) + B.C \quad - \text{Distributive law}$$

$$A.1 + B.C \quad - \quad \textcircled{3}$$

$$Q = A + (B.C) \quad - \quad \textcircled{4}$$

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...



Question 3

Not yet answered


Marked out of
1.00

Flag question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x - 2)^{1/3}$
- $f^{-1}(x) = (x - 2)^{1/2}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above



NetExamination

Sri Lanka Institute of Information Technology

Find,

$$\frac{d}{dx} [(2\sqrt{x} - 3)(x^2 - 4x)]$$

Select one:

- $\sqrt{x}(5x - 12) - 6x + 12$
- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 15) - 12x + 30}{2}$$
- $$\frac{\sqrt{x}(5x - 3) - 16x + 8}{2}$$
- None of the above

C | i | A

NetExam

Sri Lanka Institute of Information Technology

Convert the number 300.75_{10} to the equivalent binary number.

Select one:

- 100010001.01
- 100010001.111
- 100101100.11
- 1111101.001
- None of the above.

on 8

not answered
out of

g question

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

Select one:

$-\frac{2}{x^3} - 3$

$-\frac{1}{x^3} - 3$



$-\frac{1}{x^3} - 4$

$\frac{1}{5x^2}$

None of the above.



QUESTION

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of
1.00

Flag question

Find the value of the following definite integral.

$$\int_{-1}^1 \frac{(x+2)^2}{x^4} dx$$

Select one:

- 7
- 14/3
- 14/3
- 3/14
- None of the above



Answered
of
question

Differentiate the following function with respect to t,

$$5t^3 + \frac{1}{t^{\frac{5}{2}}} - 3$$

Select one:

- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- $15t^2 + \frac{5t^{\frac{3}{2}}}{2}$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}} - 3$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- None of the above



Simplify

$$\int (x^3 - 6x + 8) \, dx$$

Select one:

- $\frac{x(x^3 - 12x + 32)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x(x^3 - 4x + 12)}{4} + C$
- $\frac{x(x^3 - 4x - 8)}{4} + C$
- None of the above

A Variant of Identity Law is,

A Variant of Distributive Law is,

Choose...

Choose...

$$B + 1 = 0$$

$$(A \cdot B) + C = A + (B \cdot C)$$


$$A + (B \cdot C) = (A + B) \cdot (A + C)$$

$$C + 0 = C$$

$$(A + B) + C = A + (B + C)$$

$$A \cdot (B \cdot C) = (A \cdot B) \cdot (A \cdot C)$$

Following circuit is equivalent to;



Select one:

- OR Gate
- AND Gate
- NAND Gate
- NOT Gate
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Question 13
Not yet answered
Marked out of 1.00
 Flag question


Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above



Following circuit is equivalent to:



Select one:

- OR Gate
- AND Gate
- NOR Gate
- NAND Gate
- None of the above

NetExam
Sri Lanka Institute of Information Technology

SLIIT

Question 21
Not yet answered
Marked out of 1.00
Flag question

Convert the number 361₉ to equivalent decimal numbers.

Select one:

- 561
- 692
- 298
- 332
- None of the above.

Next page

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f .

Select one:

- one-to-one
- one-to-many
- many-to-many
- many-to-one
- None of the above



Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $a + 1 = (a \cdot b \cdot c \cdot 1) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 0) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above

Question 12

Not yet answered

Marked out of
4.00

Flag question

Select the suitable answer for each blank.

$$Q = (A + B).(A + C)$$

$$A.A + A.C + A.B + B.C \quad - \text{Distributive law}$$

$$A + A.C + A.B + B.C \quad - \quad \textcircled{1}$$

$$A(1 + C) + A.B + B.C \quad - \text{Distributive law}$$

$$A.1 + A.B + B.C \quad - \quad \textcircled{2}$$

$$A(1 + B) + B.C \quad - \text{Distributive law}$$

$$A.1 + B.C \quad - \quad \textcircled{3}$$

$$Q = A + (B.C) \quad - \quad \textcircled{4}$$


Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...

acer



Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 - 3)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 420x + 216$
- $68x^3 - 288x^2 + 416x - 216$
- $68x^3 - 96x^2 + 36x - 8$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above



Question 1

Not yet answered

Marked out of
2.00


Flag question

Simplify.

$$\int_{-2}^1 |3x + 5| \, dx$$

Select one:

- 32/3
- 65/6
- 11
- 11
- None of the above



X

NetExam

Sri Lanka Institute of Information Technology

vered
of
stion

Convert the number 167_{10} to a base 11 positional number system.

Select one:

- 20A
- 812
- 113
- 11B
- None of the above.

Differentiate the following function with respect to x ,

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$
- $$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$
- $$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$
- None of the above



codie

→ X | ⓘ | ⌂

NetExam

Sri Lanka Institute of Information Technology

Question 6
Not yet answered
Marked out of 10
Flag question

Differentiate.

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 4x)]$$

Select one:

- $\frac{\sqrt{x}(5x - 12) - 12x + 24}{2}$
- $\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$
- $\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$
- $\sqrt{x}(5x - 9) - 6x + 9$
- None of the above

Select the suitable answer for each blank.

Proof: $a(a + b)$

$$= (a+0)(a + b) \quad (1)$$

$$= a+0\cdot b \quad (2)$$

$$= a + 0 \quad (3)$$

$$= a \quad (4)$$

Answer 1 Distributive Law

Answer 2 IdentityLaw

Answer 3 Universal Bound Law

Answer 4 IdentityLaw

NetExam

Sri Lanka Institute of Information Technology

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean-expression which matches the above circuit?

Select one

$\bar{X}YZ + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$

$\bar{X}YZ + X\bar{Y}Z + XY\bar{Z} + XYZ$

$\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$

$\bar{X}Y\bar{Z} + X\bar{Y}Z + XY\bar{Z} + \bar{X}YZ$

None of the above

Next





Differentiate with respect to t,

$$24t^2 + \frac{1}{t^{\frac{3}{2}}} - 3$$

Select one:

- $24t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t - \frac{3}{2t^{\frac{5}{2}}} - 3$
- $48t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t + \frac{3\sqrt{t}}{2} - 3$
- None of the above



Question 11

Not yet answered

Marked out of
1.00

Flag question:

Find the dual of the following expression.

$$(a + 0).(b + 1) = a$$

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above

Simplify,

$$\int_{2}^{3} |2x - 5| \, dx$$

Select one:

- 0.5
- 0.5
- 1
- 1
- 2



Next Page



Question 5

Not yet answered
Marked out of
1.00

Flag question

Differentiate, with respect to x.

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above

Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 + 2)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 288x^2 + 440x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

Select the Correct Answer.

A variant of Associative Law is,

Choose...

A Variant of Identity Law is,

Choose...

A Variant of Distributive Law is,

Choose...



on 11

answered

out of

3 question

Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $a + 1 = (a \cdot b \cdot c \cdot 1) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 0) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above

Differentiate, with respect to x,

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above




Question 14

Not yet answered

Marked out of
1.00

Flag question

Following circuit is equivalent to:



Select one:

- OR Gate
- AND Gate
- NAND Gate
- NOT Gate
- None of the above

Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 + 2)^2 \right]$$

Select one:


- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 288x^2 + 440x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above

Differentiate, with respect to x,

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above





NetExam

Sri Lanka Institute of Information Technology

3

Answered
of
question

Simplify the following boolean expression.

$$\overline{A} \overline{B} \overline{C} + A \overline{B} \overline{C} + \overline{A} \overline{B} \overline{C} + \overline{A} \overline{B} \overline{C}$$

Select one:

$$\bar{A}\bar{B}\bar{C}$$

$$\bar{B}\bar{C}$$

$$(\bar{A} + \bar{B})\bar{C}$$

$$(A + \bar{B})\bar{C}$$

None of the above

Google

x C | i | A

NetExam

Sri Lanka Institute of Information Technology

Question 5
Answered
out of
question

Simplify.

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 - 3)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 420x - 216$
- $68x^3 - 288x^2 + 416x - 216$
- $68x^3 - 96x^2 + 36x - 8$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above

③ # \$ % ^ & * ()

2 3 4 5 6 7 8 9 ^ S A

Q W E R T Y U I , .



A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above



Find the value of the following definite integral.

$$\int_{1}^{7} x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above



Moodle

it21047756 Weerasekara.W

NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of 1.00

Flag question

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above

Finish attempt ...

Time left 0:22:26

1 2 3
9 10 11
17 18 19

Next page

Differentiate with respect to x,

$$(x^3 - 1)^2 - x^6 + \sqrt{x} - 1$$

Select one:

$$-\frac{12x^{\frac{11}{2}} + 12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$$

$$-\frac{12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$$

$$-\frac{12x^{\frac{7}{2}} + 1}{2x^{\frac{3}{2}}}$$

$$-7x^6 + 6x^2(x^3 - 1) - \frac{1}{2x^{\frac{3}{2}}}$$

None of the above

differentiate.

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 4x)]$$

Select one:

$\frac{\sqrt{x}(5x - 12) - 12x + 24}{2}$

$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$

$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$

$\sqrt{x}(5x - 9) - 6x + 9$

None of the above



Question 4

Not yet answered

Marked out of

0

Flag question

Find the value of the following definite integral.

$$\int_{-3}^3 x^3 - x \, dx$$

Select one:


- 5
- 10
- 0
- 4
- None of the above

Question 14

Not yet answered

Marked out of
1.00 Flag question

Following circuit is equivalent to:



Select one:

- OR Gate
- AND Gate
- NOR Gate
- NAND Gate
- None of the above



Differentiate with respect to x,

$$-12x^2 + x^{\frac{3}{2}} - 3$$

Select one:

- $\frac{1}{2\sqrt{x}} - 24x$ 
- $-24x + \frac{3\sqrt{x}}{2} - 3$
- $24x + \frac{3\sqrt{x}}{2}$
- $\frac{3\sqrt{x}}{2} - 24x$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

i21103322 Bandara A.M.S.S.i21103322

Question 2

Not yet answered

Marked out of
1.00

Flag question

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Quiz navigation

[Finish attempt ...](#)

Time left 0:55:59

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	

[Next page](#)

Question 22

Not yet answered

Marked out of

0.00

Flag question

$$A = 0111101 + 1001001$$



Find the 2's Complement of A.

(No spaces should be there in your answer)

Answer:



NetExam

Sri Lanka Institute of Information Technology

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f .

Select one:

- one-to-many
- one-to-one
- many-to-one
- many-to-many
- None of the above





NetExam

Sri Lanka Institute of Information Technology

2
answered
out of
question

Mary deposits \$ 450 in a savings account at 2.5% simple annual interest. The value of this account, v , is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

Select the suitable answer for each blank.

Proof: $a(a + b)$

$$= (a+0)(a + b) \quad |(1)$$

$$= a+0\cdot b \quad (2)$$

$$= a + 0 \quad (3)$$

$$= a \quad (4)$$

Answer 1 Choose... ▾



Answer 2 Choose... ▾

Answer 3 Choose... ▾

Answer 4 Choose... ▾

Mary deposits \$ 450 in a savings account at a bank. The value of this account, v , is given by the function of years the money is in the bank. What is

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered
Marked out of
0

Flag question

Find the value of $\int_{\frac{3\pi}{2}}^0 f(x) dx$, given that $\int_0^{\frac{3\pi}{2}} f(x) dx = \frac{21}{4}$.

Select one:

- 21/4
- 0
- 21/4
- 7
- None of the above.

Select the suitable answer for each blank.

Proof: $a(a + b)$

$$= (a+0)(a + b) \quad (1)$$

$$= a+0\cdot b \quad (2)$$

$$= a + 0 \quad (3)$$

$$= a \quad (4)$$

Answer 1 Choose... ▾

Answer 2 Choose... ▾

Answer 3 Choose... ▾

Answer 4 Choose... ▾

**Question 16**

Not yet answered

Marked out of

0

[Flag question](#)

Calculate the 1's complement for the following binary

1000111011001

Select one:

- 11101101100011
- 10111111001111
- 111000100110
- 0101010000001
- None of the above.



NetExam

Sri Lanka Institute of Information Technology

Answered
out of
question

Find the value of $\int_0^{\frac{21}{4}} f(t) dt$, given that $\int_{\frac{21}{4}}^0 f(t) dt = 7$.



Select one:

- 6
- 0
- 9
- 21/8
- None of the above.

**Question 12**

Not yet answered

Marked out of
4.00

Flag question

Select the suitable answer for each blank.

$$\begin{aligned} A + \overline{A}B &= A I + \overline{A}B \\ &= A(I + B) + \overline{A}B \quad L_1_ \\ &= A + AB + \overline{A}B \quad L_2_ \\ &= A + B(A + \overline{A}) \quad L_3_ \\ &= A + B \quad L_4_ \end{aligned}$$

- | | |
|----------|-----------|
| Answer 1 | Choose... |
| Answer 2 | Choose... |
| Answer 3 | Choose... |
| Answer 4 | Choose... |

Moodle

it21046902 Pierera

NetExam
Sri Lanka Institute of Information Technology

Question 4
Not yet answered
Marked out of 1.00

Find the value of $\int_0^{\frac{21}{4}} f(t) dt$, given that $\int_{\frac{21}{4}}^0 f(t) dt = 7$.

Select one:

- 6
- 0
- 9
- 21/8
- None of the above.

Finish attempt ...
Time left: 0:50:38

1	2	3
8	9	10
15	16	17
22	23	

Differentiate the following function with respect to x

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$
- $$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$
- $$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Find the dual of the following expression.

$$a \cdot b \cdot c \cdot 0 = (a+b+1) \cdot 0$$

Select one:

- $a+b+c+1 = 1$
- $a+b+c+0 = (a \cdot b \cdot 1)+1$
- $a+b+c+1 = (a \cdot b \cdot 1)+1$
- $a+b+c+0 = (a \cdot b \cdot 1)+0$
- None of the above



Question 13

Not yet answered

Marked out of
1.00

Flag question

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above

≡ Quiz

Finish attempt

Time left 0:

1	2
9	10
17	18

[Next page](#)

Question 6

Not yet answered

Marked out of
1.00

Flag question

Differentiate,

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 4x)]$$

Select one:

- $\frac{\sqrt{x}(5x - 12) - 12x + 24}{2}$
- $\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$
- $\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$
- $\sqrt{x}(5x - 9) - 6x + 9$
- None of the above

[Next page](#)

DELL

≡ Q

Finish

Time left

1
8
15
22
2

Activity



Question 8

Not yet answered

Marked out of
1.00


Flag question

Differentiate with respect to t.

$$24t^2 + \frac{1}{t^{\frac{1}{2}}} - 3$$

Select one:

- $24t - \frac{3}{2t^{\frac{1}{2}}}$
- $48t - \frac{3}{2t^{\frac{1}{2}}} - 3$
- $48t - \frac{3}{2t^{\frac{1}{2}}}$
- $48t + \frac{3\sqrt{t}}{2} - 3$
- None of the above



NetExamination

Sri Lanka Institute of Information Technology

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

acer

Moodle

← → X C | O | A

SLIIT

No Exam

Sri Lanka Institute of Information Technology

Q No. 3 Answered

Marked out of 2.00

Flag question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x - 2)^{1/2}$
- $f^{-1}(x) = (x - 2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above



1


wered
t of
estion

Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $a + 1 = (a \cdot b \cdot c \cdot 1) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 0) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above



Select one:

- NOT gate
- OR gate
- AND gate
- NOR gate
- NAND gate
- None of the above



Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

die

X



NetExam

Sri Lanka Institute of Information Technology

13

answered


out of

question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression above circuit.

Select one:

- $XY + \bar{X}\bar{Y}$
- $X\bar{Y} + \bar{X}Y$
- $\bar{X}\bar{Y} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above



Moodle

NetExam
Sri Lanka Institute of Information Technology

Question 3
Not yet answered
Marked out of 2.00
Flag question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

Next page



12

answered
out of
g question

Select the suitable answer for each blank.

proof:

$$AB + A$$

$$AB + A1 \quad (\underline{\hspace{1cm}} \underline{\hspace{1cm}})$$

$$A(B + 1) \quad (\underline{\hspace{1cm}} \underline{\hspace{1cm}})$$

$$A(1) \quad (\underline{\hspace{1cm}} \underline{\hspace{1cm}})$$

$$A \quad (\underline{\hspace{1cm}} \underline{\hspace{1cm}})$$

Answer 1

Answer 2

Answer 3

Answer 4

Choose...

- Choose...
- Universal Bound Law
- Distributive law
- IdentityLaw
- De Morgan's Law
- Identity Law
- Inverse Law
- Associative Law
- Commutative Law
- Distributive Law

Differentiate, with respect to x,

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above



tion 4

yet answered
ed out of

Flag question

Find the value of the following definite integral.

$$\int_0^2 12x(x+1)(2-x) dx$$

Select one:

- 64
- 32
- 30
- 28
- None of the above

Find.

$$\int (x^3 - 5x + 8) dx$$

Select one:

- $\frac{x(x^3 - 10x + 20)}{4} + C$
- $\frac{x(x^3 - 10x + 24)}{4} + C$
- $\frac{x(x^3 - 10x + 32)}{4} + C$
- $\frac{x(x^3 - 10x - 12)}{4} + C$
- None of the above

 NetExam
Sri Lanka Institute of Information Technology

Simplify.

$$\int_{-2}^{-1} |2x + 3| \, dx$$

Select one:

- 1
- 2
- 0.5
- 1
- 0.5

ASUS VivoBook



Select the suitable answer for each blank.

$$\text{Proof: } a(a + b)$$

$$= (a+0)(a + b) \quad (1)$$

$$= a+0\cdot b \quad (2)$$

Choose...

IdentityLaw

Identity Law

Commutative Law

Associative Law

Universal Bound Law

Inverse Law

Distributive Law

De Morgan's Law

Distributive law

Answer 1

Choose... 

Answer 2

Choose... 

Answer 3

Choose... 

Answer 4

Choose... 

Simplify.

$$\int_{-2}^1 |3x + 5| \, dx$$

Select one:

- 32/3
- 65/6
- 11
- 11
- None of the above


Following circuit is equivalent to.



Select one:

- OR Gate
- NOR Gate
- NAND Gate
- NOT Gate
- None of the above

X



NetExam

Sri Lanka Institute of Information Technology

Find the dual of the following expression.

$$(a + 0).(b + 1) = a$$

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above



$$\frac{d}{dx} \left[\frac{x^2 - 5}{2x + 1} \right]$$

Select one:

- $\frac{2(x^2 + x + 5)}{(2x + 1)^2}$
- $\frac{2(x^2 + x - 5)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 11)}{(2x + 1)^2}$
- None of the above

Simplify the following boolean expression.

$$(A + B)(\bar{A} + C)(B + C)$$

Select one:

$(A + B)(\bar{A} + C)$

$(\bar{A} + \bar{B})(A + C)$

$(\bar{A} + B)(A + C)$

$(\bar{A} + \bar{C})(A + B)$

None of the above

Find the value of the following definite integral:

$$\int_{-2}^{-1} (s^2 + 2s + 2) ds$$

Select one:

- 3/4
- 4/3
- 1/3
- 2/3
- None of the above

file

x



NetExam

Sri Lanka Institute of Information Technology

Select the Correct Answer.

A variant of Universal Bound Law is,

Choose... ▾

A Variant of Identity Law is,

Choose... ▾

A Variant of Idempotent Law is,

Choose... ▾

Select the suitable answer for each blank.

$$Q = (A + B)(A + C)$$

$$A.A + A.C + A.B + B.C \quad - \text{Distributive law}$$

$$A + A.C + A.B + B.C \quad - \quad \textcircled{1}$$

$$A(1 + C) + A.B + B.C \quad - \text{Distributive law}$$

$$A.1 + A.B + B.C \quad - \quad \textcircled{2}$$

$$A(1 + B) + B.C \quad - \text{Distributive law}$$

$$A.1 + B.C \quad - \quad \textcircled{3}$$

$$Q = A + (B.C) \quad - \quad \textcircled{4}$$

Answer 1 Choose... ▾

Answer 2 Choose... ▾

Answer 3 Choose... ▾

Answer 4 Choose... ▾

F3

F4

F5

F6

F7

F8



NetExam

Sri Lanka Institute of Information Technology

Question 11

Not yet answered

Marked out of
1.00

Flag question

Find the dual of the following expression.

$$a \cdot b \cdot c \cdot 0 = (a + b + 1) \cdot 0$$

Select one:

- $a + b + c + 1 = 1$
- $a + b + c + 0 = (a \cdot b \cdot 1) + 1$
- $a + b + c + 1 = (a \cdot b \cdot 1) + 1$
- $a + b + c + 0 = (a \cdot b \cdot 1) + 0$
- None of the above

**Question 10**

Not yet answered

Marked out of
3.00

Flag question

Select the Correct Answer.

A variant of Universal Bound Low is,

A Variant of Identity Low is,

A Variant of Idempotent Low is,

Choose... ▾

Choose...

 $B + 1 = 0$ $C + 0 = C$ $A \cdot 1 = 0$ $B + 1 = 1$ $A \cdot A = A$ $A + 0 = 1$



NetExam

Sri Lanka Institute of Information Technology

Question 13Not yet answered
Marked out of
1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

≡ Qui

Finish att

Time left

1	2
8	9
15	16
22	23

Next page

NetExam

Sri Lanka Institute of Information Technology

3
answered
out of
Flag question

$$f(x) = 2(24 - 5x)^{1/2}$$

is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

16

April
THURSDAY

WEEK 16

$$6) \int_0^2 12x(x+1)(2-x)dx$$

$$2dx = 12dx^3 - 12dx^2 + 24dx^2$$

$$7) f(x) = (2x-1)^2 + (x^2 - 2)^2$$

$$8) \frac{d}{dx} [(\sqrt{x}-3)(x^2-2x)]$$

$$\bullet \frac{5x\sqrt{x} - 6\sqrt{x} - 6x + 12}{2}$$

$$9) \frac{d}{dx} \left[\frac{x^2 - 7}{2x+1} \right]$$

$$\bullet \frac{2x^2 + 2x + 14}{(2x+1)^2} = \frac{2(x^2 + 5x + 7)}{(2x+1)}$$

$$10) \frac{d}{dx} \left(\frac{x^2 - 5}{2x+1} \right)$$

$$\frac{2(x^2 + 2x + 5)}{(2x+1)^2}$$

13

answered
out of
question

Assume that you have to design a circuit for the function $f(X, Y) = \overline{XY} + \overline{X}Y$. Select the answer which gives the boolean expression for $f(X, Y)$.

Select one:

- $XY + \bar{X}\bar{Y}$
- $X\bar{Y} + \bar{X}Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above



SRI LANKA INSTITUTE

Sri Lanka Institute of Information Technology

Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 - 3)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 420x - 216$
- $68x^3 - 288x^2 + 416x - 216$
- $68x^3 - 288x^2 + 416x - 216$



Find the dual of the following expression.

$$(a + 0).(b + 1) = a$$

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x,

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$
- $\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$
- $\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$
- None of the above



NetExams

Sri Lanka Institute of Information Technology

Question 6

Not yet answered
Marked out of
1.00

Flag question

Find,

$$\frac{d}{dx} [(2\sqrt{x} - 3)(x^2 - 4x)]$$

Select one:

- $\sqrt{x}(5x - 12) - 6x + 12$
- $\sqrt{x}(5x - 9) - 6x + 9$
- $\frac{\sqrt{x}(5x - 15) - 12x + 30}{2}$
- $\frac{\sqrt{x}(5x - 3) - 16x + 8}{2}$
- None of the above

Next page



NetExam

Sri Lanka Institute of Information Technology

11

answered
out of

question

Find the dual of the following expression.
 $(a + 0).(b + 1) = a$

Select one:

- $(a \cdot 1) + (b \cdot 0) = a$
- $(a \cdot 1)(b \cdot 0) = a$
- $(a \cdot 1) + (b \cdot 1) = a$
- $(a \cdot 1) + (b \cdot 0) = b$
- None of the above

NetExam! Sri Lanka Institute of Information Technology

SIIT

Question 11
Not yet answered
Marked out of 1.00
Flag question

Find the dual of the following expression. 

($a + 0 + 1$).($b \cdot c$) = $b \cdot c \cdot 1$

Select one:

- (a. 0 . 1).(b+c) = b+c+1
- (a. 0 . 1)+(b+c) = b+c+1
- (a . 1 . 0)+(b+c) = b+c+0
- (a . 1 . 0)(b+c) = b+c
- None of the above

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above





Question 8

(yet answered)

Marked out of
0

Flag question

Differentiate with respect to x :

$$-12x^2 + x^{\frac{3}{2}} - 3$$

Select one:

$$\frac{1}{2\sqrt{x}} - 24x$$

$$-24x + \frac{3\sqrt{x}}{2} - 3$$

$$24x + \frac{3\sqrt{x}}{2}$$

$$\frac{3\sqrt{x}}{2} - 24x$$

None of the above

Differentiate the following function with respect to x.

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$
- $$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$
- $$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$
- None of the above

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f .



Select one:

- one-to-one
- one-to-many
- many-to-many
- many-to-one
- None of the above

Differentiate with respect to t.

$$24t^2 + \frac{1}{t^{\frac{3}{2}}} - 3$$

Select one:

- $24t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t - \frac{3}{2t^{\frac{5}{2}}} - 3$
- $48t - \frac{3}{2t^{\frac{5}{2}}}$ 
- $48t + \frac{3\sqrt{t}}{2} - 3$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find the answer for the following binary division.

$$10100011 \div 10$$

Select one:

- Quotient = 10110001 & Remainder = 01
- Quotient = 10101011 & Remainder = 01
- Quotient = 11010001 & Remainder = 00
- Quotient = 1011000 & Remainder = 10
- None of the above.



1

swered

ut of

ueston

Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $a+1 = (a \cdot b \cdot c \cdot 1) + a$
- $a+0 = (a \cdot b \cdot c \cdot 0) + a$
- $a+0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above





Differentiate the following function with respect to x ,

$$(\sqrt{x} - 3)(x^2 - 3x)$$

Select one:

- $\sqrt{x}(5x - 9) - 6x + 9$
- $$\frac{\sqrt{x}(5x - 9) - 16x + 24}{2}$$
- $$\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$$
- $$\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$$
- None of the above

Question 13

Not yet answered

Marked out of
1.00 Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

[Next page](#)

Differentiate with respect to x,

$$(x^3 - 1)^2 - x^6 + \sqrt{x} -$$

Select one:

$-\frac{12x^{\frac{11}{2}} + 12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$

$-\frac{12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$

$-\frac{12x^{\frac{7}{2}} + 1}{2x^{\frac{3}{2}}}$

$-7x^6 + 6x^2(x^3 - 1) - \frac{1}{2x^{\frac{3}{2}}}$

None of the above

Mary deposits \$ 450 in a savings account at 2.5% simple annual interest. The value of this account, v , is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above



Question 7

yet answered

Marked out of

Flag question

Find,

$$\frac{d}{dx} \left[\frac{x^2 - 7}{2x + 1} \right]$$

Select one:

- $\frac{2(x^2 + x + 5)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 7)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 2)}{(2x + 1)^2}$
- None of the above

Question

Not yet answered

Marked out of
1.00 Flag question

ind.

$$\frac{d}{dx} \left[\frac{x^2 - 5}{2x + 1} \right]$$

Select one:

$$\frac{2(x^2 + x + 5)}{(2x + 1)^2}$$

$$\frac{2(x^2 + x - 5)}{(2x + 1)^2}$$

$$\frac{2(x^2 + x + 6)}{(2x + 1)^2}$$

$$\frac{2(x^2 + x + 11)}{(2x + 1)^2}$$

None of the above

Select the Correct Answer.

A variant of idempotent Law is,

A Variant of Identity Law is,

A Variant of Absorption Law is,

Choose... ▾

Choose...

$B.B = 1$

$A.(A + C) = A$

$A \cdot 1 = A$

$(A + A) = A$

$A + A = 0$

$A.0 = A$



Question 23

Not yet answered

Marked out of
1.00

Flag question

Simplify the following boolean expression.

$$ABC + \overline{A}B + AB\overline{C}$$

Select one:



- A
- B
- AB
- BC
- None of the above

X
C | i | A

NetExam


Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.



NetExam

Sri Lanka Institute of Information Technology

Convert the number 100111.1101_2 to the equivalent decimal number.

Select one:

- 37.9375
- 39.8125
- 55.3125
- 49.6875
- None of the above.

1 2 3 4 5 6 7 8 9 0
W E R



on 7

Not answered

Marked out of

Flag question

Find,

$$\frac{d}{dx} \left[\frac{x^2 - 7}{2x + 1} \right]$$

Select one:



$$\frac{2(x^2 + x + 5)}{(2x + 1)^2}$$



$$\frac{2(x^2 + x + 6)}{(2x + 1)^2}$$



$$\frac{2(x^2 + x + 7)}{(2x + 1)^2}$$



$$\frac{2(x^2 + x + 2)}{(2x + 1)^2}$$

odule X



NetExam

Sri Lanka Institute of Information Technology

Question 4

yet answered

Marked out of

1

Flag question

Find the value of the following definite integral.

$$\int_{-1}^1 \frac{x^2 - \sqrt{25x^2}}{x} dx$$

Select one:

- 10
- 10
- 0
- 1
- None of the above

ASUS VivoBook





A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above



Next page



11

answered
out of
question

Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $a + 1 = (a \cdot b \cdot c \cdot 1) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 0) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above

Find,

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 5x)]$$

Select one:

$\frac{\sqrt{x}(5x - 18) - 12x + 36}{2}$

$\frac{\sqrt{x}(5x - 15) - 12x + 30}{2}$

$\frac{\sqrt{x}(5x - 18) - 16x + 48}{2}$

$\frac{\sqrt{x}(5x - 3) - 16x + 8}{2}$



Question 2

Not yet answered
Marked out of
1.00
 Flag question

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Next

NetExam

Sri Lanka Institute of Information Technology

Differentiate with respect to x :

Select one:

- $(x^3 - 1)^2 - x^6 + \sqrt{2} - 1$
- $\frac{-12x^{\frac{11}{3}} + 12x^{\frac{5}{3}} - 1}{2\sqrt{x}}$
- $\frac{12x^{\frac{5}{3}} - 1}{2\sqrt{x}}$
- $\frac{12x^{\frac{1}{3}} + 1}{2x^{\frac{2}{3}}}$
- $-7x^6 + 6x^2(x^3 - 1) - \frac{1}{2x^{\frac{4}{3}}}$
- None of the above

Question 5

Not yet answered
Marked out of
1.00
 Flag question

Find the answer for the following binary multiplication.

$$11100011 \times 101$$

Select one:

- 10001101111
- 11111111001
- 10101100000
- 010010100110
- None of the above,



The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x - 2)^{1/2}$
- $f^{-1}(x) = (x - 2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above



Question 10
Not yet answered
Marked out of 10
Flag question

Select the Correct Answer.

A variant of Associative Law is.

- Choose...
- Choose...
- (A + B) + C = A + (B + C)
 - (A . B) + C = A + (B . C)
 - A +(B.C) = (A+B) . (A+C)
 - B + 1 = 0
 - C + 0 = C
 - A .(B.C) = (A.B) . (A.C)

A Variant of Identity Law is.

A Variant of Distributive Law is.

[Next page](#)

Quiz na

Finish attempt

Time left 0:22:22

1	2
11	12
21	22
23	24

Differentiate following function with respect to x

$$\frac{x^2 - 3}{2x + 1}$$

Select one:

- $\frac{2(x^2 + x + 4)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 3)}{(2x + 1)^2}$
- $-\frac{2(x^2 + x + 1)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 6)}{(2x + 1)^2}$

None of the above



ered

if

tion

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

$f^{-1}(x) = (x - 2)^{1/2}$

$f^{-1}(x) = (x - 2)^{1/3}$

$f^{-1}(x) = x^{1/3}$

$f^{-1}(x) = x - 2$

None of the above



Question 11

Not yet answered

Marked out of
1.00


Flag question

Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $a + 1 = (a \cdot b \cdot c \cdot 1) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 0) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above



Mary deposits \$ 450 in a savings account at 2.5% simple annual interest. The value of this account, v , is given by the function $v = 450 + 12.5t$, , in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above



Find,

$$\frac{d}{dx} \left[\frac{x^2 - 7}{2x + 1} \right]$$

Select one:

$\frac{2(x^2 + x + 5)}{(2x + 1)^2}$

$\frac{2(x^2 + x + 6)}{(2x + 1)^2}$

$\frac{2(x^2 + x + 7)}{(2x + 1)^2}$


$\frac{2(x^2 + x + 2)}{(2x + 1)^2}$

None of the above

NetExam

Sri Lanka Institute of Information Technology

Following circuit is equivalent to;



Select one:

- OR Gate
- AND Gate
- NOR Gate
- NAND Gate
- None of the above



12

answered
out of
question

Select the suitable answer for each blank.

$$\begin{aligned} A + \bar{A}B &= A I + \bar{A}B \\ &= A(1+B) + \bar{A}B \quad L_1_ \\ &= A + AB + \bar{A}B \quad L_2_ \\ &= A + B(A + \bar{A}) \quad L_3_ \\ &= A + B \quad L_4_ \end{aligned}$$

Answer 1

Choose... ▾



Answer 2


Choose... ▾

Answer 3

Choose... ▾

Answer 4

Choose... ▾



Question 1

Not yet answered

Marked out of
2.00

 Flag question

Find the value of the following definite integral.

$$\int_0^3 |3t - 5| dt$$



Select one:

- 20
- 30/6
- 41/6
- 42/6
- None of the above

Question 9

Not yet answered

Marked out of
1.00 Flag question

Find,

$$\int (x^3 - 5x + 8) dx$$

Select one:

- $\frac{x(x^3 - 10x + 20)}{4} + C$
- $\frac{x(x^3 - 10x + 24)}{4} + C$
- $\frac{x(x^3 - 10x + 32)}{4} + C$
- $\frac{x(x^3 - 10x - 12)}{4} + C$
- None of the above

ity.

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 + 2)^2 \right]$$

at one:

$$68x^5 - 288x^3 + 424x - 216$$

$$68x^5 - 288x^3 + 440x - 216$$

$$68x^5 - 192x^3 + 184x - 64$$

$$80x^5 - 192x^3 + 176x - 64$$

None of the above



Find the dual of the following expression.

$$a \cdot 1 = (a+b+c+1) \cdot a$$

Select one:

- $a = (a \cdot b \cdot c) + a$
- $\overline{a} \cdot \overline{b} \cdot \overline{c} \cdot 1 = (a \cdot b \cdot c \cdot 1) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 0) + a$
- $a + 0 = (a \cdot b \cdot c \cdot 1) + a$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Convert the number 168_{10} to a base 3 number system.

Select one:

- 22001
- 11111
- 10002
- 20020
- None of the above.



tion 3

yet answered

ked out of

Flag question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x - 2)^{1/2}$
- $f^{-1}(x) = (x - 2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above



2
answered
out of
question

Mary deposits \$ 450 in a savings account at 2.5% simple annual interest. The value

of this account, v , is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

Next page



Question 11

Not yet answered

Marked out of
1.00

Flag question

Find the dual of the following expression.

$$a.b.c.0 = (a+b+1).0$$

Select one:

- $a+b+c+1 = 1$
- $a+b+c+0 = (a.b.1)+1$
- $a+b+c+1 = (a.b.1)+1$
- $a+b+c+0 = (a.b.1)+0$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find the dual of the following expression.

$$(a + 0).(b + 1) = a$$

Select one:

- $(a \cdot 1) + (b \cdot 0) = a$
- $(a \cdot 1)(b \cdot 0) = a$
- $(a \cdot 1) + (b \cdot 1) = a$
- $(a \cdot 1) + (b \cdot 0) = b$
- None of the above



Select the suitable answer for each blank.

$$\begin{aligned}A + \bar{A}B &= A I + \bar{A}B \\&= A(I + B) + \bar{A}B \quad L_1_ \\&= A + AB + \bar{A}B \quad L_2_ \\&= A + B(A + \bar{A}) \quad L_3_ \\&\quad L_4_ \end{aligned}$$

Choose...

- Inverse Law
- Associative Law
- Commutative Law
- Universal Bound Law
- Absorption Law
- De Morgan's Law
- Double Complement law
- Distributive Law

Answer 1

Answer 2

Answer 3

Answer 4

Choose...



$AB + A$

$AB + A1$ (---1---)

$A(B + 1)$ (---2---)

$A(1)$ (---3---)

A (---4---)

Choose...

Choose...

Identity Law

Associative Law

Identity Law

Commutative Law

Distributive Law

De Morgan's Law

Inverse Law

Distributive law

Universal Bound Law

Select the Correct Answer.

A variant of Associative Law is,

A Variant of Identity Law is,

A Variant of Distributive Law is,

Choose...

Choose...

$C + 0 = C$

$A \cdot (B \cdot C) = (A \cdot B) \cdot (A \cdot C)$

$A + (B \cdot C) = (A + B) \cdot (A + C)$

$B + 1 = 0$

$(A + B) + C = A + (B + C)$

$(A \cdot B) + C = A + (B \cdot C)$

NetExam
Sri Lanka Institute of Information Technology

Find.

Question 6
Not yet answered
Marked out of 1.00
 Flag question

$\frac{d}{dx} [(\sqrt{x}-3)(x^2-5x)]$

Select one:

- $\frac{\sqrt{x}(5x-18)-12x+36}{2}$
- $\frac{\sqrt{x}(5x-15)-12x+30}{2}$
- $\frac{\sqrt{x}(5x-18)-16x+48}{2}$
- $\frac{\sqrt{x}(5x-3)-16x+8}{2}$
- None of the above

Moodle

← → X C | O | D

 NetExam

Sri Lanka Institute of Information Technology


Question 4
Not yet answered
Marked out of 1.00

Find the value of the following definite integral.

$$\int_{-1}^7 x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above



Answered
of
question

Find,

$$\frac{d}{dx} \left[\frac{x^2 - 9}{2x + 1} \right]$$

Select one:

- $\frac{2(x^2 + x + 9)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 7)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 6)}{(2x + 1)^2}$
- $\frac{2(x^2 + x + 11)}{(2x + 1)^2}$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of
1.00

Flag question

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Find the value of the following definite integral.

$$\int_0^1 |2x - 12| dx$$

Select one:

- 12
- 11
- 13
- 12
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Find the value of the following definite integral.

$$\int_0^2 12x(x + 1)(2 - x) \, dx$$

Select one:

- 64
- 32
- 30
- 28
- None of the above



NetExam

Sri Lanka Institute of Information Technology

021103322 Baro

Question 6

Not yet answered

Marked out of
1.00

Flag question

Differentiate,

$$\frac{d}{dx} [(\sqrt{x} - 3)(x^2 - 4x)]$$

Select one:

- $\frac{\sqrt{x}(5x - 12) - 12x + 24}{\sqrt{2}}$
- $\frac{\sqrt{x}(5x - 9) - 12x + 18}{2}$
- $\frac{\sqrt{x}(5x - 6) - 16x + 16}{2}$
- $\sqrt{x}(5x - 9) - 6x + 9$
- None of the above

Quiz navigation

Finish attempt

Time left 0:43:39

1	2	3
9	10	11
17	18	19
25	26	27
33	34	35

Next page



Question 4

Not yet answered

Marked out of
1.00

Flag question

Simplify,

$$\int_{-1}^1 (x - 3)^3 \, dx$$

Select one:

- 60
- 58
- 50
- 58
- 65





Find the answer for the following binary division.

$$10101010 \div 10$$

Select one:

- Quotient = 1011000 & Remainder = 00
- Quotient = 01010101 & Remainder = 01
- Quotient = 01010101 & Remainder = 00
- Quotient = 1011000 & Remainder = 10
- None of the above.

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.



Question 9

Not yet answered

Marked out of
1.00Flag question

Simplify

$$\int x^3 - 2x + 5 \, dx$$

Select one:

- $\frac{x(x^3 - 4x + 20)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x(x^3 - 4x + 12)}{4} + C$
- $\frac{x(x^3 - 4x - 8)}{4} + C$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find the answer for the following binary addition.

$$10101010 + 11001100$$

Select one:

- 0101110110
- 01000100
- 1101110100
- 1011110101
- None of the above.




Simplify.

ered
e
ion

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 + 2)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 288x^2 + 440x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above



Moodle

NetExamination

Sri Lanka Institute of Information Technology

Question 8

answered
out of

Flag question

Differentiate the following function with respect to t.

$$5t^3 + \frac{1}{t^2} - 3$$

Select one:

1 $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$

2 $15t^2 + \frac{5t^{\frac{3}{2}}}{2}$

3 $15t^2 - \frac{5}{2t^{\frac{7}{2}}} - 3$

4 $15t^2 - \frac{5}{2t^{\frac{1}{2}}}$

5 None of the above

Q W E R T Y U I O P

A S D F G H J K



Question 3

Not yet answered

Marked out of
2.00

Flag question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above



Next page



NetExam

Sri Lanka Institute of Information Technology

on 17

et answered

ed out of

ag question

Convert the number 168_{10} to a base 5 number system.

Select one:

- 2200
- 4412
- 1133
- 2002
- None of the above.



f2

f3 www

f4

f5

f6

f7

f8

@
2

3

\$
4

%
5

^
6

&
7

*



NetExam

Sri Lanka Institute of Information Technology

Question 17

Not yet answered

Marked out of
1.00

Flag question

Convert the number 168_{10} to a base 3 number system.

Select one:

- 22001
- 11111
- 10002
- 20020
- None of the above.

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of
1.00

Flag question

Find the value of the following definite integral.

$$\int_1^7 x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Convert the number 1999_{10} to equivalent binary numbers.

Select one:

- 10000101000
- 1111100111
- 10001001000
- 11111001111
- None of the above.



NetExam

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of
4.00

Flag question

Select the suitable answer for each blank.

Proof:

$$\begin{aligned} & a(a + b) \\ &= (a+0)(a + b) \quad (1) \\ &= a+0\cdot b \\ &= a + 0 \quad \uparrow \quad (2) \\ &= a \quad (3) \\ &= a \quad (4) \end{aligned}$$

Answer 1

Answer 2

Answer 3

Answer 4

Choose...

Choose...

Inverse Law

Distributive law

Identity Law

Commutative Law

Associative Law

Distributive Law

IdentityLaw

Universal Bound Law

De Morgan's Law

Select the suitable answer for each blank.

proof:

$$AB + A$$

$$AB + A1 \quad (_ _ \underline{1} _ _)$$

$$A(B + 1) \quad (_ _ \underline{2} _ _)$$

$$A(1) \quad (_ _ \underline{3} _ _)$$

$$A \quad (_ _ \underline{4} _ _)$$

Answer 1

Choose...

Answer 2

Choose...

Answer 3

- Universal Bound Law
- Distributive law
- IdentityLaw
- De Morgan's Law
- Identity Law
- Inverse Law
- Associative Law
- Commutative Law
- Distributive Law

Answer 4



Question 23

Not yet answered

Marked out of
1.00

Flag question

Simplify the following boolean expression.

$$\overline{A} \overline{B} \overline{C} + A \overline{B} \overline{C} + \overline{A} \overline{B} C + \overline{A} B \overline{C}$$

Select one:

$\overline{A} \overline{B} \overline{C}$

$\overline{B} \overline{C}$


$(\overline{A} + \overline{B}) \overline{C}$



$(A + \overline{B}) \overline{C}$

None of the above

[Finish attempt](#)



NetExam

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

proof:

$$\begin{aligned} & AB + A \\ & AB + A1 \quad \{ _ \underline{\underline{1}} _ \} \\ & A(B + 1) \quad \{ _ \underline{\underline{2}} _ \} \\ & A(1) \quad \{ _ \underline{\underline{3}} _ \} \\ & A \quad \{ _ \underline{\underline{4}} _ \} \end{aligned}$$

Answer 1	Choose...
Answer 2	Choose...
Answer 3	IdentityLaw
Answer 4	Identity Law

Differentiate the following function with respect to t,

$$5t^3 + \frac{1}{t^{\frac{5}{2}}} - 3$$

Select one:

$$15t^2 - \frac{5}{2t^{\frac{7}{2}}}$$

$$15t^2 + \frac{5t^{\frac{3}{2}}}{2}$$

$$15t^2 - \frac{5}{2t^{\frac{7}{2}}} - 3$$

$$15t^2 - \frac{5}{2t^{\frac{7}{2}}}$$

None of the above



Find the answer for the following binary division.

$$10100011 \div 10$$

Select one:

- Quotient = 10100011 & Remainder = 01
- Quotient = 01010101 & Remainder = 01
- Quotient = 01010001 & Remainder = 00
- Quotient = 1011000 & Remainder = 10
- None of the above.



Question 13

Not yet answered

Marked out of

1.00

 Flag question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on.

Select the answer which gives the boolean expression for the above circuit.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above

 Quiz navigation

Finish attempt ...

Time left: 0:19:09

1	2	3	4	5
11	12	13	14	15
21	22	23		

 Next page

Question 7

Not yet answered

Marked out of
1.00

Flag question

Find,

$$\frac{d}{dx} \left[\frac{x^2 - 5}{2x + 1} \right]$$

Select one:

$\frac{2(x^2 + x + 5)}{(2x + 1)^2}$

$\frac{2(x^2 + x - 5)}{(2x + 1)^2}$

$\frac{2(x^2 + x + 6)}{(2x + 1)^2}$

$\frac{2(x^2 + x + 11)}{(2x + 1)^2}$

12

answered
out of
question

Select the suitable answer for each blank.

$$Q = (A + B)(A + C)$$

$$A.A + A.C + A.B + B.C \quad - \text{Distributive law}$$

$$A + A.C + A.B + B.C \quad - \quad \textcircled{1}$$

$$A(1 + C) + A.B + B.C \quad - \text{Distributive law}$$

$$A.1 + A.B + B.C \quad - \quad \textcircled{2}$$

$$A(1 + B) + B.C \quad - \text{Distributive law}$$

$$A.1 + B.C \quad - \quad \textcircled{3}$$

$$Q = A + (B.C) \quad - \quad \textcircled{4}$$

Answer 1

Choose...



Choose...

- Idempotent Law
- Associative Law
- De Morgan's Law
- Identity Law
- Inverse Law
- Distributive law
- Commutative Law
- Universal Bound Law

Answer 2

Answer 3

Answer 4




Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 + 2)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 288x^2 + 440x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above



**Question 13**

Not yet answered

Marked out of
1.00[Flag question](#)

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}YZ + \bar{X}\bar{Y}Z$
- None of the above

[Next page](#)

Differentiate, with respect to x ,

$$f(x) = (2x - 1)^4 + (x^2 - 2)^2$$

Select one:

- $68x^3 - 96x^2 + 36x - 8$
- $68x^3 - 288x^2 + 424x - 216$
- $68x^3 - 192x^2 + 184x - 64$
- $68x^3 - 96x^2 + 40x - 8$
- None of the above

Simplify

$$\int x^3 - 2x + 5 \, dx$$

Select one:

- $\frac{x(x^3 - 4x + 20)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x(x^3 - 4x + 12)}{4} + C$
- $\frac{x(x^3 - 4x - 8)}{4} + C$
- None of the above



3
answered
out of

question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above



NetExam

Sri Lanka Institute of Information Technology

Simplify,

$$\frac{d}{dx} \left[(2x - 3)^4 + (x^2 - 3)^2 \right]$$

Select one:

- $68x^3 - 288x^2 + 420x - 216$
- $68x^3 - 288x^2 + 416x - 216$
- $68x^3 - 96x^2 + 36x - 8$
- $80x^3 - 192x^2 + 176x - 64$
- None of the above



Find,

$$\int (x^3 - 5x + 8) dx$$

Select one:

- $\frac{x(x^3 - 10x + 20)}{4} + C$
- $\frac{x(x^3 - 10x + 24)}{4} + C$
- $\frac{x(x^3 - 10x + 32)}{4} + C$
- $\frac{x(x^3 - 10x - 12)}{4} + C$

None of the above