

Candidate Name \_\_\_\_\_

Centre Number	Candidate Number

## EXAMINATIONS COUNCIL OF ZAMBIA

Joint Examination for the School Certificate  
and General Certificate of Education Ordinary Level

# SCIENCE

## PAPER 2

### (PHYSICS)

**5124/2**

Wednesday

7 NOVEMBER 2012

Additional materials:  
Mathematical tables  
Graph paper  
Answer Booklet  
(Do not allow calculators)

Time: 1 hour 15 minutes

#### INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number at the top of this page and on any separate Answer Booklet used.

There are **twelve (12)** questions in this paper.

#### Section A

Answer **all** the questions.

Write your answers in the spaces provided on the question paper.

#### Section B

Answer any **two** questions.

Write your answers on the Answer Booklet provided.

At the end of the examination

1. Fasten Answer Booklet used securely to the question paper.
2. Enter the numbers of the **Section B** questions you have answered in the grid below.

#### INFORMATION FOR CANDIDATES

The number of marks is given in brackets [ ] at the end of each question or part question.

**Cell phones are not allowed in the Examination room.**

Candidate's use	Examiner's use
Section A	
Section B	
Total	


**Section A**

**[45 marks]**

**Answer all questions.**

Write your answers in the spaces provided on the question paper.

- 1 (a) Figure 1.1 below shows part of a Vernier Calliper used to measure a physical quantity.



**Figure 1.1**

- (i) What is the reading shown above on the Vernier Calliper?

Reading = \_\_\_\_\_ [1]

- (ii) What physical quantity does the Vernier Calliper measure?

\_\_\_\_\_ [1]


- (b) State **two** precautions that must be taken when taking measurements using a micrometer screw gauge.

\_\_\_\_\_

\_\_\_\_\_ [2]

\_\_\_\_\_ [4]

- 2** Figure 2.1 shows a velocity time graph of an object moving along a straight road.



**Figure 2.1**

- (a) What is the total time for the journey?

time = \_\_\_\_\_ [1]

- (b) What is the maximum velocity for the journey?

velocity = \_\_\_\_\_ [1]

- (c) What is the acceleration during the first part of the journey?


acceleration = \_\_\_\_\_ [1]

- (d) Calculate the total distance covered by the car.

distance = \_\_\_\_\_ [3]

[6]

- 3 Figure 3.1 shows an object of mass 0.7kg resting on a horizontal surface.



**Figure 3.1**

If the object is pulled to the left by a force of 6.0N and to the right by a force of 2.5N and assuming that no other forces act on the object.

(a) calculate;

(i) the resultant force.

$$\text{Resultant force} = \underline{\hspace{2cm}} \quad [1]$$

(ii) the acceleration produced by the resultant forces in (i).

$$\text{Acceleration} = \underline{\hspace{2cm}} \quad [2]$$

(b) Explain why in practice the actual acceleration for the object may be lower than your answer to (a) (ii) above.

---

---

---

---

[1]

[4]

4 (a) Define work and power.

Work: \_\_\_\_\_

Power: \_\_\_\_\_

[2]

- (b) A pupil of mass 50kg runs up a flight of 20 stairs each 25cm high in a time of 20 seconds. [Take  $g = 10\text{N/kg}$ ]

Calculate,

- (i) the pupil's gain in potential energy.


Potential energy = \_\_\_\_\_ [2]

- (ii) the useful power developed by the pupil in climbing the stairs.

power = \_\_\_\_\_ [2]

[6]

- 5 Figure 5.1 shows a laboratory thermometer.



**Figure 5.1**

- (a) Name the substance labelled A.

[1]

---

- (b) Name the section labelled B.

[1]

---

- (c) Why is part B narrow?

[1]

---

- (d) Explain why the wall of the thermometer bulb marked D is thin.

[1]

---

- (e) Give two advantages of a thermocouple thermometer compared with a mercury thermometer for measuring temperature.

---

(i) \_\_\_\_\_

---

(ii) \_\_\_\_\_

---

[2]

**Total: [6]**

6 (a) Light and gamma rays are both examples of electromagnetic radiation.

(i) Name two other types of electromagnetic radiation.

\_\_\_\_\_ [2]

(ii) State two differences between light and gamma rays.


\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ [2]

(b) The speed of light is  $3 \times 10^8$  m/s. Calculate the frequency of yellow light of wavelength  $6 \times 10^{-7}$  m.

Frequency = \_\_\_\_\_ [3]

[7]

7 Figure 7.1 shows a ray of light from air to water. The diagram is **not** drawn to scale.



**Figure 7.1**

(a) Determine the:

(i) angle of incidence.

Angle of incidence = \_\_\_\_\_ [1]

(ii) angle of refraction.


Angle of refraction = \_\_\_\_\_ [1]

(b) Calculate the refractive index.

Refractive index = \_\_\_\_\_ [1]

[3]

- 8 Figure 8.1 shows a boat which uses ultrasonic waves to calculate the depth of the sea.



**Figure 8.1**

The speed of sound in water is 1400m/s and an ultrasonic wave has a frequency of 28000 Hz.

- (a) Calculate the wavelength of the ultrasonic wave in water.


$$\text{wavelength} = \underline{\hspace{10cm}} \quad [2]$$

- (b) The pulse takes 0.2s to travel from the transmitter to seabed and back to the detector. Calculate the distance to the seabed.

$$\text{distance} = \underline{\hspace{10cm}} \quad [2]$$

[4]

- 9 Figure 9.1 shows a simple transformer which can be used to light a bulb. The bulb is labelled.



**Figure 9.1**

When the mains supply is switched on, the bulb is very bright.

- (a) State one way in which the potential difference across the bulb can be decreased without changing the mains supply.

---



---

[1]

- (b) For the lamp operating at the correct brightness, calculate:

- (i) the current in the secondary coil,

current = \_\_\_\_\_ [2]

- (ii) the current in the primary coil, assume that the transformer is 100% efficient.

current = \_\_\_\_\_ [2]


[5]

**Section B****[20 marks]**Answer any **two (2)** questions from this section.Use the **Answer Booklet** provided.

- 10** The ratemeter (counter) was used at intervals of 10 minutes to measure the activity of a radioactive source and the following results were obtained.

Time (minutes)	0	10	20	30	40	50	60	70
Count rate (counts per second)	650	520	416	333	300	213	170	136

- (a) Plot a graph of count rate against time. [5]
  - (b) What count rate appears to have been misread and should therefore be ignored? [1]
  - (c) At what time was the count rate 250 counts per second? [2]
  - (d) What is the half-life of the source? [2]
- Total: [10]**
- 11** (a) Describe an experiment you would carry out to determine the density of an irregularly shaped object which floats on water. [5]
- (b) **Figure 11.1** shows a uniform meter rule balanced horizontally on a knife-edge placed at the 58cm mark when a mass of 20g is suspended from the end.

**Figure 11.1**

- (i) Find the mass of the rule. [2]
- (ii) What is the weight of the rule. (taking  $g = 10 \text{ m/s}^2$ )? [2]
- (c) A candle stand has a wide heavy base. Explain why the base has both heavy mass and wide area. [1]

**Total: [10]**

**12** A  $4\Omega$  DVD,  $6\Omega$  shaving machine and a  $12\Omega$  radio cassette are connected at the same time in parallel across 24V power supply.

(a) Draw a circuit diagram to represent this connection. [2]

(b) Find the total resistance in the circuit offered by all the three appliances. [2]

(c) Calculate the current in each appliance. [6]

**Total: [10]**

# **ECZ PAST PAPERS. REVISE AND PASS ECZ EXAMS-G7, G9 AND G12**

**DOWNLOAD FREE ECZ  
PAST PAPERS IN PDF.**

**GO TO:  
[WWW.ZEDPASTPAPERS.COM](http://WWW.ZEDPASTPAPERS.COM)**