

Class work problems on module 2.1 (Rectilinear motion) - 2022


- 1. A particle has a straight line motion given by the equation $x = (t^3 2t^2 4)$ m, where t is in seconds. What is the change in displacement when velocity changes from 4 m/s to 32 m/s?
- 2. During a test, the car moves in a straight line such that its velocity is defined by $v = 0.3(9t^2 + 2t)$ m/s, where t is in seconds. Determine the position and acceleration when t = 3 seconds. Given at t = 0, s = 0.
- 3. A sphere is fired downward into a medium with an initial speed of 27 m/s. Sphere experiences a deceleration $a = -6t \text{ m/s}^2$, where t is in seconds, determine the distance travelled before it comes to rest.
- 4. The acceleration of an oscillating particle is defined by the relation a = -kx. Determine (a) the value of k such that v = 15 m/s when x = 0, and v = 0 when x = 3 m (b) the speed of the particle when x = 2 m.
- 5. The acceleration of a particle is defined by the relation $a = -60x^{-1.5}$. Knowing that particle starts from rest from a position x = 4 m, find the velocity of the particle when (a) x = 0.5 m (b) x = 1.5 m and the (c) position of the particle when velocity is 10 m/s.
- 6. The acceleration of a particle is defined by the relation $a = k[1 e^{-x}]$. Knowing that v = 6 m/s when x = -2 m, and particle comes to rest at origin, determine (a) value of k (b) velocity of the particle when x = -1 m.
- 7. A rectilinear motion of a car is governed by the equation $a = \left[\frac{8}{1.5v+2}\right]$ m/s², where v is in m/s. Assuming that the car starts from rest, find the time taken and distance covered by the motor car to attain the velocity of 8 m/s.
- 8. In an Asian games event of 100 m run, an athlete accelerates uniformly from the start to his maximum velocity in a distance of 4 m and runs the remaining distance with that velocity. If the athlete completes the race in 10.4 s, determine (a) his initial accereration (b) his maximum velocity.
- 9. The race car starts from rest and travels along a straight road until it reaches a speed of 42 m/s in 50 seconds as shown by v-t graph. Determine the distance travelled by the race car in 50 seconds. Draw x-t and a-t graph.



10. The v-t diagram for a particle moving along straight line is shown in fig. Knowing that x = -10 m at t = 0 (a) Plot x-t and a-t diagram for 0 < t < 50 s. (b) Determine the maximum value of position coordinate and the value of t for which the particle is at a distance of 55 m from the origin.



11. Fig. shows a plot of a v/s t for a particle moving along x-axis. What is the speed and distance covered by the particle after 50 sec? Find also the maximum speed and time at which the speed attained by the particle. Draw v-t and x-t diagram.



12. For the a-t diagram of particle shown in fig. draw v-t and x-t diagram. Also calculate the velocity at the end of 3 sec and distance travelled in 4 sec. Assume that particle starts from rest from origin.

