

Mittheilungen Data

Table of contents

1	Timeline of the observers	2
2	Bubble plot of the observers	2
3	Animated bubble plot of the observers	2

Mittheilungen Data : Databases of sunspot counts collected from multiple observers by Professor Rudolf Wolf. It's the primary source of sunspot data.

Importing functions from scripts file. All the data used is in the folder **data**

Observers are grouped by FK_OBSERVERS.

Number of Observers by FK_OBSERVERS: 122

Number of observers by ALIAS: 121

Number of observes by ALIAS(121) is different from
number of observers by FK_OBSERVERS(122).

One of the ALIAS has multiple FK_OBSERVERS IDs.

Checking ALIAS'es with multiple FK_OBSERVERS IDs.

Brunner has multiple FK_OBSERVERS IDs.

FK_OBSERVERS IDs associated with Brunner are [177 168]

=====

OBSERVER STATISTICS

=====

Total unique observers: 122

Observation period: 1859-01-01 00:00:00 to 1944-12-31 00:00:00
Total observation span: 86.0 years

1 Timeline of the observers

TODO: Plot only top 10 to 20 observers


Figure 1 is a timeline plot showing actual observation days for all observers in Mittheilungen data. X-axis is time in years, and in Y-axis we have observers sorted by start date, and number of observations for each observer is shown in the parantheses.

2 Bubble plot of the observers

Figure 2 is a bubble plot showing all observers in Mittheilungen data. X-axis is start date, Y-axis is end date, size of the bubble is the number of observations, color is the number of observation years, hover name is the alias, and text is the alias.

3 Animated bubble plot of the observers

Figure 3 is similar to Figure 2 but with animation over the start year.



Unable to display output for mime type(s): text/html

(a) Bubble plot showing all observers in Mittheilungendata

Unable to display output for mime type(s): text/html

(b)

Figure 2

Unable to display output for mime type(s): text/html

Figure 3: Animated bubble plot showing all observers in Mittheilungen data.