ELEC-313 Lab 2: Diode Characterization

September 22, 2013

Date Performed: September 18, 2013 Partners: Charles Pittman

Stephen Wilson

1 Objective

The objective is to observe the operation of a diode, and its conformance to the Schlockley equation:

$$I_D = I_S \left(e^{\frac{V_D}{V_T}} - 1 \right)$$

2 Schematics

Circuit Tested




Figure 1: Circuit used for Part A and Part B.




Figure 2: Circuit used for Part C.




Figure 3: Diode characteristics measured in Part A.




Figure 4: $\ln(I_d)$ vs. V_d .

$R(\Omega)$	V_d (V)	$I_d (\mathrm{mA})$
200	0.751	46.00
500	0.713	18.60
1k	0.682	9.30
2k	0.650	4.70
5k	0.605	1.85
10k	0.571	0.94
20k	0.538	0.47
50k	0.494	0.19
100k	0.464	0.10

Table 1: Diode characteristics measured in Part B.

$$\begin{array}{c|cccc} V_d \; ({\rm V}) & I_d \; ({\rm mA}) & V_{OC} \; ({\rm V}) \\ \hline 0.712 & 27.2 & 6.70 \\ \end{array}$$

Table 2: Diode characteristics measured in Part C.

- 3 Procedure
- 4 Results
- 4.1 Part A
- 4.2 Part B
- 5 Conclusion
- 6 Appendix

Equations