

Practice for Quiz 2

Charlie Meyer

MoWeFri 1:00 - 1:50

Pratice 1-2: Boolean Algebra

This includes both the pratice from the worksheet Elizabeth handed out in-class on Wednesday, review from the Discord Review session on Thursday, and as many practice problems I could do from 1-2.

Worksheet

1: Prove $A \wedge (A \vee B) \equiv A$

symbol	Equation	Reasoning
	$A \wedge (A \vee B)$	Given
\equiv	$(A \vee \perp) \wedge (A \vee B)$	distributive property
\equiv	$A \vee (\perp \wedge B)$	simplification
\equiv	$A \vee \perp$	simplification
\equiv	A	simplification

2: Prove $(P \vee \neg P) \rightarrow P \equiv P$

symbol	equation	reasoning
	$(P \vee \neg P) \rightarrow P$	given
\equiv	$\neg(P \vee \neg P) \vee P$	definition of implication
\equiv	$(\neg P \wedge \neg \neg P) \vee P$	DeMorgan's Law
\equiv	$(\neg P \wedge P) \vee P$	Double Negation
\equiv	$\perp \vee P$	simplification
\equiv	P	simplification

An alternate solution for (2) is:

symbol	equation	reasoning
	$(P \vee \neg P) \rightarrow P$	given
\equiv	$\top \rightarrow P$	simplification
\equiv	$\neg \top \vee P$	definition of implication
\equiv	$\perp \vee P$	simplification
\equiv	P	simplification

3: Prove $\neg A \wedge \neg B \equiv \neg A \wedge (B \rightarrow A)$

symbol	equation	reasoning
	$\neg A \wedge \neg B$	given
\equiv	$(\neg A \wedge \neg B) \vee \perp$	simplification
\equiv	$(\neg A \wedge \neg B) \vee (\neg A \wedge A)$	simplification
\equiv	$\neg A \wedge (\neg B \vee A)$	Distributive Property
\equiv	$\neg A \wedge (B \rightarrow A)$	Definition of implication

4: Prove: $R \wedge \neg(P \rightarrow Q) \equiv P \wedge (\neg Q \wedge R)$

symbol	equation	reasoning
	$R \wedge \neg(P \rightarrow Q)$	Given
\equiv	$R \wedge \neg(\neg P \vee Q)$	definition of implication
\equiv	$R \wedge (\neg\neg P \wedge \neg Q)$	DeMorgan's Law
\equiv	$R \wedge (P \wedge \neg Q)$	double negation
\equiv	$R \wedge (\neg Q \wedge P)$	commutative
\equiv	$(R \wedge \neg Q) \wedge P$	associative
\equiv	$P \wedge (R \wedge \neg Q)$	commutative
\equiv	$P \wedge (\neg Q \wedge R)$	commutative

5: Prove: $(X \rightarrow Y) \wedge (\neg X \rightarrow \neg Y) \equiv X \leftrightarrow Y$

symbol	equation	reasoning
	$(X \rightarrow Y) \wedge (\neg X \rightarrow \neg Y)$	given
\equiv	$(X \rightarrow Y) \wedge (\neg\neg X \vee \neg Y)$	definition of implication
\equiv	$(X \rightarrow Y) \wedge (X \vee \neg Y)$	Double negation
\equiv	$(X \rightarrow Y) \wedge (\neg Y \vee X)$	commutative
\equiv	$(X \rightarrow Y) \wedge (Y \rightarrow X)$	definition of implication
\equiv	$X \leftrightarrow Y$	definition of bimplication

6: Prove $\neg(P \vee M) \rightarrow \neg M \equiv \top$

symbol	equation	reasoning
	$\neg(P \vee M) \rightarrow \neg M$	given
\equiv	$\neg\neg(P \vee M) \vee \neg M$	definition of implication
\equiv	$(P \vee M) \vee \neg M$	double negation
\equiv	$P \vee (M \vee \neg M)$	associativity
\equiv	$P \vee \top$	simplification
\equiv	\top	simplification

Discord Review Session

Prove: $A \oplus B \equiv \neg(A \leftrightarrow B)$

operator	expression	reached by
	$A \oplus B$	given
\equiv	$(A \vee B) \wedge \neg(A \wedge B)$	definition of XOR
\equiv	$((A \wedge \neg(A \wedge B)) \vee (B \wedge \neg(A \wedge B)))$	distribute
\equiv	$((A \wedge (\neg A \vee \neg B)) \vee (B \wedge (\neg A \vee \neg B)))$	DeMorgan
\equiv	$((A \wedge \neg A) \vee (A \wedge \neg B)) \vee (B \wedge (\neg A \vee \neg B))$	distribute
\equiv	$((A \wedge \neg A) \vee (A \wedge \neg B)) \vee ((B \wedge \neg A) \vee (B \wedge \neg B))$	distribute
\equiv	$(\perp \vee (A \wedge \neg B)) \vee (B \wedge \neg A) \vee (B \wedge \neg B)$	simplify
\equiv	$(\perp \vee (A \wedge \neg B)) \vee ((B \wedge \neg A) \vee \perp)$	simplify
\equiv	$(A \wedge \neg B) \vee ((B \wedge \neg A) \vee \perp)$	simplify
\equiv	$(A \wedge \neg B) \vee (B \wedge \neg A)$	simplify
\equiv	$(\neg\neg A \wedge \neg B) \vee (\neg\neg B \wedge \neg A)$	double negation
\equiv	$\neg(\neg A \vee B) \wedge \neg(\neg B \vee A)$	De Morgan
\equiv	$\neg((\neg A \vee B) \wedge (\neg B \vee A))$	De Morgan
\equiv	$\neg((A \rightarrow B) \wedge (B \rightarrow A))$	definition of implication
\equiv	$\neg(A \leftrightarrow B)$	definition of bi implication

Another Solution (not sure if it's legal though)

- Use Definition of xor: $A \oplus B \equiv \neg(A \rightarrow B)$. The purpose of the question above was to show another way to do that, though.

Practice 1-2: Boolean Algebra

Question 1:

Prove $P \rightarrow Q \equiv \neg Q \rightarrow \neg P$

operator	expression	reached by
	$P \rightarrow Q$	given
\equiv	$\neg P \vee Q$	definition of implication
\equiv	$Q \vee \neg P$	commutativity
\equiv	$\neg \neg Q \vee \neg P$	double negation
\equiv	$\neg Q \rightarrow \neg P$	definition of implication

Question 2

Prove $\neg(P \wedge Q \wedge R) \equiv (\neg P \vee \neg Q \vee \neg R)$

operator	expression	reached by
	$\neg(P \wedge Q \wedge R)$	given
\equiv	$\neg((P \wedge Q) \wedge R)$	Associativity
\equiv	$(\neg(P \wedge Q) \vee \neg R)$	DeMorgan's Law
\equiv	$((\neg P \vee \neg Q) \vee \neg R)$	DeMorgan's Law
\equiv	$(\neg P \vee \neg Q \vee \neg R)$	associativity

In the solution on the website, their first step was to do $\neg(P \wedge (Q \wedge R))$ but I did $\neg((P \wedge Q) \wedge R)$. Doesn't matter.

Question 3

Prove $P \wedge (P \rightarrow Q) \equiv P \wedge Q$

operator	expression	reached by
	$P \wedge (P \rightarrow Q)$	given
\equiv	$P \wedge (\neg P \vee Q)$	definition of implication
\equiv	$(P \wedge \neg P) \vee (P \wedge Q)$	Distributive
\equiv	$(\perp) \vee (P \wedge Q)$	simplification
\equiv	$(P \wedge Q)$	simplification
\equiv	$P \wedge Q$	associativity

The answer on the website has the stripping of parenthesis around (\perp) and therefore does one less step than me but same difference.

Question 4

Prove $\neg(P \wedge Q) \equiv (Q \rightarrow (\neg P))$

operator	expression	reached by
	$\neg(P \wedge Q)$	given
\equiv	$(\neg P) \vee (\neg Q)$	DeMorgan's Law
\equiv	$(\neg Q) \vee (\neg P)$	commutative property
\equiv	$Q \rightarrow (\neg P)$	definition of implication

Question 5

Prove $(P \wedge \neg Q) \equiv \neg(P \rightarrow Q)$

operator	expression	reached by
	$(P \wedge \neg Q)$	given
\equiv	$(\neg \neg P \wedge \neg Q)$	double negation
\equiv	$\neg(\neg P \vee Q)$	DeMorgan's Law

operator	expression	reached by
\equiv	$\neg(P \rightarrow Q)$	definition of implication

Cringe double negation but whatever don't forget to do that. It's easy to overlook that step when you're DeMorgans-ing.

Question 6

Prove $P \rightarrow (A \vee Q) \equiv (P \wedge \neg A) \rightarrow Q$

operator	expression	rule used
	$P \rightarrow (A \vee Q)$	given
\equiv	$\neg P \vee (A \vee Q)$	definition of implication
\equiv	$(\neg P \vee A) \vee Q$	associativity
\equiv	$\neg\neg(\neg P \vee A) \vee Q$	double negation
\equiv	$\neg(P \wedge \neg A) \vee Q$	DeMorgan
\equiv	$(P \wedge \neg A) \rightarrow Q$	definition of implication

The answer online took extra steps but I think my answer is cleaner (and still valid).

Question 7

Did this over discord, see discord review section

Question 8.

Prove $(P \rightarrow Q) \equiv \neg(\neg Q \rightarrow \neg P)$

operator	expression	rule
	$(P \rightarrow Q)$	given
\equiv	$\neg P \vee Q$	definition of implication
\equiv	$(\neg P \vee Q)$	associativity
this	cannot	be proven

Working backwards... $\neg(\neg\neg Q \vee \neg P)$

$\neg(Q \vee \neg P)$

$\neg Q \wedge P$

As you can see there is no way to work backwards to get $(\neg P \vee Q)$ from $(\neg Q \wedge P)$ therefore it is unsolvable.

Another way to see that it is unsolvable: If P and Q are both \perp , the left-hand side is \top and the right-hand side is \perp . So they're not \equiv .

Question 9

Prove $A \rightarrow (B \rightarrow C) \equiv (A \wedge B) \rightarrow C$

operator	expression	rule
	$A \rightarrow (B \rightarrow C)$	given
\equiv	$A \rightarrow (\neg B \vee C)$	DeMorgan's
\equiv	$\neg A \vee (\neg B \vee C)$	DeMorgan's
\equiv	$(\neg A \vee \neg B) \vee C$	Associativity
\equiv	$\neg(A \wedge B) \vee C$	DeMorgan's
\equiv	$(A \wedge B) \rightarrow C$	Definition of implication

Question 10

For more practice, prove

$A \oplus B \oplus C \equiv (A \wedge \neg B \wedge \neg C) \vee (\neg A \wedge B \wedge \neg C) \vee (\neg A \wedge \neg B \wedge C) \vee (A \wedge B \wedge C)$, or prove any equivalence rule using other equivalence rules, or prove \forall_x chapter 15 exercise C or \forall_x chapter 17 exercise B or all exercises in \forall_x chapter 19§

Questions 11-21

“The Team wins or I am sad. If the team wins, then I go to a movie. My dog is quiet. If i am sad, then my dog barks.”

- W: the team wins
- S: I am sad
- M: I go to a movie
- B: my dog barks

We can express the passage above as: $(W \vee S) \wedge (W \rightarrow M) \wedge \neg B \wedge (S \rightarrow B)$.

The following proof is one way to show that:

- my dog doesn't bark
- the team won
- I am not sad, and
- I went to the movies

expression	rule used
$(W \vee S) \wedge (W \rightarrow M) \wedge \neg B \wedge (S \rightarrow B)$	given
$(W \vee S) \wedge (\neg W \vee M) \wedge \neg B \wedge (S \rightarrow B)$	definition of implication
$(W \vee S) \wedge (\neg W \vee M) \wedge \neg B \wedge (\neg S \vee B)$	definition of implication
$(W \vee S) \wedge (\neg W \vee M) \wedge (\neg B \wedge (\neg S \vee B))$	associativity
$(W \vee S) \wedge (\neg W \vee M) \wedge ((\neg B \wedge \neg S) \vee (\neg B \wedge B))$	distributive
$(W \vee S) \wedge (\neg W \vee M) \wedge ((\neg B \wedge \neg S) \vee \perp)$	simplification
$(W \vee S) \wedge (\neg W \vee M) \wedge (\neg B \wedge \neg S)$	simplification
$(W \vee S) \wedge (\neg W \vee M) \wedge \neg B \wedge \neg S$	associativity
$\neg S \wedge (W \vee S) \wedge (\neg W \vee M) \wedge \neg B$	commutativity
$(\neg S \wedge (W \vee S)) \wedge (\neg W \vee M) \wedge \neg B$	associativity
$((\neg S \wedge W) \vee (\neg S \wedge S)) \wedge (\neg W \vee M) \wedge \neg B$	distributive
$((\neg S \wedge W) \vee \perp) \wedge (\neg W \vee M) \wedge \neg B$	simplification
$((\neg S \wedge W)) \wedge (\neg W \vee M) \wedge \neg B$	simplification
$\neg S \wedge W \wedge (\neg W \vee M) \wedge \neg B$	associativity
$\neg S \wedge \neg B \wedge W \wedge (\neg W \vee M)$	commutativity
$\neg S \wedge \neg B \wedge (W \wedge (\neg W \vee M))$	associativity
$\neg S \wedge \neg B \wedge ((W \wedge \neg W) \vee (W \wedge M))$	distributive
$\neg S \wedge \neg B \wedge (\perp \vee (W \wedge M))$	simplification
$\neg S \wedge \neg B \wedge ((W \wedge M))$	simplification
$\neg S \wedge \neg B \wedge W \wedge M$	associativity

Note: removing redundant parenthesis like $((W \wedge M))$ to $W \wedge M$ is associativity, *not* simplification.

Questions 22 - 24

Some lists of loical axioms will include the contrapositive, for example $(P \rightarrow Q) \equiv ((\neg Q) \rightarrow (\neg P))$. We can derive the contrapositive from other rules as follows:

Expression	Reached by
$P \rightarrow Q$	given
$\neg P \vee Q$	definition of implication
$Q \vee \neg P$	commutativity
$\neg\neg Q \vee \neg P$	double negation
$(\neg Q) \rightarrow (\neg P)$	definition of implication

Question 25:

Given the expression $(P \wedge Q) \vee (O \wedge \neg Q)$, which **two** of the following can be reached by a single application of a rule listed on our equivalences?

- $((P \wedge Q) \vee P) \wedge ((P \wedge Q) \vee \neg Q)$ - distributive
- $P \wedge (Q \vee \neg Q)$ - Distributive (backwards)

Questions 26-30:

Consider the following proof that “if you challenge me to a game, I’ll play and win. But I can’t win against you” means that you won’t challenge me. We can formalize this passage into several propositions, as follows:

- C: if you challenge me to game
- P: I’ll play
- W: I’ll win

We can symbolize this passage as: $(C \rightarrow (F \wedge W)) \wedge \neg W$

expression	rule used
$(C \rightarrow (F \wedge W)) \wedge \neg W$	given
$(\neg C \vee (P \wedge W)) \wedge \neg W$	definition of implication
$\neg W \wedge (\neg C \vee (P \wedge W))$	commutativity
$(\neg W \wedge \neg C) \vee (\neg W \wedge (P \wedge W))$	distributive
$(\neg W \wedge \neg C) \vee ((P \wedge W) \wedge \neg W)$	commutative
$(\neg W \wedge \neg C) \vee (P \wedge (W \wedge \neg W))$	associativity
$(\neg W \wedge \neg C) \vee (P \wedge \bot)$	simplification
$(\neg W \wedge \neg C) \vee \top$	simplification
$\neg W \wedge \neg C$	simplification
$\neg C \wedge \neg W$	simplification
$\neg C$	entailment rule $A \wedge B \models A$

Question 31

Which of the following statements are tautologies? (A tautology is an expression that always evaluates to true):

- $(P \wedge \neg P) \rightarrow Q$ - Tautology
- $(P \vee \neg P) \rightarrow Q$ - Not a tautology
- $(P \wedge Q) \rightarrow (P \vee Q)$ - Tautology

Question 32

Select the correct formalism of “If I were rich and famous you wouldn’t treat me like this!” Assume each parenthesized english statement becomes one symbol.

- $((\text{I’m rich}) \wedge (\text{I’m famous})) \rightarrow \neg (\text{you treat me like this})$
- $((\text{I’m rich}) \wedge (\text{im famous})) \rightarrow (\text{you wouldn’t treat me like this})$

Question 33

Starting from $(A \wedge \neg B) \vee (B \wedge \neg C)$, which of the following can be reached by only one application of the distributive rule?

- $((A \wedge \neg B) \vee B) \wedge ((A \wedge \neg B) \vee \neg C)$

Question 34

I have an expression consisting of a disjunction of several conjunctions. I want to get some of the terms of the conjunctions to cancel out. To do this, I should first:

- Know what a disjunction and a conjunction is:
 - disjunction is \vee and conjunction is \wedge
- Use the distributive law to change it into a conjunction of disjunctions OR use the distributive law to factor out common terms.
 - The second option is probably better tho :grin: