

# Software Requirements Specification Template

Software Engineering

The following annotated template shall be used to complete the Software Requirements Specification (SRS) assignment.

## **Template Usage:**

Text contained within angle brackets ('<', '>') shall be replaced by your project-specific information and/or details. For example, <Project Name> will be replaced with either 'Smart Home' or 'Sensor Network'.

*Italicized text is included to briefly annotate the purpose of each section within this template. This text should not appear in the final version of your submitted SRS.*

This cover page is not a part of the final template and should be removed before your SRS is submitted.

<Theater Ticketing System>

## Software Requirements Specification

<Version >

<2/13/2025>

<Group 7>

<Anthony Nguyen, Steven To, Charlie Pham>

Prepared for  
CS 250- Introduction to Software Systems  
Instructor: Gus Hanna, Ph.D.  
Fall 2023

## Revision History

Date	Description	Author	Comments
<date>	<Version 1>	<Your Name>	<First Revision>
<02/13/25>	<1.0>	<Group 7>	Completed all of the Introduction
<02/17/25>	<1.1>	<Group 7>	Completed all of <a href="#">2</a>
<02/19/25>	<1.2>	<Group 7>	Completed 3.1-3.5

## Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
	<Your Name>	Software Eng.	
	Dr. Gus Hanna	Instructor, CS 250	

# Table of Contents

REVISION HISTORY.....	II
DOCUMENT APPROVAL.....	II
<b>1. INTRODUCTION.....</b>	<b>1</b>
1.1 PURPOSE.....	1
1.2 SCOPE.....	1
1.3 DEFINITIONS, ACRONYMS, AND ABBREVIATIONS.....	1
1.4 REFERENCES.....	1
1.5 OVERVIEW.....	1
<b>2. GENERAL DESCRIPTION.....</b>	<b>2</b>
2.1 PRODUCT PERSPECTIVE.....	2
2.2 PRODUCT FUNCTIONS.....	2
2.3 USER CHARACTERISTICS.....	2
2.4 GENERAL CONSTRAINTS.....	2
2.5 ASSUMPTIONS AND DEPENDENCIES.....	2
<b>3. SPECIFIC REQUIREMENTS.....</b>	<b>2</b>
3.1 EXTERNAL INTERFACE REQUIREMENTS.....	3
3.1.1 <i>User Interfaces</i> .....	3
3.1.2 <i>Hardware Interfaces</i> .....	3
3.1.3 <i>Software Interfaces</i> .....	3
3.1.4 <i>Communications Interfaces</i> .....	3
3.2 FUNCTIONAL REQUIREMENTS.....	3
3.2.1 <i>&lt;Functional Requirement or Feature #1&gt;</i> .....	3
3.2.2 <i>&lt;Functional Requirement or Feature #2&gt;</i> .....	3
3.3 USE CASES.....	3
3.3.1 <i>Use Case #1</i> .....	3
3.3.2 <i>Use Case #2</i> .....	3
3.4 CLASSES / OBJECTS.....	3
3.4.1 <i>&lt;Class / Object #1&gt;</i> .....	3
3.4.2 <i>&lt;Class / Object #2&gt;</i> .....	3
3.5 NON-FUNCTIONAL REQUIREMENTS.....	4
3.5.1 <i>Performance</i> .....	4
3.5.2 <i>Reliability</i> .....	4
3.5.3 <i>Availability</i> .....	4
3.5.4 <i>Security</i> .....	4
3.5.5 <i>Maintainability</i> .....	4
3.5.6 <i>Portability</i> .....	4
3.6 INVERSE REQUIREMENTS.....	4
3.7 DESIGN CONSTRAINTS.....	4
3.8 LOGICAL DATABASE REQUIREMENTS.....	4
3.9 OTHER REQUIREMENTS.....	4
<b>4. ANALYSIS MODELS.....</b>	<b>4</b>
4.1 SEQUENCE DIAGRAMS.....	5
4.3 DATA FLOW DIAGRAMS (DFD).....	5
4.2 STATE-TRANSITION DIAGRAMS (STD).....	5
<b>5. CHANGE MANAGEMENT PROCESS.....</b>	<b>5</b>
<b>A. APPENDICES.....</b>	<b>5</b>
A.1 APPENDIX 1.....	5
A.2 APPENDIX 2.....	5



# 1. Introduction

The introduction to the Software Requirement Specification (SRS) provides an overview of the complete SRS including the purpose, scope, definitions, acronyms, abbreviations, references, and overview of the SRS. The objective of this document is to obtain and provide an in-depth look at the complete **theater ticketing system** by addressing the desires of the consumers in detail. The detailed requirements of the **theater ticketing system** are provided in this document.

~~While writing this document please remember that this document should contain all of the information needed by a software engineer to adequately design and implement the software product described by the requirements listed in this document. (Note: the following subsection annotates are largely taken from the IEEE Guide to SRS).~~

## 1.1 Purpose

The purpose of this document is to help guide and serve as a foundation for the various phases of developing a movie theatre ticketing system. This system is designed to facilitate the consumption of tickets and is intended for use by individuals aged 14 and above.

~~What is the purpose of this SRS and the (intended) audience for which it is written.~~

## 1.2 Scope

The theater ticketing system is a web-based application developed to provide an efficient and seamless process for customers to purchase and manage digital movie tickets online. The system will enable users to browse available movie screenings, select their seats, and make reservations or purchases. The system will also have administrative features such as adding and updating movie schedules, setting ticket prices, and managing seat availability. The theater ticketing system aims to enhance customer convenience and improve operational efficiency. The system is designed to be secure, ensuring a smooth user experience.

~~This subsection should:~~

- ~~(1) Identify the software product(s) to be produced by name; for example, Host DBMS, Report Generator, etc.~~
- ~~(2) Explain what the software product(s) will, and, if necessary, will not do.~~
- ~~(3) Describe the application of the software being specified. As a portion of this, it should:~~
  - ~~(a) Describe all relevant benefits, objectives, and goals as precisely as possible. For example, to say that one goal is to provide effective reporting capabilities is not as good as saying parameter-driven, user-definable reports with a 2-h turnaround and on-line entry of user parameters.~~
  - ~~(b) Be consistent with similar statements in higher-level specifications (for example, the System Requirement Specification), if they exist. What is the scope of this software product.~~

### 1.3 Definitions, Acronyms, and Abbreviations

~~This subsection should provide the definitions of all terms, acronyms, and abbreviations required to properly interpret the SRS. This information may be provided by reference to one or more appendixes in the SRS or by reference to other documents.~~

FAQ's	Frequently Asked Questions
API	Application Programming Interface
SMS	Short Message Service
ID	Identity or Identification
MySQL	My Structured Query Language
iOS	iPhone Operating System
macOS	Macintosh Operating System

### 1.4 References

The references are:

- Gerhard Krüger. (2018). How to Write an SRS Document (Software Requirements Specification Document) | Perforce Software. Retrieved February 21, 2025, from Perforce Software website:  
<https://www.perforce.com/blog/alm/how-write-software-requirements-specification-srs-document>
- admin@relevant.software. (2023, March 23). Your Guide to Writing a Software Requirements Specification (SRS) Document. Retrieved February 21, 2025, from Relevant Software website:  
<https://relevant.software/blog/software-requirements-specification-srs-document/>
- IEEE-830-1998.pdf
- Intro to software architecture and design.pdf

~~This subsection should:~~

~~(1) Provide a complete list of all documents referenced elsewhere in the SRS, or in a separate, specified document.~~

~~(2) Identify each document by title, report number – if applicable – date, and publishing organization.~~

~~(3) Specify the sources from which the references can be obtained.~~

~~— This information may be provided by reference to an appendix or to another document.~~

## 1.5 Overview

This document provides a comprehensive specification for the theater ticketing system, which details its requirements, functionalities, and constraints. It is structured to ensure ease of reference for developers, stakeholders, and designers. Section 2 presents a general description of the system, which includes its product perspective, primary functions, user characteristics, constraints, and dependencies. Section 3 gives the specific requirements of the system, defining functional aspects of the system such as external interface requirements, functional requirements, and use cases. It also includes details on non-functional requirements such as performance, security, usability, and system constraints. Section 4 discusses additional factors such as assumptions, dependencies, and design constraints. Section 5 provides an overview of possible future enhancements for the system.

~~This subsection should:~~

- ~~(1) Describe what the rest of the SRS contains~~
- ~~(2) Explain how the SRS is organized.~~

## 2. General Description

The theater ticketing system is designed to provide an efficient and user-friendly online ticketing experience for users while ensuring efficient management for theater administrators. This section provides an overview of the general factors that influence the system's development and usage, making it easier to understand the specific requirements shown later in the document.

~~This section of the SRS should describe the general factors that affect the product and its requirements. It should be made clear that this section does not state specific requirements, it only makes those requirements easier to understand.~~

### 2.1 Product Perspective

- ~~● meant to replace traditional in person ticket sales~~
- ~~● helps with managing movie schedules and seat availability in advance.~~
- ~~● has a customer feedback link that leads to a review system (something like Yelp but for movies)~~

~~personalized movie recommendations based on user preferences~~

The theater ticketing system is a web-based application designed to replace traditional box office ticket sales by offering a digital, real-time booking platform. It will also integrate with third-party payment processors to enhance the user experience. The system provides an interface for managing movie schedules, prices, and sales reports, reducing manual work and improving efficiency. Compared to existing ticketing systems, this system aims to offer a more seamless and



user-friendly experience with features such as real-time seat selection and automated notifications. Additionally, the system will incorporate a customer feedback link that leads to a review platform where they can rate and review movies. The system can give personalized movie recommendations to users with an account based on their movie history and reviews on our customer feedback platform.

~~This subsection of the SRS puts the product into perspective with other related products or projects. (See the IEEE Guide to SRS for more details).~~

## 2.2 Product Functions

Our product offers a multitude of different languages based on region when a user is accessing our website. Our product also has an account feature that the users can access, either login or create an account. This is where the administrators can log in and use the system in administrator mode. In this mode, they can change seats and showings. Once in they can select the movie of their choice. The customers are expected to know what movie they want to watch. Therefore, we have a search option that allows the user to search for the movie they want to watch. However, in the case that they don't, we have a featuring movie list page that shows movies from the most popular to the least popular. The account is linked to a phone number so they will receive a text message when the movie is about to start. The software will count how many seats are available based on the room of the movie at a certain time, and display when the movie is chosen. The system will also have a back button so users can go back if they were to change their minds. However, this feature will be removed once their payment is processed. Moreover, once they reach the payment page, our machine will accept payments in the form of Credit/Debit cards, Apple Pay, and PayPal. The product will also be able to print the receipt and tickets.

- ~~Supports English and Spanish options~~
- ~~display movie time showings~~
- ~~back option for each step~~
- ~~sign in~~
  - ~~Notify users when movies are about to start~~
  - ~~only register one account at a time~~
- ~~counts available seats in movies~~
  - ~~the device can show available seats for movies chosen~~
  - ~~user can select available seats~~
    - ~~the system takes away available seats once it is chosen and paid for~~
- ~~can choose movie~~
  - ~~featuring movies~~
- ~~Receive payment (kiosk: card only)~~
  - ~~accepted payment methods: Credit/Debit card, Apple Pay, PayPal~~
  - ~~prices based on local currency~~
  - ~~prices are fair~~

- ~~print receipt and ticket~~
- ~~administrator mode for workers~~

~~This subsection of the SRS should provide a summary of the functions that the software will perform.~~

## 2.3 User Characteristics

- Know what movie they want to see beforehand
- Ability to read, and change language if necessary
- Must either have payments in the form of a Credit/Debit card, Apple Pay, or PayPal
- Ticket prices are converted based on their local currency
- The system should accommodate users with disabilities by adhering to accessibility standards
- The system must provide a responsive and consistent user experience across all devices.
- 

~~This subsection of the SRS should describe those general characteristics of the eventual users of the product that will affect the specific requirements. (See the IEEE Guide to SRS for more details).~~

## 2.4 General Constraints

- Payment: Credit/Debit Card, PayPal, Apple Pay.
- limited to buy only 10 tickets at a time
- Ticket prices are converted based on local currency
- Compatible with major operating systems such as Windows, iOS, MacOS, and Android and web browsers such as Safari, Google Chrome, and Firefox
- The database will be MySQL
- The system must be designed to handle a growing number of users and transactions without performance degradation.
- The system should support multiple languages to cater to a diverse user base.
- Must be accessible for individuals with disabilities
- The system must provide real-time updates
- The system must provide data privacy
- The system must allow refunds and cancellation policies
- at most 2 physical machines so the system does not get overloaded with people all trying to claim the same seats at the movies

~~This subsection of the SRS should provide a general description of any other items that will limit the developer's options for designing the system. (See the IEEE Guide to SRS for a partial list of possible general constraints).~~

## 2.5 Assumptions and Dependencies

- ~~at least 14 years of age, or accompanied by an adult~~
- ~~pay with a card NOT cash~~

## <Theater Ticketing System>

- ~~administrators must regularly update movie schedules and ticket prices~~
- ~~stable internet access~~
- ~~Prices must be converted to local currency.~~

### ~~must support english and spanish~~

The ticketing system relies on several factors that can impact its functionality and requirements. It is assumed that users must be at least 14 years old or accompanied by an adult to purchase tickets. The system also requires stable internet access for seamless transactions and communication with third-party services, such as payment and email/text notifications. The system will support a variety of languages based on user preferences to enhance accessibility. To ensure smooth operation, administrators have to regularly update movie schedules and ticket prices. All payments will be card transactions only, and no cash payments accepted. Also, ticket prices must be automatically converted to local currency based on the user's location.

~~This subsection of the SRS should list each of the factors that affect the requirements stated in the SRS. These factors are not design constraints on the software but are, rather, any changes to them that can affect the requirements in the SRS. For example, an assumption might be that a specific operating system will be available on the hardware designated for the software product. If, in fact, the operating system is not available, the SRS would then have to change accordingly.~~

## 3. Specific Requirements

~~This will be the largest and most important section of the SRS. The customer requirements will be embodied within Section 2, but this section will give the D-requirements that are used to guide the project's software design, implementation, and testing.~~

~~Each requirement in this section should be:~~

- ~~Correct~~
- ~~Traceable (both forward and backward to prior/future artifacts)~~
- ~~Unambiguous~~
- ~~Verifiable (i.e., testable)~~
- ~~Prioritized (with respect to importance and/or stability)~~
- ~~Complete~~
- ~~Consistent~~  
~~Uniquely identifiable (usually via numbering like 3.4.5.6)~~

~~Attention should be paid to the carefully organize the requirements presented in this section so that they may easily accessed and understood. Furthermore, this SRS is not the software design document, therefore one should avoid the tendency to over-constrain (and therefore design) the software project within this SRS.~~

### 3.1 External Interface Requirements

### **3.1.1 User Interfaces**

3.1.1.1 The system shall provide a user-friendly graphical interface for desktop and mobile users.

3.1.1.2 The system shall allow users to browse movie listings, select showtimes, and purchase tickets.

3.1.1.3 The system shall include an interactive seat selection map that updates availability in real time.

3.1.1.4 The system shall provide a user account dashboard for managing bookings and payment history.

3.1.1.5 The system shall support English and Spanish for accessibility.

3.1.1.6 The system shall include a review and rating section for users to share movie feedback.

### **3.1.2 Hardware Interfaces**

3.1.2.1 The system shall be compatible with standard desktop, tablet, and mobile devices.

3.1.2.2 The system shall support barcode and QR code scanning for ticket validation at theater entrances.

### **3.1.3 Software Interfaces**

3.1.3.1 The system shall work with secure third-party payment gateways such as PayPal.

3.1.3.2 The system shall connect with theater management systems to retrieve and update showtimes and seat availability.

3.1.3.3 The system shall work with email and SMS services for sending notifications.

3.1.3.4 The systems shall integrate with MySQL to maintain transaction and user history.

### **3.1.4 Communications Interfaces**

3.1.4.1 The system shall send confirmation emails and SMS notifications after successful ticket purchases.

3.1.4.2 The system shall provide alerts for canceled or rescheduled showtimes via email / SMS.

## 3.2 Functional Requirements

~~This section describes specific features of the software project. If desired, some requirements may be specified in the use case format and listed in the Use Cases Section.~~

### 3.2.1 Ticket Purchase Process

- 3.2.1.1 The system shall display available movies and corresponding showtimes.
- 3.2.1.2 The system shall allow users to select a movie and a preferred showtime.
- 3.2.1.3 The system shall present real-time seat availability and selection options.
- 3.2.1.4 The system shall provide a detailed order summary before checkout.
- 3.2.1.5 The system shall process payments through a secure gateway.
- 3.2.1.6 The system shall generate and distribute digital tickets via email and SMS upon successful payment.
- 3.2.1.7 The system shall prevent duplicate bookings for the same seat.

### 3.2.2 User Account Management

- 3.2.2.1 The system shall allow users to create and manage personal accounts.
- 3.2.2.2 The system shall store user booking history and payment preferences.
- 3.2.2.3 The system shall enable users to update account details, including email, phone number, and password.
- 3.2.2.4 The system shall support account password recovery through email and SMS authentication.

### 3.2.3 Customer Support

- 3.2.3.1 The system shall provide a live chat feature for customer inquiries.
- 3.2.3.2 The system shall include a FAQ section for common troubleshooting issues.
- 3.2.4.3 The system shall allow users to submit refund requests for canceled showtimes.
- 3.2.4.4 The system shall provide theater contact details for direct assistance.

### **3.2.4 Ticket Cancellation & Refund**

- 3.2.4.1 The system shall allow users to request ticket cancellations before the showtime.
- 3.2.4.2 The system shall provide users with refund policies before cancellation.
- 3.2.4.3 The system shall process eligible refunds based on theater policies.
- 3.2.4.4 The system shall notify users of successful cancellations and refunds via email or SMS.
- 3.2.4.5 The system shall restrict refund eligibility based on the purchase date, showtime, and ticket type.

### **3.2.5 Movie Review & Rating System**

- 3.2.5.1 The system shall allow users to rate movies after watching them.
- 3.2.5.2 The system shall enable users to submit written reviews of movies.
- 3.2.5.3 The system shall allow users to report inappropriate reviews for moderation.

### **3.2.6 Search & Filter Functionality**

- 3.2.6.1 The system shall allow users to search movies by title, genre, or release date.
- 3.2.6.2 The systems shall provide filtering options based on rating, language, and availability.
- 3.2.6.3 The system shall display search results dynamically as the user types.

### **3.2.7 Payment Processing & Security**


- 3.2.7.1 The system shall support multiple payment methods, including credit/debit cards, PayPal, and Apple Pay.
- 3.2.7.2 The system shall encrypt all payment transactions to ensure security.
- 3.2.7.3 The system shall allow users to store payment methods securely for faster checkouts.

### **3.2.8 Administrative Management**

- 3.2.8.1 The system shall allow administrators to add, update, and remove movie listings.

3.2.8.2 The system shall provide detailed reports on ticket sales, refunds, and revenue trends.

### 3.3 Use Cases



#### 3.3.1 Use Case #1: Select a Movie

**Actor(s):** Customer

**Preconditions:**

- The customer has access to the website.
- The customer has an active internet connection.
- the customer has an account with our website
- The movie selected has available seats.

**Flow of Events:**

1. The customer ~~login~~logs into the website.
2. The system displays movies to watch in “featuring movies” and a search function.
3. The customer selects a movie through the search function or from the list of available movies.
4. The system displays the available showtimes and dates.
5. The customer selects a preferred date and showtime.
6. The system presents the seating chart with available seats.
7. The customer selects one or more seats.
8. The system updates the ticket price based on the amount of seats.
9. The customer proceeds to checkout.

**Postconditions:**

- The selected seat is marked as booked in the system.

#### 3.3.2 Use Case #2: Purchase a Movie Ticket

**Actor(s):** Customer

**Preconditions:**

- The customer has a valid payment method available.
- The customer completes all of the steps to get to this page

**Flow of Events:**

1. The system displays the available payment options.
2. The customer enters payment details and confirms the purchase.
3. The system processes the payment and generates a digital ticket.
4. The system sends the digital ticket to the customer's email and account.

**Preconditions:**

- The customer successfully receives their digital ticket.

### 3.3.3 Use Case #3: Cancel a Movie Ticket

**Actor(s):** Customer

**Preconditions:**

- The customer has purchased a ticket.
- The cancellation window (determined by theater policy) is still open.
- The customer has an active internet connection.
- The refund policy allows for cancellation.

**Flow of Events:**

1. The customer logs into their account or checks their email.
2. The system displays the customer's active bookings.
3. The customer selects the booking they wish to cancel.
4. The system presents the refund policy and confirmation prompt.
5. The customer confirms the cancellation request.
6. The system processes the cancellation.
7. If eligible, the system initiates a refund process.
8. The system sends a cancellation confirmation to the customer.

**Postconditions:**

- The ticket is invalidated, and the seat is marked as available.
- If applicable, a refund is issued to the customer.

...

## 3.4 Classes / Objects

### 3.4.1 <User>

#### 3.4.1.1 Attributes

User
3.4.1.1 Attributes



## <Theater Ticketing System>

UserID: int	A unique identifier for each user.
Name: String	The full name of the user.
Email: String	The user's email address, is used for account creation and communication.
Password: String	A secure password for account authentication.
Age: int	The user's age, is used to enforce the minimum age requirement (14+).
PaymentMethods: (List<string>)	A list of payment methods associated with the user.
3.4.1.2 Operations	
Register(name, email, password, age): void	Allows a new user to create an account.
Login(email, password): bool	Authenticates the user and grants access to the system.
PurchaseTicket(movieID, showtime, seatNumber): Ticket	Purchases a movie ticket.

~~UserID: A unique identifier for each user.~~

~~Name: The full name of the user.~~

~~Email: The user's email address, is used for account creation and communication.~~

~~Password: A secure password for account authentication.~~

~~Age: The user's age, is used to enforce the minimum age requirement (14+).~~

~~PaymentMethods: A list of payment methods associated with the user (e.g., Credit/Debit Card, Apple Pay, PayPal).~~

### 3.4.1.2 Functions

~~Register(): Allows a new user to create an account.~~

~~Login(): Authenticates the user and grants access to the system.~~

~~UpdateProfile(): This enables the user to modify their personal information.~~

## <Theater Ticketing System>

~~PurchaseTicket(): Facilitates the purchase of a movie ticket.~~

~~ViewBookingHistory(): Displays the user's past ticket purchases.~~

~~<Reference to functional requirements and/or use cases>~~Reference to Use Cases:

Use Case #1: Select a Movie

Use Case #2: Purchase a Movie Ticket

### 3.4.2 <Movie>

Movie	
3.4.2.1 Attributes	
MovieID: int	Unique identifier for the movie.
Title: string	Title of the movie.
Description: string	Brief synopsis of the movie.
Duration: int	Runtime of the movie in minutes.
Genre: string	Category of the movie (e.g., "Action", "Comedy").
Rating: string	Movie rating (e.g., "PG", "PG-13").
Showtimes: List<DateTime>	List of available showtimes.
3.4.2.2 Operations	
AddMovie(title, description, duration, genre, rating): void	Adds a new movie to the system.
UpdateMovie(movieID, title, description, duration, genre, rating): void	Updates movie details.
DeleteMovie(movieID): void	Removes a movie from the system.
SearchMovie(keyword): List<Movie>	Searches for movies by title, genre, or keyword.

## <Theater Ticketing System>

DisplayMovieDetails(movieID): Movie	Displays detailed information about a movie.
-------------------------------------	--

Reference to Use Cases:

Use Case #1: Select a Movie

~~3.4.2 <Ticket>~~

~~3.4.3.1 Attributes:~~

~~TicketID: A unique identifier for each ticket.~~

~~UserID: The ID of the user who purchased the ticket.~~

~~MovieID: The ID of the movie associated with the ticket.~~

~~Showtime: The date and time of the movie screening.~~

~~SeatNumber: The seat number assigned to the ticket.~~

~~Price: The price of the ticket is converted to the user's local currency.~~

~~BookingStatus: The status of the ticket (e.g., Confirmed, Cancelled).~~

~~3.4.3.2 Functions:~~

~~BookTicket(): Allows a user to book a ticket for a specific movie and showtime.~~

~~CancelTicket(): This enables a user to cancel a booked ticket.~~

~~GenerateTicket(): Generates a digital ticket for the user.~~

~~CheckAvailability(): Checks seat availability for a specific showtime.~~

**3.4.3 <Ticket>**

Ticket	
3.4.3.1 Attributes	
TicketID: String	A unique identifier for each ticket.
UserID: int	The ID of the user who purchased the ticket.
MovieID: int	The ID of the movie associated with the ticket.
Showtime: DateTime	The date and time of the movie screening.
SeatNumber: String	The seat number assigned to the ticket.
Price: double	The price of the ticket is converted to the user's local currency.
3.4.3.2 Operations	
BookTicket(userID, movieID, showtime, seatNumber, price): Ticket	A user can book a ticket for a specific movie and showtime.
CancelTicket(ticketID): void	This enables a user to cancel a booked ticket.
GenerateTicket(ticketID): string	Generates a digital ticket for the user.
CheckAvailability(movieID, showtime): int	Check seat availability for a specific showtime.

~~Reference to Functional Requirements/Use Cases:~~Reference to Use Cases:

Use Case #2: ~~Ticket Purchase~~Purchase a Movie Ticket

Use Case #3: Cancel Ticket

...

**3.5 Non-Functional Requirements**

~~Non functional requirements may exist for the following attributes. Often these requirements must be achieved at a system wide level rather than at a unit level. State the requirements in the following sections in measurable terms (e.g., 95% of transaction shall be processed in less than a second, system downtime may not exceed 1 minute per day, > 30 day MTBF value, etc).~~

### **3.5.1 Performance**

3.5.1.1 95% of all user interactions will have a response time of under 20 seconds, assuming it is at normal load conditions.

3.5.1.2 The system will be able to handle 10,000 users on the website simultaneously without a downgrade in performance.

3.5.1.3 The system will process at least 500 transactions during peak hours.

3.5.1.4 The confirmation for seating shall not take more than 1 second to update and reflect for all other users.

3.5.1.5 During peak hours (e.g. the holidays, or the release of a popular movie) the system will be able to handle up to five times the regular transactions.

3.5.1.6 All critical database queries (e.g. searching movies, choosing available seats, booking status) shall execute within 300 milliseconds.

3.5.1.7 The system shall maintain user sessions for a minimum of 15 minutes of inactivity before requiring re-authentication.

3.5.1.8 All external API calls (e.g. payment gateway, third-party movie databases) shall possess a response time of less than 1 second.

### **3.5.2 Reliability**

3.5.2.1 The system must ensure data consistency and accuracy.

3.5.2.2 The system must have an uptime of 99.9% to ensure it is available for users at all times, excluding scheduled maintenance.

3.5.2.3 Ticket purchases must be fully completed or canceled in case of failure.

3.5.2.4 The system shall be tested to identify and resolve potential issues before officialization.

3.5.2.5 The system must automatically back up data daily to prevent data loss in case of hardware or software failures.

### **3.5.3 Availability**

3.5.3.1 The system shall be accessible 24/7 except for scheduled maintenance periods.

~~3.5.3.2 System maintenance shall be performed during non-peak hours to minimize downtime.~~

3.5.3.32 The system shall provide real-time status monitoring and alert administrators in case of failures.

3.5.3.43 The system shall automatically notify users of any scheduled downtime at least 24 hours in advance.

3.5.3.54 The systems shall support automatic scaling to handle increased traffic during peak hours without losing performance.

### **3.5.4 Security**

3.5.4.1 The system shall encrypt all user data and transactions.

3.5.4.2 Multi-factor authentication shall be required for all administrative accounts.

3.5.4.3 The system shall ask for authentication if inactive for 15 minutes.

3.5.4.4 The system shall conduct monthly security audits to identify and fix vulnerabilities.

3.5.4.5 The system shall make each ticket unique.

### **3.5.5 Maintainability**

3.5.5.1 Regular updates and maintenance schedules must be established to address bugs, security vulnerabilities, and performance improvements.

3.5.5.2 Comprehensive documentation must be provided, such as user manuals, maintenance procedures, and system architecture

3.5.5.3 Comprehensive code documentation, including inline comments and API documentation, must be provided to facilitate understanding and modification.

3.5.5.4 A testing framework must be implemented to ensure that changes or updates do not introduce new bugs or regressions.

3.5.5.5 The system must minimize dependencies on third-party services to reduce the risk of compatibility issues.

### **3.5.6 Portability**

3.5.6.1 The system shall support access via web browsers (Google Chrome, Firefox, Safari).

3.5.6.2 The system shall work across all screen sizes.

3.5.6.3 The system shall be compatible with multiple operating systems, including Windows, iOS, MacOS, and Android.

3.5.6.4 The system shall allow integration with third-party applications, including calendar apps and digital wallets.

3.5.6.5 The system shall support multiple language preferences for accessibility.

### 3.6 Inverse Requirements

System maintenance shall not be performed during peak hours to minimize downtime.

The system shall not allow booking modifications or cancellations after the showtime has started.

The system shall not allow ticket purchases for past showtimes.

The system shall not allow ticket purchases of more than 10 tickets at a time.

The system shall not allow account login without additional authentication for security purposes.

The system shall not allow booking of the same seat.

The system shall not allow ticket purchases for full theaters.

~~State any \*useful\* inverse requirements.~~

### 3.7 Design Constraints

*Specify design constraints imposed by other standards, company policies, hardware limitations, etc. that will impact this software project.*

### 3.8 Logical Database Requirements

*Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.*

### 3.9 Other Requirements

*Catchall section for any additional requirements.*

## 4. Analysis Models

*List all analysis models used in developing specific requirements previously given in this SRS. Each model should include an introduction and a narrative description. Furthermore, each model should be traceable the SRS's requirements.*

## **4.1 Sequence Diagrams**

## **4.3 Data Flow Diagrams (DFD)**

## **4.2 State-Transition Diagrams (STD)**

# **5. Change Management Process**

*Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.*

## **A. Appendices**

*Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.*

*Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.*

### **A.1 Appendix 1**

### **A.2 Appendix 2**



