Jiménez-Uzcátegui, G., Wiedenfeld, D. A., Vargas, F. H., Snell, H. L. (2012). CDF Checklist of Galapagos Birds - FCD Lista de especies de Aves de Galápagos. *In*: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, G., Ruiz, D., Guézou, A. Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin. Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos: http://checklists.datazone.darwinfoundation.org/vertebrates/aves/ Last updated 02 Aug 2012.

CDF Checklist of Galapagos Birds

Gustavo Jiménez-Uzcátegui, David A. Wiedenfeld, F. Hernán Vargas, Howard L. Snell

Contribs.: Paola Buitrón, Birgit Fessl, Brian Milstead, Elizabeth Pillaert, Barbara West, Javier Zabala.

02 Aug 2012

This checklist is automatically generated using Version 3.0 of the online database CDF Galapagos Species Checklist.

Birds are characterized by a constant body temperature, a pulmonary respiratory system, beaks, bodies covered in feathers, two legs, and two wings. Their reproduction is oviparous. Of the 178 species recorded in Galapagos, 56 are endemic and native.

At present, no birds are known to be extinct in the Archipelago, but extinctions have occurred locally on some islands.

For marine species distribution data cited in the CDF Galapagos Checklists refer to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elithabeth Bay Bioregion). For the terrestrial species the more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

Please be aware that the distribution data presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Names of taxa included in this checklist: 181 (179 Accepted , 2 Problematic).

Origin of the taxa included: 5 Accidental, 4 Cultivated, 1 Eradicated, 1 Escaped, 45 Endemic, 18 Hypothetical, 12 Indigenous, 28 Migrant, 67 Vagrant.

1. Actitis macularius (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Actitis macularia Linnaeus, 1758

Origin: Native, Migrant.

Galapagos Distribution: Isabela.

References: Harris, M.P. et al. (1973), Snodgrass, R.E. et al. (1904), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

2. Anas bahamensis galapagensis (Ridgway, 1890)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Anas bahamensis Linnaeus, 1758; Dafilia bahamensis

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Meyer De Schauensee, R.M. et al. (1966), Salvin, O. et al. (1876), Wiedenfeld, D.A. et al. (2006).

3. Anas cyanoptera Vieillot, 1816

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Kostecke, R.M. et al. (2006), Meyer De Schauensee, R.M. et al. (1966), Wiedenfeld, D.A. et al. (2006).

4. Anas discors Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Isabela.

References: Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966), Meyer De Schauensee, R.M. et al. (1966), Wiedenfeld, D.A. et al. (2006).

5. Anas platyrhynchos Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007), Meyer De Schauensee, R.M. et al. (1966).

6. Anous stolidus galapagensis Sharpe, 1879

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Anous stolidus (Linnaeus, 1758); Megalopterus stolidus Gould, 1841

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Española, Isabela, Pinzón, Santa Cruz, Santiago, Wolf.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

7. Anser anser Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

8. Aphriza virgata Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Meyer De Schauensee, R.M. et al. (1966), Wiedenfeld, D.A. et al. (2006).

9. Aratinga erythrogenys Lesson, 1844

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007), Vargas, H. et al. (1996), Wiedenfeld, D.A. et al. (2006).

10. Ardea alba Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Ardea alba egretta Gmelin, 1789, Casmerodius albus (Linnaeus, 1758), Egretta alba (Linnaeus, 1758)

Origin: Native, Indigenous. **IUCN Red List:** Least Concern.

Galapagos Distribution: Isabela, Santa Cruz.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Wiedenfeld, D.A. et al. (2006).

11. Ardea herodias cognata Bangs, 1903

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Ardea herodias Linnaeus, 1758; Ardea herodias Gould 1841

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

12. Arenaria interpres Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Arenaria interpres interpres (Linnaeus, 1758); Strepsilas interpres

Origin: Native, Migrant.

Galapagos Distribution: Española, Fernandina, Isabela, Pinta, Santa Cruz.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Meyer De Schauensee, R.M. et al. (1966), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

13. Arenaria melanocephala Vigors, 1829

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

14. Asio flammeus galapagoensis (Gould, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Asio flammeus (Pontoppidan, 1763); Asio galapagensis

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Bisconti, M. et al. (2001), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Rothschild, W. et al. (1899), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Trillmich, F. et al. (1992), Wiedenfeld, D.A. et al. (2006).

15. Bombycilla cedrorum Vieillot, 1808

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Curry, R.L. et al. (1988), Wiedenfeld, D.A. et al. (2006).

16. Bubulcus ibis Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Lévêque, R. et al. (1966), Pérez, S. et al. (1987), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

17. Buteo galapagoensis (Gould, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Polyborus galapagoensis Gould, 1837; Craxirex galapagoensis Gould, 1837; Buteo galapagoensis Sundevall, 1871; Buteo galapagoensis Ridgway, 1890

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Bisconti, M. et al. (2001), Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Lanteri, A.A. et al. (2001), Loope, L.L. et al. (1988), Parker, P.G. et al. (2006), Peters, M.P. et al. (2009), Peters, M.P. et al. (2009), Salvin, O. et al. (1876), Santiago-Alarcon, D. et al. (2008), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Whiteman, N.K. et al. (2004), Whiteman, N.K. et al. (2006), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

18. Butorides striata sundevalli (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

19. Butorides virescens Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.
Galapagos Distribution: Unknown.

References: Vargas, F.H. et al. (1996), Wiedenfeld, D.A. et al. (2006).

20. Calidris alba Pallas, 1764

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Calidris arenaria **Origin:** Native, Migrant.

Galapagos Distribution: Isabela.

References: Harris, M.P. et al. (1973), Salvin, O. et al. (1876), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

21. Calidris bairdii Coues, 1861

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

22. Calidris canutus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Wiedenfeld, D.A. et al. (2006).

23. Calidris fuscicollis Vieillot, 1819

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

24. Calidris himantopus Bonaparte, 1826

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

25. Calidris mauri Cabanis, 1857

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

26. Calidris melanotos Vieillot, 1819

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

27. Calidris minutilla Vieillot, 1819

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Tringa minutilla Vieillot, 1819

Origin: Native, Migrant.

Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz.

References: Harris, M.P. et al. (1973), Salvin, O. et al. (1876), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

28. Calidris pusilla Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

29. Camarhynchus heliobates (Snodgras Heller, 1901)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Cactospiza heliobates (Snodgras Heller, 1901); Geospiza heliobates Snodgras Heller, 1901

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Fernandina, Isabela.

References: Bisconti, M. et al. (2001), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

30. Camarhynchus pallidus Sclater Salvin, 1870

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Cactornis pallida Sclater Salvin, 1870; Cactospiza pallida; Camarhynchus pallidus pallidus (Sclater Salvin, 1870); Camarhynchus pallidus productus Ridgway, 1894; Camarhynchus pallidus striatipecta (Swarth, 1931)

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Guerrero, A. et al. (2009), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

31. Camarhynchus parvulus (Gould, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Camarhynchus parvulus (Gould 1837); Camarhynchus parvulus salvini Ridgway 1894; Geospiza parvulus (Gould, 1837); Camarhynchus prosthemelas (Schlater Salvin, 1870).

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Guerrero, A. et al. (2009), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Lincango, M.P. et al. (2011), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

32. Camarhynchus pauper Ridgway, 1890

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Floreana.

References: Bisconti, M. et al. (2001), Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

33. Camarhynchus psittacula Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Camarhynchus psittaculus Gould, 1841; Camarhynchus psittacula affinis Ridgway, 1894; Camarhynchus psittacula habeli Sclater Salvin, 1870; Camarhynchus psittacula psittacula Gould, 1837; Camarhynchus habeli Sclater Salvin, 1870.

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Granizo, T. et al. (2002), Guerrero, A. et al. (2009), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

34. Certhidea fusca Sclater Salvin, 1870

Taxon status: Accepted name; taxon occurs in Galapagos.

This species is closely related to the Green Warbler Finch, and were formerly considered conspecific, but both species differed in appearance, distribution, habitat, and song. Syn.: Certhidea olivacea Gould, 1837.

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Guerrero, A. et al. (2009), Remsen, J. V et al. (2012), Salvin, O. et al. (1876), Wiedenfeld, D.A. et al. (2006).

35. Certhidea olivacea Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

This species is closely related to the Grey Warbler Finch, and were formerly considered conspecfic, but both species differ in appearance, distribution, habitat, and song. Syn.: Certhidea olivacea ridgwayi Rothschild Hartert, 1899, Certhidea olivacea olivacea Gould, 1837, Certhidea olivacea mentalis Ridgway, 1894, Certhidea olivacea luteola Ridgway, 1894, Certhidea olivacea cinerascens Ridgway, 1890, Certhidea olivacea bifasciata Ridgway, 1894, Certhidea olivacea becki Rothschild, 1898.

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Genovesa, Santa Cruz.

References: Bisconti, M. et al. (2001), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Guerrero, A. et al. (2009), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Remsen, J. V et al. (2012), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

36. Chaetura pelagica Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1981), Meyer De Schauensee, R.M. et al. (1966), Wiedenfeld, D.A. et al. (2006).

37. Charadrius semipalmatus Bonaparte, 1825

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Aegialitis semipalmata Sclater Salvin, 1873

Origin: Native, Migrant.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, Santa Cruz.

References: Harris, M.P. et al. (1973), Salvin, O. et al. (1876), Wiedenfeld, D.A. et al. (2006).

38. Charadrius vociferus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

39. Charadrius wilsonia Ord, 1814

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

40. Chlidonias niger Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Curry, R.L. et al. (1988), Harris, M.P. et al. (1975), Wiedenfeld, D.A. et al. (2006).

41. Chordeiles minor Forster, 1771

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Curry, R.L. et al. (1988), Lévêque, R. et al. (1966), Meyer De Schauensee, R.M. et al. (1966), Wiedenfeld, D.A. et al. (2006).

42. Chroicocephalus cirrocephalus (Vieillot, 1818)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Larus cirrocephalus Vieillot, 1818

Origin: Native, Vagrant.

IUCN Red List: Least Concern.
Galapagos Distribution: Unknown.

References: Jones, H.L. et al. (2000), Wiedenfeld, D.A. et al. (2006).

43. Coccyzus erythropthalmus Wilson, 1811

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Española, Santa Cruz.

44. Coccyzus lansbergi Bonaparte, 1850

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical. **Galapagos Distribution:** Unknown.

References: Ridgely, R.S. et al. (2001), Wiedenfeld, D.A. et al. (2006).

45. Coccyzus melacoryphus Vieillot, 1817

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé,

Santiago.

References: Bisconti, M. et al. (2001), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

46. Coereba flaveola Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

47. Columba livia Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Eradicated.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Harmon, W.M. et al. (1987), Jiménez-Uzcátegui, G. et al. (2007), Padilla, L.R. et al. (2004), Parker, P.G. et al. (2006), Wiedenfeld, D.A. et al. (2006).

48. Coturnix coturnix Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Unknown.

References: Jiménez-Uzcátegui, G. et al. (2007).

49. Creagrus furcatus (Neboux, 1846)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Creagrus furcatus Salvin, 1876; Xema furcata Saunders, 1896; Xema furcatum Saunders, 1878

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Española, Floreana, Isabela, Santa Cruz, Santiago, Wolf.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Padilla, L.R. et al. (2006), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

50. Crotophaga ani Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santiago.

References: Fessl, B. et al. (2002), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002), Tapia, W. et al. (2000), Wiedenfeld, D.A. et al. (2006).

51. Daption capense Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Santa Cruz.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

52. Dendrocygna autumnalis Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Lévêque, R. et al. (1966), Meyer De Schauensee, R.M. et al. (1966), Tye, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

53. Dendroica petechia aureola (Gould, 1839)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Sylvicola aureola Gould, 1841; Dendroica aureola Ridgway, 1890; Dendroica petechia Linnaeus, 1766; Dendroica petechia galapagoensis Sundevall 1869

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Fessl, B. et al. (2002), Fessl, B. et al. (2001), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Thiel, T. et al. (2005), Wiedenfeld, D.A. et al. (2006).

54. Dendroica striata Forster, 1772

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Boag, P.T. et al. (1979), Wiedenfeld, D.A. et al. (2006).

55. Diomedea epomophora Lesson, 1825

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.

IUCN Red List: Vulnerable.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

56. Diomedea exulans Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.

IUCN Red List: Vulnerable.

Galapagos Distribution: Unknown.

References: Fleming, C.A. et al. (1950), Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

57. Dolichonyx oryzivorus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Española, Marchena.

References: Bowman, R.I. et al. (1960), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966), Salvin, O. et al. (1876), Snodgrass, R.E. et al. (1904), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

58. Egretta caerulea Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Dobson, A. et al. (2011), Garate, J. et al. (2011), Grant, T. et al. (1999), Helming, T. et al. (2011), Henderson, S. et al. (1997), Pugnali, G. et al. (1999), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

59. Egretta thula Molina, 1782

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

60. Egretta tricolor Muller, 1776

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Hydranassa tricolor Muller, 1776

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Genovesa.

References: Guerrero, C. et al. (2011), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

61. Falco peregrinus Tunstall, 1771

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Millington, S.J. et al. (1982), Wiedenfeld, D.A. et al. (2006).

62. Fregata magnificens magnificens Mathews, 1914

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Fregata magnificens Mathews, 1914; Hailer et al. (2010) examined genetic and morphological variation suggesting that Galapagos Magnificent Frigatebirds are strongly isolated from all other neotropical populations; presently not resolved if the populations are sufficiently distinct to warrant recognition as separate species; treated here as an endemic subspecies.

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz.

References: Hailer, F. et al. (2010), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Wiedenfeld, D.A. et al. (2006).

63. Fregata minor Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous. **IUCN Red List:** Least Concern.

Galapagos Distribution: Darwin, Española, Floreana, Genovesa, San Cristóbal, Santa Cruz, Wolf. References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Padilla, L.R. et al. (2006), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

64. Fregetta grallaria Vieillot, 1818

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

65. Fulica americana Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Janni, O. et al. (1999), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

66. Fulmarus glacialoides Smith, 1840

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Castro, I. et al. (1996), Wiedenfeld, D.A. et al. (2006).

67. Gallinula chloropus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Bisconti, M. et al. (2001), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

68. Gallus gallus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Gottdenker, N.L. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Parker, P.G. et al. (2006), Soos, C. et al. (2008), Thiel, T. et al. (2005), Wiedenfeld, D.A. et al. (2006).

69. Geospiza conirostris Ridgway, 1890

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Geospiza conirostris conirostris Ridgway, 1890; Geospiza conirostris darwini Rothschild

Hartert, 1899; Geospiza conirostris propinqua Ridgway, 1894

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Genovesa.

References: Bisconti, M. et al. (2001), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

70. Geospiza difficilis Sharpe, 1888

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Geospiza difficilis debilirostris Ridgway, 1894; Geospiza difficilis difficilis Sharpe, 1888; Geospiza difficilis septentrionalis Rothschild Hartert, 1899; Geospiza nebulosa (Gould, 1837).

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Genovesa, Pinta, Santa Cruz.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

71. Geospiza fortis Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn: Geospiza dubia (Gould, 1837); Geospiza dentirostris (Gould, 1837).

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Fessl, B. et al. (2006), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Harris, M.P. et al. (1973), Huber, S.K. et al. (2008), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), McQuistion, T.E. et al. (1989), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Thiel, T. et al. (2005), Wiedenfeld, D.A. et al. (2006).

72. Geospiza fuliginosa Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Bisconti, M. et al. (2001), Dudaniec, R.Y. et al. (2006), Fessl, B. et al. (2006), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Galligan, T.H. et al. (2009), Guerrero, A. et al. (2009), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Lincango, M.P. et al. (2011), Lindström, K.M. et al. (2009), Lindström, K.M. et al. (2004), McQuistion, T.E. et al. (1989), O'Connor, B.M. et al. (2005), Salvin, O. et al. (1876), Smith, E.A. et al. (1877), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Thiel, T. et al. (2005), Wiedenfeld, D.A. et al. (2006).

73. Geospiza magnirostris Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Geospiza strenua (Gould, 1837).

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Guerrero, A. et al. (2009), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

74. Geospiza scandens (Gould, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Geospiza scandens abingdoni (P. L. Sclater Salvin, 1870); Geospiza scandens intermedia

Ridgway, 1894; Geospiza scandens rothschildi Heller Snodgrass, 1901; Geospiza scandens scandens (Gould, 1837); Cactornis scandens Gould, 1837; Cactornis assimilis Gould, 1837; Cactornis abingdoni (Sclater Salvin, 1870).

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Isabela, Marchena, Santa Cruz, Santa Fé.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Fessl, B. et al. (2002), Guerrero, A. et al. (2009), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Thiel, T. et al. (2005), Wiedenfeld, D.A. et al. (2006).

75. Gygis alba Sparman, 1786

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Santa Cruz.

References: Gifford, E.W. et al. (1913), Harris, M.P. et al. (1981), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

76. Haematopus palliatus galapagensis Ridgway, 1886

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Haematopus palliatus Sclater Salvin, 1870; Haematopus galapagensis Ridgway, 1886

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Snodgrass, R.E. et al. (1904), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

77. Himantopus mexicanus (Muller, 1776)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

78. Hirundo rustica Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Unknown.

References: Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

79. Larosterna inca Lesson, 1827

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Near Threatened.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Carrión, C. et al. (2011), Jiménez-Uzcátegui, G. et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Reck, G. et al. (2011), Salazar, G. et al. (2011), Wiedenfeld, D.A. et al. (2006).

80. Larus delawarensis Ord, 1815

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Wiedenfeld, D.A. et al. (2006).

81. Larus dominicanus Lichtenstein, 1823

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1975), Wiedenfeld, D.A. et al. (2006).

82. Laterallus spilonotus Gould, 1841

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Porzana spilonota Schlater Salvin, 1868

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Bisconti, M. et al. (2001), Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

83. Leucophaeus atricilla (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Larus atricilla Linnaeus, 1758

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Curry, R.L. et al. (1988), Harris, M.P. et al. (1973), Lévêque, R. et al. (1966),

Wiedenfeld, D.A. et al. (2006).

84. Leucophaeus fuliginosus (Gould, 1841)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Larus fuliginosus Gould, 1841

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Aguirre, D. et al. (2007), Gifford, E.W. et al. (1913), Granizo, T. et al. (2002), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2002), Salvin, O. et al. (1876), Snodgrass, R.E. et al. (1904), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

85. Leucophaeus pipixcan (Wagler, 1831)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Larus pipixcan Wagler, 1831

Origin: Native, Migrant. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz.

References: Harris, M.P. et al. (1973), Snodgrass, R.E. et al. (1904), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

86. *Limnodromus griseus* (Gmelin, 1789)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

87. Limosa fedoa Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

88. Limosa haemastica Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Chartier, A. et al. (2001), Harris, M.P. et al. (1975), Wiedenfeld, D.A. et al. (2006).

89. Macronectes giganteus Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

G. Jimenez-Uzcategui: "Macronectes sp. (either Southern Giant-Petrel, Macronectes giganteus, or Northern Giant-Petrel, Macronectes halli). One carcass, dead for a long time, found in April 1978 on Pinta Island, and not identified to species (Harris 1981in Wiedenfeld 2006)".

Origin: Native, Hypothetical. IUCN Red List: Least Concern. Galapagos Distribution: Pinta.

References: Harris, M.P. et al. (1981), Wiedenfeld, D.A. et al. (2006).

90. Macronectes halli Mathews, 1912

Taxon status: Accepted name; taxon occurs in Galapagos.

"Macronectes sp. (either Southern Giant-Petrel, Macronectes giganteus, or Northern Giant-Petrel, Macronectes halli). One carcass, dead for a long time, found in April 1978 on Pinta Island, and not identified to species (Harris 1981in Wiedenfeld 2006)".

Origin: Native, Hypothetical.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1981), Wiedenfeld, D.A. et al. (2006).

91. Megaceryle alcyon Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Ceryle alcyon Linnaeus, 1758

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Wiedenfeld, D.A. et al. (2006).

92. Meleagridis gallopavo Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Isabela, Santa Cruz. **References:** Jiménez-Uzcátegui, G. et al. (2007).

93. Mimus macdonaldi Ridgway, 1890

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Nesomimus macdonaldi Ridgway, 1890

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Española, Pinzón.

References: Arbogast, B.S. et al. (2006), Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

94. Mimus melanotis Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Nesomimus melanotis Gould, 1837

Origin: Native, Endemic. **IUCN Red List:** Endangered.

Galapagos Distribution: Isabela, San Cristóbal.

References: Arbogast, B.S. et al. (2006), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

95. Mimus parvulus Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Orpheus parvulus Gould, 1837; Nesomimus parvulus Gould, 1837, Nesomimus parvulus parvulus Gould, 1837; Nesomimus parvulus barringtoni Rothschild, 1898, Nesomimus parvulus blindloei Ridgway, 1894; Nesomimus parvulus personatus Ridgway, 1890; Nesomimus parvulus wenmani Swarth; Nesomimus parvulus hulli Rothschild; 1898; Nesomimus parvulus bauri Ridgway, 1894

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Arbogast, B.S. et al. (2006), Fessl, B. et al. (2002), Fessl, B. et al. (2001), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Smith, E.A. et al. (1877), Swarth, H.S. et al. (1931), Thiel, T. et al. (2005), Vargas, H. et al. (1987), Wiedenfeld, D.A. et al. (2006).

96. Mimus trifasciatus Gould, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Nesomimus trifasciatus Gould, 1837

Origin: Native, Endemic.

IUCN Red List: Critically Endangered. **Galapagos Distribution:** Floreana.

References: Arbogast, B.S. et al. (2006), Gifford, E.W. et al. (1913), Granizo, T. et al. (2002), Grant, P.R. et al. (2000), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2011), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

97. Myiarchus magnirostris (Gould, 1839)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Bisconti, M. et al. (2001), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Snodgrass, R.E. et al. (1904), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

98. Neocrex erythrops Sclater, 1867

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous. IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Bisconti, M. et al. (2001), Bowman, R.I. et al. (1960), Harris, M.P. et al. (1981), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Wiedenfeld, D.A. et al. (2006).

99. Nomonyx dominicus Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Oxyura dominica Linnaeus, 1766

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

100. Numenius phaeopus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Isabela, Santa Cruz.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Wiedenfeld, D.A. et al. (2006).

101. Numida meleagris Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

102. Nyctanassa violacea pauper (Sclater Salvin, 1870)

Taxon status: Accepted name; taxon occurs in Galapagos.

syn.: Nyctanassa violacea (Linnaeus, 1758); Ardea violacea Sundevall, 1871; Nyctanassa pauper Sharpe, 1898; Nyctanassa violacea paupera Rothschild Hartert, 1902

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santiago.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

103. Nycticorax nycticorax Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Isabela.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Moreano, A.A. et al. (2011), Wiedenfeld, D.A. et al. (2006).

104. Oceanites gracilis galapagoensis Lowe, 1921

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Oceanites gracilis (Elliot, 1859)

Origin: Native, Endemic. IUCN Red List: Not Evaluated.

Galapagos Distribution: Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago. References: Harris, M.P. et al. (1975), Jiménez-Uzcátegui, G. et al. (2007), Snodgrass, R.E. et al. (1904), Wiedenfeld, D.A. et al. (2006).

105. Oceanodroma castro Harcourt, 1851

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Pinta, Santa Cruz, Santiago.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

106. Oceanodroma hornbyi Gray, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.
Galapagos Distribution: Unknown.
References: Wiedenfeld, D.A. et al. (2006).

107. Oceanodroma leucorhoa Vieillot, 1818

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

108. Oceanodroma markhami Salvin, 1883

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Data Deficient.

Galapagos Distribution: Santa Cruz.

References: Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

109. Oceanodroma melania Bonaparte, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1975), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

110. Oceanodroma tethys tethys (Bonaparte, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Oceanodroma tethys (Bonaparte, 1852)

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz,

Santiago.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Wiedenfeld, D.A. et al. (2006).

111. Onychoprion fuscatus crissalis (Lawrence, 1872)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Sterna fuscata crissalis Linnaeus, 1766

Origin: Native, Indigenous.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

112. Oreopholus ruficollis Wagler, 1829

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Ridgely, R.S. et al. (2001), Wiedenfeld, D.A. et al. (2006).

113. Pachyptila desolata Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Floreana.

References: Harris, M.P. et al. (1982), Wiedenfeld, D.A. et al. (2006).

114. Pandion haliaetus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Isabela.

References: Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966), Meyer De Schauensee, R.M. et al. (1966), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

115. Parkesia noveboracensis Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Seiurus noveboracensis Gmelin, 1789

Origin: Native, Vagrant.

Galapagos Distribution: Unknown. **References:** Hyett, M. et al. (2007).

116. Passerina cyanea Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Millington, S.J. et al. (1982), Wiedenfeld, D.A. et al. (2006).

117. Pavo muticus Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

118. Pelagodroma marina Latham, 1790

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

119. Pelecanus occidentalis urinator Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Pelecanus occidentalis Linnaeus, 1766; Pelecanus fuscus Sundevall, 1871; Pelecanus californicus Ridgway, 1890; Pelecanus fuscus californicus Ridgway, 1897;

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

120. Petrochelidon pyrrhonota Vieillot, 1817

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1981), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

121. Phaethon aethereus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Phaethon aethereus mesonauta, Phaethon aethereus cf. mesonauta

Origin: Native, Indigenous. **IUCN Red List:** Least Concern.

Galapagos Distribution: Darwin, Española, Genovesa, Santa Cruz, Santiago.

References: Harris, M.P. et al. (1975), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

122. Phaethon rubricauda Boddaert, 1783

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

123. Phalacrocorax harrisi Rothschild, 1898

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Nannopterum harrisi (Rothschild, 1898)

Origin: Native, Endemic. IUCN Red List: Endangered.

Galapagos Distribution: Española, Fernandina, Isabela.

References: Bataille, A. et al. (2009), Deem, S.L. et al. (2010), Duffie, C.V. et al. (2009), Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2002), Jiménez-Uzcátegui, G. et al. (2010), Kennedy, M. et al. (2009), Larrea, C. et al. (2007), Merkel, J. et al. (2007), Parker, P.G. et al. (2006), Siers, S. et al. (2010), Swarth, H.S. et al. (1931), Travis, E.K. et al. (2006), Valle, C.A. et al. (1987), Valle, C.A. et al. (1986), Valle, C.A. et al. (1994), Vargas, F.H. et al. (2006), Whiteman, N.K. et al. (2006), Wiedenfeld, D.A. et al. (2006).

124. Phalaropus fulicarius Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.
Galapagos Distribution: Genovesa.

References: Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

125. Phalaropus lobatus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina.

References: Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

126. Phalaropus tricolor (Vieillot, 1819)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Steganopus tricolor Vieillot, 1819

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Isabela.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966),

Wiedenfeld, D.A. et al. (2006).

127. Pheucticus ludovicianus Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Curry, R.L. et al. (1988), Wiedenfeld, D.A. et al. (2006).

128. Phoebastria irrorata (Salvin, 1883)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Diomedea irrorata Salvin, 1883

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Española, Fernandina, Genovesa, Isabela, Santa Cruz, Santa Fé.

References: Anderson, D.J. et al. (2002), Anderson, D.J. et al. (2008), Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Huyvaert, K.P. et al. (2006), Huyvaert, K.P. et al. (2010), Jiménez-Uzcátegui, G. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2002), Jiménez-Uzcátegui, G. et al. (2010), Padilla, L.R. et al. (2003), Parker, P.G. et al. (2006), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

129. Phoebastria nigripes (Audubon, 1839)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Endangered.

Galapagos Distribution: Santa Cruz.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1981), Wiedenfeld, D.A. et al. (2006).

130. Phoenicopterus ruber Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2009), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2009), Rothschild, W. et al. (1899), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Valle, C.A. et al. (1987), Vargas, F.H. et al. (2008), Wiedenfeld, D.A. et al. (2008).

131. Piranga olivacea Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

132. Piranga rubra Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Marchena, Santiago.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

133. Platyspiza crassirostris (Gould, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Camarhynchus crassirostris Gould, 1837; Camarhynchus variegatus (Sclater Salvin, 1870).

Origin: Native, Endemic. **IUCN Red List:** Least Concern.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Bisconti, M. et al. (2001), Donohue, K. et al. (2011), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

134. Pluvialis dominica Muller, 1776

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.
Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1982), Hatch, J.J. et al. (1967), Hayman, P. et al. (1986), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

135. Pluvialis fulva Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.
Galapagos Distribution: Unknown.

References: Hatch, J.J. et al. (1967), Hayman, P. et al. (1986), Wiedenfeld, D.A. et al. (2006).

136. Pluvialis squatarola Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Isabela, Santa Cruz.

References: Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

137. Podilymbus podiceps Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant. IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

138. Porphyrio martinica Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Bateman, D. et al. (2004), Curry, R.L. et al. (1988), Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

139. Porzana carolina Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santiago.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1981), Wiedenfeld, D.A. et al. (2006).

140. Procellaria parkinsoni Gray, 1862

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant. IUCN Red List: Vulnerable.

Galapagos Distribution: Floreana, Isabela, San Cristóbal.

References: Harris, M.P. et al. (1973), Meek, E.R. et al. (2006), Wiedenfeld, D.A. et al. (2006).

141. Progne modesta Gould, 1838

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Progne modesta modesta Gould, 1838, Hirundo modesta Neboux, 1840, Hirundo concolor Gould, 1837, Progne concolor Salvin, 1876

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Bisconti, M. et al. (2001), Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

142. Progne subis Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Española, Pinta.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Wiedenfeld, D.A. et al. (2006).

143. Progne tapera Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Williams, S.M. et al. (2011).

144. Protonotaria citrea Boddaert, 1783

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant. IUCN Red List: Least Concern.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2011), Petit, K.E. et al. (1990), Reck, G. et al. (2010).

145. Pterodroma inexpectata Forster, 1844

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant. IUCN Red List: Endangered.

Galapagos Distribution: San Cristóbal.

References: Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

146. Pterodroma leucoptera Gould, 1844

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Pterodroma leucoptera brevipes (Peale, 1848)

Origin: Native, Hypothetical. **IUCN Red List:** Vulnerable.

Galapagos Distribution: San Cristóbal.

References: Castro, I. et al. (1996), Lévêque, R. et al. (1966), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

147. Pterodroma phaeopygia (Salvin, 1876)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Pterodroma phaeopygia phaeopygia (Salvin, 1876); Oestrelata phaeopygia Salvin, 1876

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Banks, R.C. et al. (2002), Cruz-Delgado, F. et al. (2005), Cruz-Delgado, F. et al. (2005), Cruz-Delgado, F. et al. (2007), Granizo, T. et al. (2002), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O.

et al. (1876), Swarth, H.S. et al. (1931), Valarezo, J.C. et al. (2005), Wiedenfeld, D.A. et al. (2006), Wiedenfeld, D.A. et al. (2008).

148. Puffinus carneipes Gould, 1844

Taxon status: Taxonomic status unresolved or unrevised.

G. Jimenez-Uzcategui: The taxonomy of P. creatopus and P. carneipes needs to be resolved because specimens of both species have been confused (Wiedenfeld 2006).

Origin: Native, Hypothetical.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Castro, I. et al. (1996), Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

149. Puffinus creatopus Coues, 1864

Taxon status: Taxonomic status unresolved or unrevised.

G. Jimenez-Uzcategui: The taxonomy of P. creatopus and P. carneipes needs to be resolved because specimens of both species have been confused (Wiedenfeld 2006).

Origin: Native, Hypothetical.

IUCN Red List: Vulnerable.

Galapagos Distribution: Unknown.

References: Castro, I. et al. (1996), Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

150. Puffinus griseus Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Near Threatened.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Curry, R.L. et al. (1988), Harris, M.P. et al. (1982), Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

151. Puffinus pacificus Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Santa Cruz.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

152. Puffinus subalaris Ridgway, 1897

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Puffinus iherminieri subalaris Ridgway, 1897, Puffinus obscurus subalaris Rothschild Hartert, 1899, Puffinus obscurus Salvin, 1883, Puffinus iherminieri becki Mathews, 1912, Puffinus tenebrosus Townsend, 1890

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Genovesa, Isabela, Pinzón, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Austin, J.J. et al. (2004), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

153. Pyrocephalus rubinus nanus Gould, 1841

Taxon status: Accepted name; taxon occurs in Galapagos.

G. Jimenez-Uzcategui: "The taxonomy of this species has been very confusing. Ridgway (1896) mentions five "species" (considered even by most other authors of the time as subspecies): nanus, dubius, intercedens, carolensis, and abingdoni (the latter three of which he himself described). Two subspecies could be recognized: P. r. nanus (Gould 1841), occurring on most islands, and P. r. dubius (Gould 1841), from San Cristóbal. Salvin (1876), however, suggested that specimens of P. r. dubius were instead juvenile males of P. r. nanus" (Wiedenfeld 2006).

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Gifford, E.W. et al. (1913), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

154. Quiscalus mexicanus JF Gmelin, 1788

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

155. Riparia riparia Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Española.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

156. Setophaga ruticilla Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

157. Spheniscus mendiculus Sundevall, 1871

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. IUCN Red List: Endangered.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinzón, Santa Cruz, Santa Fé, Santiago.

References: Deem, S.L. et al. (2010), Granizo, T. et al. (2002), Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2010), Jiménez-Uzcátegui, G. et al. (2002), Jiménez-Uzcátegui, G. et al. (2002), Ksepka, D.T. et al. (2006), Lanteri, A.A. et al. (2001), Levin, I.I. et al. (2009), Loope, L.L. et al. (1988), Merkel, J. et al. (2007), Nims, B.D. et al. (2008), Parker, P.G. et al. (2006), Salvin, O. et al. (1876), Siers, S. et al. (2010), Swarth, H.S. et al. (1931), Swash, A. et al. (2000), Travis, E.K. et al. (2006), Trillmich, F. et al. (1992), Valle, C.A. et al. (1987), Valle, C.A. et al. (2008).

158. Stercorarius longicaudus Vieillot, 1819

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.

Galapagos Distribution: San Cristóbal. **References:** Wiedenfeld, D.A. et al. (2006).

159. Stercorarius maccormicki Saunders, 1893

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Cathracta maccormicki Saunders, 1893

Origin: Native, Hypothetical. **Galapagos Distribution:** Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

160. Stercorarius parasticus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical. **Galapagos Distribution:** Unknown.

References: Harris, M.P. et al. (1982), Harris, M.P. et al. (1981), Wiedenfeld, D.A. et al. (2006).

161. Stercorarius pomarinus Temminck, 1815

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Gifford, E.W. et al. (1913), Rothschild, W. et al. (1899), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

162. Stercorarius skua Brünnich, 1754

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.
Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Wiedenfeld, D.A. et al. (2006).

163. Sterna hirundo Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Santa Cruz.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

164. Sula granti Rothschild, 1902

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Sula granti dactylatra Rothschild, 1902, Dysporus cyanops Sundevall, 1871, Sula cyanops Salvin, 1883, Sula variegata Rothschild Hartert, 1899, Sula dactylatra granti Rothschild, 1915. Pitman and Jehl (1998) argued that Masked Boobies (formerly Sula dactylatra granti) breeding on the Nazca Plate in the eastern Pacific Ocean are morphologically and ecologically distinct from other Masked Boobies and may represent a full species. The American Ornithologists' Union subsequently elevated that subspecies to a full species: the Nazca Booby (S. granti).

Origin: Native, Indigenous. **IUCN Red List:** Least Concern.

Galapagos Distribution: Darwin, Española, Fernandina, Floreana, Genovesa, San Cristóbal, Santa Cruz, Santa Fé. Wolf.

References: Friesen, V.L. et al. (2002), Harris, M.P. et al. (1975), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2002), Patterson, S.A. et al. (2011), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

165. Sula leucogaster Boddaert, 1783

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Patterson, S.A. et al. (2011), Salvin, O. et al. (1876), Sundevall, C.J. et al. (1871), Wiedenfeld, D.A. et al. (2006).

166. Sula nebouxii excisa Todd, 1948

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Sula nebouxii Milne-Edwards, 1882, Sula nebouxii nebouxii Milne-Edwards, 1882, ? Sula leucogaster Boddaert, 1783, ? Dysporus leucogaster Sundevall, 1871, ? Sula brewsteri Ridgway, 1897

Origin: Native, Endemic. **IUCN Red List:** Least Concern.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Pinzón, Santa Cruz. **References:** Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2002), Patterson, S.A. et al. (2011), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

167. Sula sula Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Sula sula websteri
Origin: Native, Indigenous.
IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Wolf. References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2002), Padilla, L.R. et al. (2006), Patterson, S.A. et al. (2011), Wiedenfeld, D.A. et al. (2006).

168. Thalassarche melanophrys (Temminck, 1828)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

IUCN Red List: Endangered.

Galapagos Distribution: Unknown.

References: Castro, I. et al. (1996), Wiedenfeld, D.A. et al. (2006).

169. Thalasseus elegans Gambel, 1849

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown. **References:** Wiedenfeld, D.A. et al. (2006).

170. Thalasseus maximus Boddaert, 1783

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn. Sterna maxima Boddaert, 1783

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Hickin, N. et al. (1979), Wiedenfeld, D.A. et al. (2006).

171. Tringa flavipes Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Santa Cruz.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Wiedenfeld, D.A. et al. (2006).

172. Tringa incana Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

syn.: Heteroscelus incanus Gmelin, 1789

Origin: Native, Migrant.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinzón, Santa Cruz.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

173. Tringa melanoleuca Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Lévêque, R. et al. (1966), Wiedenfeld, D.A. et al. (2006).

174. Tringa semipalmata (Gmelin, 1789)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Catoptrophorus semipalmatus (Gmelin, 1789), protonym: Scolopax semipalmata Gmelin, 1789

Origin: Native. Migrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Lévêque, R. et al. (1966), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

175. Tringa solitaria Wilson, 1813

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Rothschild, W. et al. (1899), Swarth, H.S. et al. (1931), Wiedenfeld, D.A. et al. (2006).

176. Tryngites subruficollis Vieillot, 1819

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical. **Galapagos Distribution:** Unknown.

References: Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

177. Tyrannus tyrannus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Coopmans, P. et al. (1996), Wiedenfeld, D.A. et al. (2006).

178. Tyto alba punctatissima Gray, 1839

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Tyto alba (Scopoli, 1769); Strix punctatissima Gray in Gold, 1841

Origin: Native, Endemic. IUCN Red List: Least Concern.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz, Santiago.

References: Harris, M.P. et al. (1973), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Salvin, O. et al. (1876), Swarth, H.S. et al. (1931), Trillmich, F. et al. (1992), Wiedenfeld, D.A. et al. (2006).

179. Vireo olivaceus Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Wiedenfeld, D.A. et al. (2006).

180. Zenaida auriculata Des Murs, 1847

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Unknown.

References: Curry, R.L. et al. (1988), Wiedenfeld, D.A. et al. (2006).

181. Zenaida galapagoensis Gould, 1841

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Zenaida galapagoensis galapagoensis Gould, 1841; Zenaida galapagoensis exsul (Rothschild Hartert, 1899)

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Darwin, Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Bisconti, M. et al. (2001), Granizo, T. et al. (2002), Harmon, W.M. et al. (1987), Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Kleindorfer, S. et al. (2006), McQuistion, T.E. et al. (1991), Padilla, L.R. et al. (2006), Padilla, L.R. et al. (2004), Parker, P.G. et al. (2006), Rothschild, W. et al. (1899), Salvin, O. et al. (1876), Santiago-Alarcon, D. et al. (2008), Santiago-Alarcon, D. et al. (2010), Sundevall, C.J. et al. (1871), Swarth, H.S. et al. (1931), Whiteman, N.K. et al. (2004), Wiedenfeld, D.A. et al. (2006).

References:

- 1. Aguirre, D. (2007) Aspectos etológicos, influencia antropogenica y distribución de la gaviota de lava (Larus fuliginosus); una especie endemica del Archipielago de Galapagos. Disertación para obtención de Licenciatura en Ciencias Biológicas. Universidad Central del Ecuador. Quito, Ecuador, 124 pp.
- 2. Anderson, D.J., Huyvaert, K.P., Apanius, V., Townsend, H., Gill, C.L., etal. (2002) *Population Size and Trends of the Waved Albatross Phoebastria irrorata*. Marine Ornithology 30: 63–69.
- 3. Anderson, D.J., Huyvaert, K.P., Awkerman, J., Proaño, C., Misltead, B., Jiménez-Uzcátegui, etal. (2008) *Population status of the critically endangered waved albatross Phoebastria irrorata, 1999 to 2007.* Endang species res. Published online.

- 4. Arbogast, B.S., Drovetski, S.V., Curry, R.L., Boag, P.T. Seutin, G.1 (2006) *The origin and diversification of Galápagos mockingbirds*. Evolution 60: 370-382.
- 5. Austin, J.J., Bretagnolle, V. Pasquet, E. (2004) A global molecular phylogeny of the small Puffinus shearwaters and implications for systematics of the Little-Audubon's Shearwater complex. Auk 121: 847-864.
- 6. Banks, R.C., Cicero, C., Dunn, J.L., etal (2002) Fortythird supplement to the American Ornithologists' Union Check-list of North American Birds. Auk 119: 897-906.
- 7. Bataille, A., Cunningham, A.A., Cedeño, V., Patiño, L., Constantinou, A., Kramer, L.D. Goodman, S.J. (2009) *Natural colonization and adaptation of a mosquito species in Galápagos and its implications for disease threats to endemic wildlife*. Proceedings of the National Academy of Sciences of the United States of America 106(25): 10230-10235.
- 8. Bateman, D., Cooke, P. (2004) An aggregation of Purple Gallinules Porphyrula martinica on Santa Cruz, Galápagos. Cotinga 22: 104-105.
- 9. Bisconti, M., Landini, W., Bianucci, G., Cantalamessa, G., Carnevale, G. Ragaini, L. Valleri, G. (2001) *Biogeographic relationships of the Galapagos terrestrial biota: parsimony analyses of endemicity based on reptiles, land birds and Scalesia land plants.* J. Biogeogr. 28: 495-510.
- 10. Boag, P.T., Ratcliffe, L.M. (1979) First record of a Blackpoll Warbler for the Galápagos Islands. Condor 81(2): 218-219.
- 11. Bowman, R.I. (1960) Report on Biological Reconnaissance of the Galapagos Islands during 1957. UNESCO, Paris, 1-65.
- 12. Carrión, C. (2011) pers. com.
- 13. Castro, I., Phillips, A. (1996) A Guide to the Birds of the Galapagos Islands. Christopher Helm Publishers Ltd., London.
- 14. Chartier, A. (2001) First record of Hudsonian Godwit Limosa haemastica in Galápagos. Cotinga 15: 64-65.
- 15. Coopmans, P. (1996) Eastern Kingbird sighting. Notícias de Galápagos 56: 4.
- 16. Cruz-Delgado, F. (2005) *Biologia reproductiva de Pterodroma phaeopygia (Procellariidae) Isla San Cristobal-Galapagos*. Tesis para obtencion del titulo de Doctor en Biologia. Universidad Central del Ecuador, 87 pp.
- 17. Cruz-Delgado, F., Wiedenfeld, D.A. (2005) Estatus del ciclo reproductivo, habitat y amenazas en las colonias del petrel de Galapagos en la isla San Cristobal. Informe tecnico para la Fundacion Charles Darwin y Servicio Parque Nacional Galapagos, 80 pp.
- 18. Cruz-Delgado, F., Jiménez-Uzcátegui, G. (2007) Recuperacion de la zona de anidacion del petrel de Galapagos en La Comuna, Isla San Cristobal. Informe tecnico final para la Fundacion Charles Darwin y Servicio Parque Nacional Galapagos, 25 pp.
- 19. Curry, R.L., Stoleson, S.H. (1988) New bird records from the Galapagos associated with the El Niño-Southern Oscillation. Condor 90(2): 505-507.
- 20. Deem, S.L., Merkel, J., Ballweber, J., Vargas, F.H., Cruz, M.B., Parker, P.G. (2010) Exposure to Toxoplasma gondii in Galapagos penguins (Spheniscus mendiculus) and flightless cormorants (Phalacrocorax harrisi) in the Galapagos Islands. Journal of Wildlife Diseases 46: 1005-1011.
- 21. Dobson, A. (2011) Observation of Little Blue Heron pers. com.
- 22. Donohue, K. (2011) *Darwin's Finches: Readings in the Evolution of a Scientific Paradigm* University of Chicago Press, Chicago, 492 pp.
- 23. Dudaniec, R.Y., Kleindorfer, S. Fessl, B. (2006) *Effects of the introduced ectoparasite Philornis downsi on haemoglobin level and nestling survival in Darwin's Small Ground Finch (Geospiza fuliginosa)*. Austral Ecology (2006) 31, 88–94, doi:10.1111/j.1442-9993.2006.01553.x

- 24. Duffie, C.V., Glenn, T.C., Hernan Vargas, F. Parker, P.G. (2009) *Genetic structure within and between island populations of the flightless cormorant (Phalacrocorax harrisi)*. Molecular Ecology (2009) 18, 2103–2111, doi: 10.1111/j.1365-294X.2009.04179.x
- 25. Fessl, B., Couri, M.S. Tebbich, S. (2001) *Philornis downsi Dodge Aitken, new to the Galapagos Islands* (*Diptera, Muscidae*). Studia Dipterologic 8: 317-322.
- 26. Fessl, B., Tebbich, S. (2002) Philornis downsi a recently discovered parasite on the Galápagos archipelago a threat to Darwin's finches? Ibis 144: 445-451.
- 27. Fessl, B., Kleindorfer, S. Tebbich, S. (2006) An experimental study on the effects of an introduced parasite in Darwin's finches. Biological Conservation 127(1): 55-61.
- 28. Fleming, C.A. (1950) Some South Pacific sea bird logs. Emu 49: 169-188.
- 29. Friesen, V.L., Anderson, D.J., Steeves, T.E., Jones, H. Schreiber, E.A. (2002) *Molecular support for the species status of the Nazca Booby*. Auk 119: 820-826.
- 30. Galligan, T.H., Kleindorfer, S. (2009) Naris and beak malformation caused by the parasitic fly, Philornis downsi (Diptera: Muscidae), in Darwin's small ground finch, Geospiza fuliginosa (Passeriformes: Emberizidae). Biological Journal of the Linnean Society 98: 577-585.
- 31. Garate, J. (2011) pers. com.
- 32. Gifford, E.W. (1913) The birds of the Galápagos Islands, with observations on the birds of Cocos and Clipperton Islands (Columbiformes to Pelicaniformes). Expedition of the California Academy of Science, 1905-1906. Part VIII. Proceedings of the California Academy of Sciences, ser. 4, 2(1): 1-132.
- 33. Gottdenker, N.L., Walsh, T., Vargas, H., Merkel, J., Jiménez-U., J., Miller, R.E., Dailey, M. Parker, P. (2005) Assessing the risks of introduced chickens and their pathogens to native birds in the Galápagos Archipelago. Biological Conservation 126: 429–439.
- 34. Granizo, T., Pacheco, C., Rivadeneira, M. B., Guerrero M. Suárez, L. (eds.) (2002) *Libro Rojo de las Aves del Ecuador*. SIMBIOE/Conservation International/EcoCiencia/Ministerio del Ambiente/IUCN. Serie Libros Rojos del Ecuador, tomo 2. Quito, Ecuador.
- 35. Grant, P.R., Curry, R.L. Grant, B.R. (2000) A remnant population of the Floreana Mockingbird on Champion Island, Galápagos. Biological Conservation 92: 285-290.
- 36. Grant, T., Estes, G. (1999) Observation of Little Blue Heron. pers. com.
- 37. Guerrero, A., Tye, A. (2009) *Darwin's Finches as seed predators and dispersers*. The Wilson Journal Of Ornithology 121 (4):752-764, 2009
- 38. Guerrero, C. (2011) pers. com.
- 39. Hailer, F., Schreiber, E.A., Miller, J.M., Levin, I.I., Parker, P.G., Chesser, R.T. R.C. Fleischer (2010) *Long-term isolation of a highly mobile seabird on the Galapagos*. Proceedings of the Royal Society, doi:10.1098/rspb.2010.1342
- 40. Harmon, W.M., Clark, W.A., Hawbecker, A.C. Stafford, M. (1987) *Trichomonas gallinae in columbiform birds from the Galápagos Islands*. Journal of Wildlife Diseases 23(3): 492-494.
- 41. Harris, M.P. (1973) The Galápagos avifauna. Condor 75(3): 265-278.
- 42. Harris, M.P. (1975) Additions to the Galápagos avifauna. Condor 77(3): 355.
- 43. Harris, M.P. (1981) La avifauna de Galápagos. In: Eberhardt, U. (ed.): Compendio de ciencia en Galápagos. Charles Darwin Research Station, Puerto Ayora, Galápagos, Ecuador, p. 261-282.
- 44. Harris, M.P. (1982) A field guide to the birds of Galápagos. Collins, London, 2nd ed., 160 pp.
- 45. Hatch, J.J., Hailman, J.P. (1967) Golden plovers in Galapagos. Condor 69: 320.
- 46. Hayman, P., Marchant, J., Prater, T. (1986) *Shorebirds: an identification guide to the waders of the world.* Houghton Mifflin, Boston, 412 pp.
- 47. Helming, T. (2011) pers. com.

- 48. Henderson, S. (1997) Observation of Little Blue Heron. pers. com.
- 49. Hickin, N. (1979) Animal life of the Galapagos. Ferundune Books, Faringdon, U.K., 236 pp.
- 50. Huber, S.K. (2008) Effects of the introduced parasite Philornis downsi on nestling growth and mortality in the medium ground finch (Geospiza fortis). Biological Conservation 141: 601-609.
- 51. Huyvaert, K.P., Parker, P.G. (2006) Absence of population genetic structure among breeding colonies of the Waved Albatross. The Condor 108: 440–445.
- 52. Huyvaert, K.P., Parker, P.G. (2010) Extra-pair paternity in waved albatrosses: genetic relationships among females, social mates and genetic sires. Behaviour 147: 1591-1613.
- 53. Hyett, M. (2007) Seiurus noveboracensis. pers. com.
- 54. Janni, O. (1999) First record of American Coot Fulica americana in the Galápagos islands. Cotinga 12: 83.
- 55. Jiménez-Uzcátegui, G., Wiedenfeld, D.A. (2002) *Marine birds*. Reserva marina de Galápagos. Línea base de la biodiversidad. Danulat, E. G.J. Edgar (eds.). Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador. p. 343–372.
- 56. Jiménez-Uzcátegui, G., Naranjo, S. (2006) Aves de laguna registradas en 2006 en Galápagos. TWSG News 15: 82-84.
- 57. Jiménez-Uzcátegui, G., Mangel, J., Alfaro-Shigueto, J. Anderson, D.J. (2006) *Fishery bycatch of the waved albatros P. irrorata, a need for implementation of agreements.* Galápagos Research 64(2): 7-9.
- 58. Jiménez-Uzcátegui, G., Milstead, B., Márquez, C., Zabala, J., Buitrón, P., Llerena, A., et al. (2007) *Galapagos vertebrates: endangered status and conservation actions*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 104–110.
- 59. Jiménez-Uzcátegui, G., Carrión, V., Zabala, J., Buitrón, P. Milstead, B. (2007) *Status of introduced vertebrates in Galapagos*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 136–141.
- 60. Jiménez-Uzcátegui, G. (2007) *CS/ECU/2006/168 Estudio biologico en Santa rosa y en El Camote, Isla Santa Cruz y en Isla Baltra, previo a la colocacion del Parque Eolico*. Informe técnico final para la Fundación Charles Darwin y Servicio Parque Nacional Galápagos, 43 pp.
- 61. Jiménez-Uzcátegui, G., Betancourt, F. (2008) *Avifauna vs automotores*. Informe Galápagos 2007-2008. FCD, PNG INGALA. Puerto Ayora, Ecuador. p. 111–114.
- 62. Jiménez-Uzcátegui, G. (2009) *Censo total de flamencos 2009*. Informe técnico para la Fundación Charles Darwin y Parque Nacional. Galápagos. Puerto Ayora, Ecuador, 13 pp.
- 63. Jiménez-Uzcátegui, G., Naranjo, S. (2009) *Population index of Flamingo Phoenicopterus ruber (Aves: Phoenicopteridae) in Galapagos 2009*. Brenesia 73-74: 154-156.
- 64. Jiménez-Uzcátegui, G., Manosalvas, J.C. (2010) First record of Inca Tern Larosterna inca in Galapagos Islands. Brenesia 73-74: 137.
- 65. Jiménez-Uzcátegui, G. (2010) *Monitoreo del pingüino de Galápagos y cormorán no volador 2010*. Informe tecnico para la Fundación Charles Darwin y Parque Nacional Galápagos. Puerto Ayora, Ecuador, 18 pp.
- 66. Jiménez-Uzcátegui, G. (2010) *Monitoreo de albatros 2010, Isla Española*. Informe para la Fundación Charles Darwin y Parque Nacional Galápagos. Puerto Ayora, Ecuador, 7 pp.
- 67. Jiménez-Uzcátegui, G., Veran, S., Devineau, O., Naranjo, S., Steinfurth, A. Vargas, F.H. (2010) *Is climate change affecting the Galápagos penguin?* 7th International Penguin Conference. Boston, USA
- 68. Jiménez-Uzcátegui, G., Llerena, W., Milstead, W.B., Lomas, E.E. Wiedenfeld, D.A. (2011) *Is the population of the Floreana mockingbird Mimus trifasciatus declining?* Cotinga 33: 1-7.
- 69. Jiménez-Uzcátegui, G. (2011) *The history of Prothonotary Warbler in the Galapagos Islands*. Galapagos Research 68: accepted for publication.

- 70. Jones, H.L. (2000) First record in the Galápagos Islands of Grey-headed Gull Larus cirrocephalus. Cotinga 14: 103.
- 71. Kennedy, M., Valle, C.A. Spencer, H.G. (2009) *The phylogenetic position of the Galapagos Cormorant* Molecular Phylogenetics and Evolution 53: 94-98.
- 72. Kikkawa, E.F., Tsuda, T.T., Sumiyama, D., Naruse, T.K., Fukuda, M., Kurita, M., Wilson, R.P., LeMaho, Y., Miller, G.D., Tsuda, M., Murata, K., Kulski, J.K. Inoko, H. (2009) *Trans-species polymorphism of the Mhc class II DRB-like gene in banded penguins (genus Spheniscus)*. Immunogenetics (2009) 61: 341–352.
- 73. Kleindorfer, S., Dudaniec, R.Y. (2006) *Increasing prevalence of avian poxvirus in Darwin's finches and its effect on male pairing success.* Journal of Avian Biology 37: 69-76.
- 74. Kostecke, R.M., Kostecke, M.V. (2006) First record of Cinnamon Teal Anas cyanoptera in Galápagos. Cotinga 25: 83-84.
- 75. Ksepka, D.T., Bertelli, S. Giannini, N.P. (2006) *The phylogeny of the living and fossil Sphenisciformes* (penguins). Cladistics 22: 412–441.
- 76. Lanteri, A.A. (2001) *Biogeografía de las Islas Galápagos: Principales aportes de los estudios filogenéticos*. Introducción a la Biogeografía en Latinoamérica: Conceptos, teorías, métodos y aplicacions. Vol. I, Ciencias, UNAM, México Pp. 141-151.
- 77. Larrea, C. (2007) Movimiento, dispersión y éxito reproductivo del cormorán no volador Phalacrocorax harrisi en las islas Galápagos. Disertación para obtención de Licenciatura en Ciencias Biológicas. Pontificia Universidad Católica del Ecuador. Quito, Ecuador, 102 pp.
- 78. Levin, I.I., Outlaw, D.C., Hernán Vargas, F., Parker, P.G. (2009) *Plasmodium blood parasite found in endangered Galapagos penguins (Spheniscus mendiculus)*. Biological Conservation 142(12): 3191-3195.
- 79. Lincango, M.P., Causton, C.E., Calderón-Álvarez, C. Jiménez-Uzcátegui, G. (2011) Evaluating the safety of Rodolia carnidalis to two species of Galapagos finch: Camarhynchus parvulus and Geospisa fuliginosa. Biological control 56: 145-149. http://dx.doi.org/10.1016/j.biocontrol.2010.10.006
- 80. Lindström, K.M., Foufopoulos, J., Pärn, H. Wikelski, M. (2004) *Immunological investments reflect parasite abundance in island populations of Darwin's finches.* Proc. R. Soc. Lond. B 271: 1513–1519.
- 81. Lindström, K.M., Dolnik, O., Yabsley, M., Hellgren, O., O'Connor, B., Pärn, H. Foufopoulos, J. (2009) Feather mites and internal parasites in small ground finches (Geospiza fuliginosa, Emberizidae) from the Galapagos Islands (Equador). Journal of Parasitology, 95(1): 39–45.
- 82. Loope, L.L., Hamann, O. Stone, C.P. (1988) Comparative conservation biology of oceanic archipelagoes Hawaii and the Galápagos. BioScience 38(4): 272-282.
- 83. Lévêque, R., Bowman, R.I. Billeb, S.L.. (1966) Migrants in the Galapagos area. Condor 68(1): 81-101.
- 84. McQuistion, T.E., Wilson, M. (1989) Isospora geospizae, a new coccidian parasite (Apicomplexa: Eimeriidae) from the small ground finch (Geospiza fuliginosa) and the medium ground finch (Geospiza fortis) from the Galapagos Islands. Systematic Parasitology 14(2): 141-144.
- 85. McQuistion, T.E. (1991) Eimeria palumbi, a New Coccidian Parasite (Apicomplexa: Eimeriidae) from the Galapagos Dove (Zenaida galapagoensis). Transactions of the American Microscopical Society 110(2): 178-181.
- 86. Meek, E.R. (2006) A party of Parkinson's Black Petrels Procellaria parkinsoni between Floreana and Isabela; the second occurrence in Galapagos waters. pers. com.
- 87. Merkel, J., Jones, H.I., Whiteman, N.K., Gottdenker, N., Vargas, H., Travis, E.K., Miller, R.E., Parker, P.G. (2007) *Microfilariae in Galápagos penguins (Spheniscus mendiculus) and flightless cormorants (Phalacrocorax harrisi): genetics, morphology, and prevalence.* Journal of Parasitology, 93(3): 495–503.
- 88. Meyer De Schauensee, R.M. (1966) *The Species of Birds of South America and their Distribution*. Academy of Natural Sciences of Philadelphia. Pennsylvania.
- 89. Millington, S.J., Price, T.D. (1982) Birds on Daphne Major 1979-1981. Noticias de Galápagos 35: 25-27.

- 90. Moreano, A.A. (2011) pers. com.
- 91. Nims, B.D., Vargas, F.H., Merkel, J. Parker, P.G. (2008) Low genetic diversity and lack of population structure in the endangered Galápagos penguin (Spheniscus mendiculus). Conserv Genet 9: 1413–1420.
- 92. O'Connor, B.M., Foufopoulos, J., Lipton, D. Lindström, K. (2005) *Mites associated with the small ground finch, Geospiza fuliginosa Passeriformes: Emberizidae*), from the Galápagos Islands. J. Parasitol. 91(6): 1304-1313.
- 93. Padilla, L.R., Huyvaert, K.P., Merkel, J., Miller, R.E. Parker, P.G. (2003) *Hematology, plasma chemistry, serology, and Chlamydophila status of the waved albatross (Phoebastria irrorata) on the Galapagos Islands.* Journal of Zoo and Wildlife Medicine 34(3): 278-283.
- 94. Padilla, L.R., Santiago-Alarcon, D., Merkel, J., Miller, R.E. Parker, P.G. (2004) Survey for Haemoproteus spp., Trichomonas gallinae, Chlamydophila psittaci, and Salmonella spp. in Galapagos Islands Columbiformes. Journal of Zoo and Wildlife Medicine 35(1): 60–64.
- 95. Padilla, L.R., Whiteman, N.K., Merkel, J., Huyvaert, K.P. Parker, P.G. (2006) *Health assessment of seabirds on Isla Genovesa, Galápagos Islands*. Ornithological Monographs 60: 86-97.
- 96. Parker, P.G., Whiteman, N.K., Miller, R.E. (2006) Conservation medicine on the Galápagos Islands: partnerships among behavioral, population, and veterinarian scientists. The Auk 123(3): 625-638.
- 97. Patry, M. (2002) Estatus de vertebrados introducidos en las islas mayores de Galápagos y estrategias de manejo. En: Fundación Natura: Informe Galápagos 2001-2002. Quito, Ecuador.
- 98. Patterson, S.A., Morris-Pocock, J.A. V.L. Friesen (2011) *A multilocus phylogeny of the Sulidae (Aves: Pelecaniformes)* Molecular Phylogenetics and Evolution 58: 181–191
- 99. Peters, M.P., Hagen, C., Whiteman, N.K., Parker, P.G. Glenn, T.C. (2009) *Characterization of 10 microsatellite loci in an avian louse, Degeeriella regalis (Phthiraptera: Ischnocera: Philopteridae)*. Molecular Ecology Resources 9(3): 882-884.
- 100. Peters, M.P., Whiteman, N.K., Hagen, C., Parker, P.G. Glenn, T.C. (2009) *Eight polymorphic microsatellite markers isolated from the widespread avian louse Colpocephalum turbinatum (Phthiraptera: Amblycera: Menoponidae)*. Molecular Ecology Resources 9(3): 910-912.
- 101. Petit, K.E., Tarvin, K.A. (1990) First record of Prothonotary Warbler from Galapagos Islands, Ecuador. Amer. Birds 44(5): 1094.
- 102. Pugnali, G. (1999) Primer registro de Egretta caerulea para las islas Galápagos. Cotinga 12: 82-83.
- 103. Pérez, S., Nowak, J.B. (1987) ¿Por primera vez anida la Garza Bueyera en Galápagos? Carta Informativa CDRS 20: 4.
- 104. Reck, G., Plaza, R. Jiménez-Uzcátegui, G (2010) Protonotary warbler Protonotaria citrea, a new species for the Galapagos Islands. Galapagos Research 67: 8.
- 105. Reck, G. (2011) pers. com.
- 106. Remsen, J. V, Cadena, C. D., Jaramillo, A., Nores, M., Pacheco, J. F., Pérez-Emán, J., Robbins, M. B., Stiles, F. G., Stotz, D. F., and Zimmer, K. J. (2012) *A classification of the bird species of South America. American Ornithologists' Union* http://www.museum.lsu.edu/~Remsen/SACCBaseline.html
- 107. Ridgely, R.S., Greenfield, P.J. (2001) *The Birds of Ecuador. Field guide*. Cornell University Press. New York, USA. Vol. 1.
- 108. Rothschild, W., Hartert, E. Jordan, K. (1899) A review of the ornithology of the Galapagos Islands with notes on the Webster-Harris Expedition. Novitates Zoologicae 6(2): 85-286.
- 109. Salazar, G., Prado, F. (2011) pers.com.
- 110. Salazar, X., Jiménez-Uzcátegui, G. (2007) Estudio sobre el hábitat, reproducción y rutas de vuelo del petrel de Galápagos y abundancia de otras especies en Santa Rosa y El Camote isla Santa Cruz e Isla Baltra. En: Jiménez-Uzcátegui, G. (ed). CS/ECU/2006/168 Estudio biologico. Informe técnico final para la Fundación Charles Darwin y Servicio Parque Nacional Galápagos, 6-24 p.

- 111. Salvin, O. (1876) On the avifauna of the Galápagos Archipelago. Transactions of the Zoological Society of London 9: 447-510.
- 112. Santiago-Alarcon, D., Whiteman, N.K., Parker, P.G., Ricklefs, R.E. Valki∎nas, G. (2008) *Patterns of parasite abundance and distribution in island populations of Galápagos endemic birds*. Journal of Parasitology 94(3): 584–590.
- 113. Santiago-Alarcon, D., Outlaw, D.C., Ricklefs, R.E. Parker, P.G. (2010) *Phylogenetic relationships of haemosporidian parasites in New World*
- Columbiformes, with emphasis on the endemic Galapagos dove. International Journal for Parasitology 40: 463–470.
- 114. Siers, S., Merkel, J., Bataille, A., Vargas, F.H. Parker, P.G. (2010) *Eccological correlates of microfilariae prevalence in endangered Galápagos birds*. Journal of Parasitology, 96(2): 259-272.
- 115. Smith, E.A. (1877) Mollusca. In: Günther, A.: Account of the zoological collections made during the visit of H.M.S. "Petrel" to the Galapagos Islands. Proceedings of the Zoological Society of London (1877): 69-73, 91-93.
- 116. Snodgrass, R.E., Heller, E. (1904) *Birds of the Gálapagos Archipelago. Papers from the Hopkins-Stanford Galapagos Expedition, 1898 1899, XVI, birds.* Proceedings of the Washington Academy of Sciences 5: 231-372.
- 117. Soos, C., Padilla, L., Iglesias, A., Gottdenker, N., Cruz Bedon, M., Rios, A. Parker, P.G. (2008) Comparison of pathogens in broiler and backyard chickens on the Galapagos Islands: implications for transmission to wildlife. The Auk 125(2): 445-455.
- 118. Sundevall, C.J. (1871) On birds from the Galápagos Islands. Proceedings of the Zoological Society of London 1871: 124-129.
- 119. Swarth, H.S. (1931) The Avifauna of the Galapagos Islands. Occ. Pap. Calif. Acad. Sci. 18: 1-299.
- 120. Swash, A., Still, R. (2000) *Birds, mammals, and reptiles of the Galapagos Islands, an identification guide.* Yale University Press, New Haven, Connecticut, USA, 168 pp.
- 121. Tapia, W., Patry, M., Snell, H. Carrión, V. (2000) Estado actual de los vertebrados introducidos a las islas Galápagos. Fundación Natura: Informe Galápagos 1999-2000. Quito, Ecuador.
- 122. Thiel, T., Whiteman, N.K., Tirapé, A., Baquero, M. I., Cedeño, V., Walsh, T., Jiménez-Uzcátegui, G. Parker, P.G. (2005) *Characterization of canary pox-like viruses infecting endemic birds in the Galapagos Islands*. Journal of Wildlife Diseases 41(2): 342-353.
- 123. Travis, E.K., Hernan Vargas, F., Merkel, J., Gottdenker, N., Miller, R.E., Parker, P.G. (2006) *Hematology, plasma chemistry, and serology of the flightless cormorant (Phalacrocorax harrisi) in the Galapagos Islands, Ecuador.* Journal of Wildlife Diseases 42(1): 133-141.
- 124. Travis, E.K., Hernan Vargas, F., Merkel, J., Gottdenker, N., Miller, R.E., Parker, P.G. (2006) *Hematology, serum chemistry, and serology of Galapagos penguins (Spheniscus mendiculus) in the Galapagos Islands, Ecuador.* Journal of Wildlife Diseases 42(3): 625-632.
- 125. Trillmich, F. (1992) Conservation problems on Galápagos: the showcase of evolution in danger. Naturwissenschaften 79: 1-6.
- 126. Tye, A., West, B. (2000) Second Galápagos record of the Black-bellied Tree-Duck. Noticias de Galápagos 61: 26.
- 127. Valarezo, J.C., Wiedenfeld, D.A. (2005) Distribución de colonias de anidación de Pterodroma phaeopygia, en la zona agrícola de la isla Santa Cruz, Galápagos Informe tecnico para la Fundacion Charles Darwin, unpublished, 53pp.
- 128. Valle, C.A. (1986) Status of the Galápagos Penguin and Flightless Cormorant Populations in 1985. Noticias Galápagos 43: 16–17.
- 129. Valle, C.A., Coulter, M.C. (1987) Present status of the Flightless Cormorant, Galápagos Penguin and greater Flamingo populations in the Galápagos Islands, Ecuador, after the 1982–1983 El Niño. Condor 89(2): 276–281.

- 130. Valle, C.A. (1994) *The ecology and evolution of sequential polyandry in Galapagos Cormorants (Compsohalieus Nannopterum harrisi)*. A Dissertation for the Degree of Doctor of Philosophy. Princeton University. USA, 156 pp.
- 131. Vargas, F.H. (1996) First record of the Green Heron (Butorides virescens) in the Galapagos Islands. Noticias de Galápagos 57: 5-6.
- 132. Vargas, F.H. (2006) *The ecology of small populations of birds in changing climate*. Thesis submitted for the degree of Doctor of Philosophy. Lady Margaret Hall, University of Oxoford.
- 133. Vargas, F.H., Barlow, S., Hart, T., Jiménez-Uzcátegui, G., Chávez, J., Naranjo, S. Macdonald, D.W. (2008) *Effects of climate on the abundant and distribution of flamingos in the Galápagos Islands*. Journal of Zoology 276: 252-265.
- 134. Vargas, H. (1987) Frequency and effect of pox-like lesions in Galapagos Mockingbirds. Journal of Field Ornithology 58(2): 101-102.
- 135. Vargas, H. (1996) What is happening with the avifauna of San Cristóbal? Noticias Galápagos 57: 23-24.
- 136. Vargas, H., Snell, H. L. Snell, G. Miller, R. Miller Serrano, H. (1997) First report of penguins nesting on Isla Floreana. Noticias de Galápagos 58: 30-32.
- 137. Whiteman, N.K., Parker, P.G. (2004) *Body condition and parasite load predict territory ownership in the Galápagos Hawk.* The Condor 106: 915–921.
- 138. Whiteman, N.K., Santiago-Alarcon, D. (2004) Differences in straggling rates between two genera of dove lice (Insecta: Phthiraptera) reinforce population genetic and cophylogenetic patterns. International Journal for Parasitology 34: 1113-1119.
- 139. Whiteman, N.K., Parker, P.G. (2004) *Effects of host sociality on ectoparasite population biology*. The Journal of Parasitology 90(5): 939–947.
- 140. Whiteman, N.K., Sánchez, P., Merkel, J., Klompen, H. Parker, P.G. (2006) *Cryptic host specificity of an avian skin mite (Epidermoptidae) vectored by louseflies (Hippoboscidae) associated with two endemic Galápagos bird species.* The Journal of Parasitology, 92(6): 1218-1228.
- 141. Whiteman, N.K., Matson, K.D., Bollmer, J.L. Parker, P.G. (2006) Disease ecology in the Galápagos Hawk (Buteo galapagoensis): host genetic diversity, parasite load and natural antibodies. Proceedings of the Royal Society B 273: 797–804.
- 142. Whiteman, N.K., Kimball, R.T. Parker, P.G. (2007) Co-phylogeography and comparative population genetics of the threatened Galápagos hawk and three ectoparasite species: ecology shapes population histories within parasite communities. Molecular Ecology 22: 4759-4773.
- 143. Whiteman, N.K., Dosanjh, V.S., Ricardo L. Palma, R.L., Hull, J. M., Kimball, R.T., Sánchez, P., Sarasola, H.S Parker, P.G. (2009) *Molecular and morphological divergence in a pair of bird species and their ectoparasites*. Journal of Parasitology 95(6): 1372–1382.
- 144. Wiedenfeld, D.A. (2006) Aves, the Galapagos Islands, Ecuador. Check List 2006 2(2): 1-27.
- 145. Wiedenfeld, D.A., Jiménez-Uzcátegui, G. (2008) Critical problems for bird conservation in the Galapagos Island. Cotinga 29: 22-27.
- 146. Williams, S.M., Burtt, E.H. Jr. (2011) First record of Brown-Chested Martin (Progne tapera) in Galapagos Islands in prep.