

Life Expectancy

Dillan Sant, Chase Mathis

Introduction

Humans have experienced a meteoric rise in life expectancy in the past 200 years thanks to major advances in public health, but recently the momentum has stalled if not reversed.¹ From a young age, we are taught to have a healthy diet, exercise regularly, and keep up personal hygiene to stay healthy and therefore live longer. However, macro-factors clearly play a role in how healthy ones life is. Health policy and its relationship with these macro-factors greatly impacts the health of individuals as this most recent pandemic has shown.

This research project aims to investigate the relationship between macro-factors and life expectancy for a developing and developed countries alike. Our research questions are the following:

(1) *Given a country is developing, what can they do to increase their Life Expectancy?* This question hopes to guide methods for public policy and health experts in developing countries. Generally, developing countries have a lower life expectancy, so what does the data say about what is the most important?

(2) *For countries that already have a high life expectancy, is it economically beneficial to attempt to marginally increase life expectancy?* Developed countries have had the advantage of modern medicine for quite some time, so this question investigates if incremental increases in life expectancy are “worth” the increase in global health expenditure. Should countries focus on research in finding a “miracle” vaccine, or is there still work to be done for cheaper issues like vaccination and schooling.

_____ collected the data. The data has 21 features, which we will outline below. Each observation in our data is a a country, the year. As the features are summary statistics, we are predicting averages from averages. We will *not* use black-box models such as random forrests or bagging to get high predictive accuracy, as this question investigates aggregate relationships. We will therefore be using statistical modeling techniques such as linear regression, regularized regression, trees, and GAMS, we aim to quantify the magnitude and type of relationships between life expectancy and each of our features.

Data

** Dillan can you do as you found the data**

Data Cleaning and Limitations in Our Data

```
# A tibble: 5 x 3
  name      value percent_missing
  <chr>    <int>         <dbl>
1 Population  652           0.222
2 hep_b      553           0.188
3 GDP        448           0.152
4 tot_expend  226           0.0769
5 Alcohol    194           0.0660
```


The data is mostly complete, but certain countries are missing data on population, GDP, and Hepatitis B. In other instances where one or two years are missing a specific countries data, we can fill in that value with the mean of the specific category.


¹<https://www.health.harvard.edu/blog/why-life-expectancy-in-the-us-is-falling-20210202835#:~:text=A%20dramatic%20fall%20in%20life,just>

Table 1: Life Expectancy of the Top 10 Countries

Country	Life Expectancy
Slovenia	88.0
Denmark	86.0
Chile	85.0
Cyprus	85.0
Japan	83.7
Switzerland	83.4
Singapore	83.1
Australia	82.8
Spain	82.8
Iceland	82.7

Exploratory Data Analysis





Generally countries increased life expectancy, especially in Sub-Saharan Africa. Which countries experienced a decrease in life expectancy.

Change in Life Expectancy	Country
-8.1	Syrian Arab Republic
-5.8	Saint Vincent and the Grenadines
-5.3	Libya
-5.0	Paraguay
-2.3	Yemen
-2.0	Romania
-1.1	Iraq
-0.4	Estonia
-0.4	Grenada

From 2000-2015, the nations that experienced a decrease in life expectancy are Syria, St. Vincent and the Grenadines, Libya, Paraguay, Yemen, Romania, Iraq, Estonia, and Grenada. All of these nations except for Romania are developing.

Research Question 1: Given a country is developing, what can they do to increase their Life Expectancy?

term	estimate	p.value	significant
(Intercept)	47.3544634	0.0000000	Significant
Schooling	1.4838656	0.0000000	Significant
hiv_aids	-0.6622054	0.0000000	Significant
tot_expend	0.0993622	0.0651826	Not Significant
Alcohol	-0.0807471	0.0420498	Significant
Polio	0.0294019	0.0000238	Significant
Diphtheria	0.0218701	0.0067412	Significant
pct_expend	0.0014132	0.0000000	Significant
hep_b	-0.0004334	0.9434882	Not Significant

Include in first research question: For the small subset of countries that saw a decrease in life expectancy from 2000-2015, what factors led to this decrease in life expectancy?

Research Question 2: For countries that already have a high life expectancy, is it economically beneficial to attempt to marginally increase life expectancy?

Notes

Introduction/EDA

- start with providing scientific context, refer to article
- shift towards problem, introduce research questions
- give detailed description of data (see rubric), which predictors are uncontrollable, controllable, indicators
- start EDA, show some simple, interpretable plots regarding different predictors, find different relationships among controllable variables

Modeling

- Start with linear regression
- check out interaction effects
- ridge, lasso (for interpretable variable selection)
- trees
- stay away from uninterpretable methods like random forests, boosting

Within Research Questions

- focus on answering research question, using data/modeling merely as support for argument
- make sure models and its results would be interpretable for global health professionals and governments
- plot model diagnostics to assess models, make tables of results/predictions of models
- give suggestions based on results to policy makers (ex. “this nation should put a greater proportion of their total expenditure into health care to increase life expectancy”)

Conclusion

- suggest in which factors specific nations should invest their money in based on modeling during both research questions, or, suggest not to increase investment in health care for nations with already high life expectancy
- reference models, focus on interpretability and policy actions

Appendix

Data Dictionary

Controllable Variables

- `Alcohol`: Alcohol consumption per capita (liters of pure alcohol)
- `pct_expend`: Expenditure on health as a percentage of GDP per capita
- `hep_b`: Hepatitis B immunization rate among 1-year-olds (%)
- `Polio`: Polio immunization rate among 1-year-olds (%)
- `tot_expend`: Government expenditure on healthcare as a percentage of total government expenditure
- `Diphtheria`: Diphtheria tetanus toxoid and pertussis immunization rate among 1-year-olds (%)
- `hiv_aids`: Number of deaths of 0-4 year-olds from HIV/AIDS per 1000 live births
- `Schooling`: Average number of years of schooling

Uncontrollable Variables (Nuisance Variables)

- `BMI`: Average BMI (Body Mass Index) of entire country’s population

- GDP: GDP per capita
- Population: Total population of country
- `thinnes_adoles`: Prevalence of “thinness” among adolescents aged 10-19 (%)
- `thinness_infant`: Prevalence of “thinness” among infants aged 5-9 (%)
- `income_comp`: Human Development Index in terms of income composition of resources (0 to 1)
- Status: Developmental status of country (Developed or Developing)

Indicator Variables

- `under_five_deaths`: Number of deaths of 5-year-olds or younger per 1000 people
- `life_exp`: Average expectancy in country (years)
- `adult_mortality`: Number of deaths of people aged 15-60 per 1000 people
- `infant_mortality`: Number of infants deaths per 1000 infants