Machine Learning on the Radio Galaxy Zoo

Matthew Alger Supervisor: Cheng Soon Ong

June 3, 2016

Abstract

I did something and it kinda worked

1 Introduction

1.1 Cross-identification of Active Galactic Nuclei and Host Galaxies

Radio surveys such as Faint Images of the Radio Sky at Twenty-Centimeters (FIRST) [9, 2] and the Australian Telescope Large Area Survey (ATLAS) [3] are dominated by *active galactic nuclei* (AGNs) [1], radio emissions emitted from the centre of galaxies by supermassive black holes[6]. Galaxies containing an AGN are referred to as *host galaxies*. These galaxies are found in infrared surveys such as the Wide-field Infrared Survey Explorer (WISE) [10] and the SIRTF Wide-area Infrared Extragalactic survey (SWIRE) [8, 4].

Astrophysicists are interested in the properties of both AGNs and their host galaxies, but to investigate either, the AGNs need to be matched to their host galaxies. This is called *cross-identification*. Many AGNs are associated with *compact radio sources*, where the radio emissions directly and simply overlap the host galaxy (Figure 1a), and these AGNs are easy to cross-identify[1]. However, many AGNS are instead associated with *complex radio sources*, where radio emissions can be large, sprawling, and not relate to the host galaxy in any simple way (Figure 1b).




Figure 1: Example radio emissions.

Radio Galaxy Zoo¹ is an online citizen science project that aims to crowdsource the cross-identification problem[1]. Volunteers are presented with a radio image of a small part of the sky (from FIRST or ATLAS) and the corresponding infrared image (from WISE or SWIRE). Each part of the sky presented in this way is called a *subject*, and contains at least one radio emitter. Volunteers are asked to select which radio emissions are part of the same system, and which galaxy in the infrared image contains the corresponding AGN. The workflow is shown in Figure 2.

Over 100000 radio sources have been classified by volunteers so far² out of the Radio Galaxy Zoo database of around 177000 radio sources, compared to a few thousand classifications by experts[1]. However, new surveys such as the Evolutionary Map of the Universe (EMU) [5] and Westerbork Observations of the Deep APERTIF Northern-Sky (WODAN) [7] are expected to detect over 100 million radio sources[1], making crowdsourcing an intractable solution to the cross-identification problem.

¹Radio Galaxy Zoo

²Based on the data supplied to the author.




Figure 2: Radio Galaxy Zoo volunteer workflow.

1.2 Related Work

2 As Binary Classification

3 A Pipeline

References

- [1] J. Banfield, O. Wong, K. Willett, R. Norris, L. Rudnick, S. Shabala, B. Simmons, C. Snyder, A. Garon, N. Seymour, et al. Radio Galaxy Zoo: host galaxies and radio morphologies derived from visual inspection. *Monthly Notices of the Royal Astronomical Society*, 453(3):2326–2340, 2015.
- [2] R. H. Becker, R. L. White, and D. J. Helfand. The FIRST Survey: Faint Images of the Radio Sky at Twenty Centimeters. *Astrophysical Journal*, 450:559, Sept. 1995. doi: 10.1086/176166.
- [3] T. Franzen, J. Banfield, C. Hales, A. Hopkins, R. Norris, N. Seymour, K. Chow, A. Herzog, M. Huynh, E. Lenc, et al. ATLAS–I. third release of 1.4 GHz mosaics and component catalogues. *Monthly Notices of the Royal Astronomical Society*, 453(4):4020–4036, 2015.
- [4] C. J. Lonsdale, H. E. Smith, M. Rowan-Robinson, J. Surace, D. Shupe, C. Xu, S. Oliver, D. Padgett, F. Fang, T. Conrow, et al. SWIRE: The SIRTF wide-area infrared extragalactic survey. *Publications of the Astronomical Society of the Pacific*, 115(810):897, 2003.
- [5] R. P. Norris, A. M. Hopkins, J. Afonso, S. Brown, J. J. Condon, L. Dunne, I. Feain, R. Hollow, M. Jarvis, M. Johnston-Hollitt, E. Lenc, E. Middelberg, P. Padovani, I. Prandoni, L. Rudnick, N. Seymour, G. Umana, H. Andernach, D. M. Alexander, P. N. Appleton, D. Bacon, J. Banfield, W. Becker, M. J. I. Brown, P. Ciliegi, C. Jackson, S. Eales, A. C. Edge, B. M. Gaensler, G. Giovannini, C. A. Hales, P. Hancock, M. T. Huynh, E. Ibar, R. J. Ivison, R. Kennicutt, A. E. Kimball, A. M. Koekemoer, B. S. Koribalski, Á. R. López-Sánchez, M. Y. Mao, T. Murphy, H. Messias, K. A. Pimbblet, A. Raccanelli, K. E. Randall, T. H. Reiprich, I. G. Roseboom, H. Röttgering, D. J. Saikia, R. G. Sharp, O. B. Slee, I. Smail, M. A. Thompson, J. S. Urquhart, J. V. Wall, and G.-B. Zhao. EMU: Evolutionary Map of the Universe. PASA, 28:215–248, Aug. 2011. doi: 10.1071/AS11021.
- [6] B. M. Peterson. An introduction to active galactic nuclei. Cambridge University Press, 1997.
- [7] H. Röttgering, J. Afonso, P. Barthel, F. Batejat, P. Best, A. Bonafede, M. Brüggen, G. Brunetti, K. Chyży, J. Conway, F. D. Gasperin, C. Ferrari, M. Haverkorn, G. Heald, M. Hoeft, N. Jackson, M. Jarvis, L. Ker, M. Lehnert, G. Macario, J. McKean, G. Miley, R. Morganti, T. Oosterloo, E. Orrù, R. Pizzo, D. Rafferty, A. Shulevski, C. Tasse, I. v. Bemmel, B. Tol, R. Weeren, M. Verheijen, G. White, and M. Wise. Lofar and apertif surveys of the radio sky: Probing shocks and magnetic fields in

- galaxy clusters. *Journal of Astrophysics and Astronomy*, 32(4):557–566, 2012. ISSN 0973-7758. doi: 10.1007/s12036-011-9129-x. URL http://dx.doi.org/10.1007/s12036-011-9129-x.
- [8] J. Surace, D. Shupe, F. Fang, C. Lonsdale, E. Gonzalez-Solares, E. Hatziminaoglou11, B. Siana, T. Babbedge, M. Polletta, G. Rodighiero, et al. The SWIRE data release 2: Image atlases and source catalogs for ELAIS-N1, ELAIS-N2, XMM-LSS, and the Lockman hole. *Spitzer Science Centre, California Institute of Technology, Pasadena, CA*, 2005.
- [9] R. L. White, R. H. Becker, D. J. Helfand, and M. D. Gregg. A catalog of 1.4 GHz radio sources from the FIRST survey. *The Astrophysical Journal*, 475(2):479, 1997.
- [10] E. L. Wright, P. R. M. Eisenhardt, A. K. Mainzer, M. E. Ressler, R. M. Cutri, T. Jarrett, J. D. Kirkpatrick, D. Padgett, R. S. McMillan, M. Skrutskie, S. A. Stanford, M. Cohen, R. G. Walker, J. C. Mather, D. Leisawitz, T. N. Gautier, III, I. McLean, D. Benford, C. J. Lonsdale, A. Blain, B. Mendez, W. R. Irace, V. Duval, F. Liu, D. Royer, I. Heinrichsen, J. Howard, M. Shannon, M. Kendall, A. L. Walsh, M. Larsen, J. G. Cardon, S. Schick, M. Schwalm, M. Abid, B. Fabinsky, L. Naes, and C.-W. Tsai. The Wide-field Infrared Survey Explorer (WISE): Mission Description and Initial On-orbit Performance. *The Astronomical Journal*, 140:1868-1881, Dec. 2010. doi: 10.1088/0004-6256/140/6/1868.