

RK3126B Multimedia Codec Benchmark

Ver. 1.1

March 31, 2015



Index

Inde	ex	2 -
Hist	tory	3 -
Not	iice	4 -
1. Ir	mage	5 -
	1.1 Image Decoder	5 -
	1.2 Image Encoder	6 -
2.	Audio	7 -
	2.1 Audio Decoder	7 -
	2.2 Audio Encoder	9 -
3. V	/ideo	
	3.1 Video Decoder	10 -
	3.2 Video Encoder	12 -



History

Date	Author	Version	Description
2015.3.13	Herman Chen	1.0	initial version
2015.3.13	Herman Chen	1.1	fix audio codec description,
2015.5.15	Herman Chen	1.1	add software based codec.





Notice

All the data involved in this document will be in accordance with the development progress and possible changes without notice.

The features listed in this document may or may not be present in actual product, and may be subject to the third party licensing requirements. Please contact Rockchip for actual product feature configurations and licensing requirements.





1. Image

1.1 Image Decoder

	JPEG
Image Codec	JFIF file format 1.02
Support Image Size	48x48pixels to 8176x8176pixles
Container	JPG, JPEG
	(1) Base+progressive
Remarks	(2) Software support SRGB JPEG
	(3) Software support Adobe RGB JPEG
	BMP
Image Codec	BMP
Support Image Size	No Restriction ¹
Container	BMP
Remarks	n.a.
	GIF
Image Codec	GIF
Support Image Size	No Restriction
Container	GIF
Remarks	n.a.
	PNG
Image Codec	PNG
Support Image Size	No Restriction
Container	PNG
Remarks	n.a.
	WEDD
luca un Ondon	WEBP
Image Codec	WEBP
Support Image Size	No Restriction
Container	WEBP
Remarks	n.a.

¹ Limited by actual memory available



1.2 Image Encoder

	JPEG
Image Codec	JPEG Baseline
Support Image Size	96x32pixels to 8176x8176pixles
Maximum Data Rate ²	90Mpixels/Second
File Format	JFIF file format 1.02
Remarks	



- 6 -

² Ideal case



2. Audio

2.1 Audio Decoder

	MDEC Audio
Audia Cadaa	MPEG1/2/2 5 Audio Layor1/2/2
Audio Codec Channel	MPEG1/2/2.5 Audio Layer1/2/3 2
Bit rate	8kbps~320Kbps, CBR and VBR
	8KHZ~48KHz
Sampling rate File Format	MP1, MP2, MP3
Remarks	
Remarks	n.a
	Windows Media Audio
Audio Codec	WMA Version 4,4.1, 7, 8, 9, wmapro
Channel	2
Bit rate	8kbps~320Kbps
Sampling rate	8KHZ~48KHz
File Format	WMA
Remarks	Non-support WMA Pro \ lossless and MBR
	40
	WAV Audio
Audio Codec	MS-ADPCM, IMA-ADPCM, PCM
Channel	2
Bit rate	n.a
Sampling rate	8KHZ~48KHz
File Format	WAV
Remarks	Support 4bit MS-ADPCM,IMA-ADPCM
	OGG Audio
Audio Codec	Q1~ Q10
Channel	2
Bit rate	n.a
Sampling rate	8KHZ~48KHz
File Format	OGG, OGA
Remarks	n.a
	FLAC Audio
Audio Codec	Compress Level 0~8
Channel	2
Bit rate	n.a



瑞芯微电子	ROCKCHIP CO. LTD.
Sampling rate	8KHZ~48KHz
File Format	FLAC
Remarks	n.a
A	AC Audio
Audio Codec	ADIF, ATDS Header AAC-LC and
Addio Codec	AAC-HE, AAC-ELD
Channel	5.1
Bit rate	n.a
Sampling rate	8KHZ~48KHz
File Format	AAC, M4A
Remarks	n.a
A	MR Audio
Audio Codec	AMR-NB, AMR-WB
Channel	1
Bit rate	AMR-NB 4.75~12.2kbps@8kHz
	AMR-WB 6.60~23.85kbps@16kHz
Sampling rate	8KHZ, 16KHz
File Format	3GP
Remarks	n.a
	IIDI Audio
	MIDI Type 0 and 1, DLS version 1 and 2,
Audio Codec	XMF and Mobile XMF, RTTTL/RTX, OTA,
	iMelody
Channel	2
Bit rate	n.a
Sampling rate	n.a
File Format	XMF, MXMF, RTTTL, RTX, OTA, IMY
Remarks	n.a



2.2 Audio Encoder

	AMR Audio
Audio Codec	AMR-NB, AMR-WB
Channel	2
Bit rate	4.75kbps~12.2Kbps, CBR
Sampling rate	8KHZ, 16KHZ
Container	3GPP
Remarks	n.a

AAC Audio

Audio Codec	AAC-ADTS-LC	
Channel	2	
Bit rate	4.75kbps~60Kbps, CBR	
Sampling rate	8KHZ~44.1KHZ	
Container	AAC, 3GPP, Mpeg2TS	
Remarks	n.a	
Rockchik		



3. Video

3.1 Video Decoder

	NDEO 4/9
\".\".\".\".\".\".\".\".\".\".\".\".\".\	MPEG-1/2
Video Codec	MPEG-1/2
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate ¹	80Mbps
File Format	DAT, MPG, VOB, TS
Remarks	Support Field Coding
	MPEG-4
Video Codec	MPEG4
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	38.4Mbps
File Format	AVI, MKV, MP4, MOV, 3GP
Demonto	Not support MS MPEG4 v1/v2/v3
Remarks	Not support GMC
Λ	O .
	H.264/AVC
Video Codec	H.264
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	30fps
Maximum Bit Rate	57.2Mbps
File Format	AVI, MKV, MP4, MOV, 3GP, TS, FLV
Remarks	 Support Field Coding;
	 Support MBAFF
	MVC
Video Codec	H.264 MVC
Supported Image Size	48x48pixels to 1920x1088pixels
Maximum Frame Rate	60fps
Maximum Bit Rate	38.4Mbps
File Format	MKV, TS
Remarks	 Support Stereo High Profile only
	0000LE V/D0
	GOOGLE VP8





────────────────────────────────────	ROCKCHIP CO. LID.	
Supported Image Size	48x48pixels to 1920x1088pixels	
Maximum Frame Rate	30fps	
Maximum Bit Rate	38.4 Mbps	
File Format	WEBM,MKV	
Remarks		
H.2	263	
Video Codec	H.263	
Supported Image Size	SQCIF(128x96), QCIF(176x144), CIF(352x288),4CIF(704x576)	
Maximum Frame Rate	30fps	
Maximum Bit Rate	38.4Mbps	
File Format	3GP, MOV, MP4	
Remarks	Not support H.263+	
VC	D-1	
Video Codec	VC-1	
Supported Image Size	48x48pixels to 1920x1088pixels	
Maximum Frame Rate	30fps	
Maximum Bit Rate	45Mbps	
File Format	WMV, ASF, TS, MKV, AVI	
Remarks		
MOTION JPEG		
Video Codec	MJPEG	
Supported Image Size	48x48pixels to 1920x1088pixels	
Maximum Frame Rate	30fps	
Maximum Bit Rate	38.4Mbps	
File Format	AVI	
Remarks		



3.2 Video Encoder

H.264/AVC		
Video Codec	H.264	
Supported Image Size	96x96pixels to 1920x1088pixels	
Maximum Frame Rate	30fps	
Maximum Bit Rate	20Mbps	
File Format	MOV, 3GP	
Remarks	(1) Not support MBAFF	

G	oogle VP8	
Video Codec	VP8	
Supported Image Size	96x96pixels to 1920x1088pixels	
Maximum Frame Rate	30fps	
Maximum Bit Rate	10Mbps	
File Format	WEBM	
Remarks		
¹ Ideal case.		

¹ Ideal case.