

# Instructions for FEniCS book authors

November 30, 2010

## General instructions

- Carefully read the comments from the referees and editors, and update your chapter accordingly. Send a detailed response to the referee comments along with your revised chapter.
- The deadline for submitting revised chapters is December 1 2010.
- Make sure to run a spell-checker (American English) before you submit your chapter.
- Make sure that all references are complete and accurate and that your chapter compiles without warnings.
- Make sure that all code examples are accurate and up-to-date. *All code presented in the book should be compatible with DOLFIN 0.9.9 (or later)!* Only minor interface changes (if any) are expected before the release of DOLFIN 1.0 (expected in January 2011). If further changes will be necessary after the submission of your final chapter as a result of changes in the DOLFIN interface, the editors will make those changes.
- Submit your book chapter as a patch against the latest book repository. Note that the style files for the book have changed, so changes should be made relative to the latest version of your chapter in the book repository (not your local copy). Note that your chapter may already have gone through some minor modifications in order to compile against the new style files.
- Check that you have referenced all figures in your chapter and that the figures look good. Avoid adding very large image files (in MB).
- Along with your submission, supply a short text for your affiliation, including your email address and any funding acknowledgments. Your affiliation will be added to an appendix of the book that lists the affiliations of all authors.
- Make sure to browse through all other chapters and add appropriate references to other relevant chapters.

- Each chapter should begin with a short 1–2 paragraph pre-intro that introduces the chapter. Chapters should not have a first section named “Introduction”.

## Specific typesetting instructions

- Avoid excessive use of L<sup>A</sup>T<sub>E</sub>X macros in chapters. Not only does it complicate editing if for example `\begin{itemize}` is replaced by `\bit`, but it may also conflict with macros defined in other chapters. If it is necessary to define macros, then prefix the macros with the chapter prefix, or ask the editors to add them globally.
- Justify your text (line-breaking) and make sure it looks clean. In Emacs, this can be handled by M-x `auto-fill-mode` or pressing M-q on each paragraph.
- Use `~` in references and citations: `... in~\ref{...}`, `... in~\cite{...}`.
- Chapters should be referred to using `Chapter~\ref{chap:prefix}`, where `prefix` is the chapter prefix.
- Use `\eqref{}` to refer to equations. A typical usage would be:

`It follows from~\eqref{eq:hoffman-1:ns} that....`

- All chapter labels should be prefixed with the type of label and the chapter prefix, for example `fig:hoffman-1:foo` or `tab:narayanan:bar`.
- Use the environments `\begin/end{python}` and `\begin/end{c++}` to typeset Python and C++ code.
- The book must be built using `pdflatex` (to work with the new style files). This means that EPS figures can no longer be used. Instead, PDF figures should be used. All EPS figures in the book repository have been converted to PDF using `epstopdf`, which preserves vector graphics. Make sure all images in your chapter are supplied as PDF files and, where possible, in a scalable vector graphics format (no bitmaps). It follows that `\psfrag{}` can no longer be used so all images that rely on `\psfrag{}` must be replaced by appropriate PDF images.
- Supply original image files (SVG) where possible to enable editing of images if this becomes necessary.
- Use Inkscape to draw figures. You can use one of the SVG files from the chapter [kirby-6] as a template for line widths and colors.
- Where possible, use `width=\smallfig` or `width=\largefig` to specify image sizes.

- Place image files in subdirectories named `pdf`, `svg` etc. inside the chapter subdirectory.
- Use `$...$` for inline math, not `\(...\)`. Use of `\(...\)` in captions breaks the new style files.
- Don't put `\label{...}` inside `\caption{...}`. This breaks the new style files.
- Titles of chapters, sections etc. should *not* be capitalized (with the exception of names and the first letter).
- Don't insert `[H]` or `[htbp]` etc. for floats. If necessary, the editors will adjust this later.
- Number *all* equations, not just referenced equations.
- Use *subcomponent*, *subelement* instead of *sub component*, *sub element* etc., cf. <http://www.thefreedictionary.com/subcomponent>.
- Use two dashes to typeset names such as Navier–Stokes, Runge–Kutta: `Navier--Stokes`, `Runge--Kutta`.
- Use `\index{}` to include important terms in the book index.
- Consider the list of variable names given below and try to follow it where possible.

## Notation

- The order of test and trial functions has changed. The canonical variational problem is now  $a(u, v) = L(v)$ . Generally, we write:

$$F(f_1, \dots, f_m; v_1, \dots, v_n) \tag{1}$$

for a form  $F$  that is (possibly) nonlinear in the variables  $f_1, \dots, f_m$  and linear in the variables  $v_1, \dots, v_n$ .

- Second, the name of a cell/element has changed from  $K$  to  $T$ .
- Don't use bold fonts unless really, really required. In particular, do not use bold fonts (nor super-imposed bars/arrows) to denote vector fields.
- Use either `grad`, `curl`, `div` or  $\nabla$ ,  $\nabla \times$ ,  $\nabla \cdot$ , and make sure to follow the new row-wise notation used in UFL, that is,  $(\text{grad } v)_{ij} = \partial v_i / \partial x_j$  and  $(\text{div } v)_i = \partial v_{ij} / \partial x_j$ . Macros `\Grad`, `\Div`, `\Curl` can be used.
- Use  $dx$  for integration, not  $d\Omega$ .
- Write the nonlinear term in Navier–Stokes as  $\text{grad } u \cdot u$  or  $\nabla u \cdot u$ .

## Function spaces

$H^1(\Omega)$	–	the Sobolev space $W^{1,2}(\Omega)$
$H_0^1(\Omega)$	–	the Sobolev space $W^{1,2}(\Omega)$ , zero boundary trace
$[H^1(\Omega)]^n$	–	the Sobolev space $W^{1,2}(\Omega)$ , vector-valued with $n$ components
$\text{CG}_q(\Omega)$	–	continuous piecewise polynomial function space of degree $q$
$\text{DG}_q(\Omega)$	–	discontinuous piecewise polynomial function space of degree $q$

## Operators

$ \cdot $	–	$\mathbb{R}^n$ norm
$\langle v, w \rangle$	–	inner product, use macro <code>\inner</code>
$\ \cdot\ _V$	–	if $V$ is a normed space: norm on space $V$
$\ \cdot\ _\Omega$	–	if $\Omega$ is a domain: $L^2(\Omega)$ norm
$\ \cdot\ $	–	defaults to $L^2(\Omega)$ norm
$\ \cdot\ _0$	–	also $L^2(\Omega)$ norm
$\ \cdot\ _1$	–	$H^1(\Omega)$ norm
$\ \cdot\ _{\text{div}}$	–	$H(\text{div})$ norm
$\ \cdot\ _{\text{curl}}$	–	$H(\text{curl})$ norm
$\llbracket v \rrbracket$	–	jump, use macro <code>\jump</code>
$\langle v \rangle$	–	average, use macro <code>\avg</code>

## Names of variables

$A$	–	the <i>global tensor</i> with entries $\{A_i\}_{i \in \mathcal{I}}$
$A_T$	–	the <i>element tensor</i> with entries $\{A_{T,i}\}_{i \in \mathcal{I}_T}$
$A^0$	–	the <i>reference tensor</i> with entries $\{A_{i\alpha}^0\}_{i \in \mathcal{I}_T, \alpha \in \mathcal{A}}$
$a$	–	a multilinear form
$a_T$	–	the local contribution to a multilinear form $a$ from a cell $T$
$\mathcal{A}$	–	the set of <i>secondary indices</i>
$\mathcal{B}$	–	the set of <i>auxiliary indices</i>
$F_T$	–	the mapping from the reference cell $T_0$ to $T$
$G_T$	–	the <i>geometry tensor</i> with entries $\{G_T^\alpha\}_{\alpha \in \mathcal{A}}$
$\mathcal{I}$	–	the set $\prod_{j=1}^\rho [1, N_j]$ of indices for the global tensor $A$
$\mathcal{I}^T$	–	the set $\prod_{j=1}^\rho [1, n_j^T]$ of indices for the element tensor $A^T$ ( <i>primary indices</i> )
$\iota_T$	–	the <i>local-to-global mapping</i> from $[1, n_T]$ to $[1, N]$
$T$	–	a <i>cell</i> in the mesh $\mathcal{T}$
$T_0$	–	the <i>reference cell</i>
$n$	–	unit normal vector (to boundary)
$t$	–	unit tangential vector (to boundary)
$L$	–	a linear form (functional) on $\hat{V}$ or $\hat{V}_h$
$b$	–	a <i>global</i> right-hand side vector, corresponding to $L(\phi_i)$
$\mathcal{L}$	–	the degrees of freedom (linear functionals) on $V_h$
$\mathcal{L}_T$	–	the degrees of freedom (linear functionals) on $\mathcal{P}_T$
$\mathcal{L}_0$	–	the degrees of freedom (linear functionals) on $\mathcal{P}_0$

$\ell_i$	–	a degree of freedom (linear functional) on $V_h$
$\ell_i^T$	–	a degree of freedom (linear functional) on $\mathcal{P}_T$
$\ell_i^0$	–	a degree of freedom (linear functional) on $\mathcal{P}_0$
$\mathcal{P}_q(T)$	–	the space of polynomials of degree $\leq q$ on a domain $T$
$\mathcal{P}_T$	–	the finite dimensional function space in the Ciarlet finite element definition
$P_q$	–	the Lagrange finite element of degree $q$
$u$	–	the exact solution of a variational problem, $u \in V$
$u_h$	–	the finite element solution, $u_h \in V_h$
$U$	–	the vector of degrees of freedom for $u_h = \sum_{i=1}^N U_i \phi_i$
$V$	–	the trial space
$\hat{V}$	–	the test space
$V^*$	–	the dual space (as in duality-based error analysis) of a space $V$
$V'$	–	the dual space (as in the bounded linear functionals) of a space $V$
$V_h$	–	the discrete trial space
$\hat{V}_h$	–	the discrete test space
$\phi_i$	–	a basis function in $V_h$
$\hat{\phi}_i$	–	a basis function in $\hat{V}_h$
$\mathcal{T}_h$	–	the <i>mesh</i> , $\mathcal{T}_h = \{T\}$
$\Omega$	–	a bounded domain in $\mathbb{R}^d$
$\partial\Omega$	–	the boundary of $\Omega$
$k_n$	–	time step
$I_n$	–	time interval of length $k_n - k_{n-1}$
$u_{hk}$	–	the finite element solution in space-time
$S_n$	–	space-time slab $\mathcal{T} \times I_n$
$dx, ds, dt$	–	integration, use macros <code>\dx</code> , <code>\ds</code> , <code>\dt</code>
$X$	–	coordinates in a reference frame
$x$	–	coordinates in a physical space