Hack Nairaland - an exercise on web scraping.

What you can do with this notebook

- 1. Export all comments ever made by a user to an excel file (other formats may be added).
- 2. Export all post titles from a section within a range that you specify to an excel file (other formats may be added).
- 3. Get all unique commenters on a post
- 4. Get all commenters on a post and their comment frequency
- 5. Save a post permanently by exporting it to word
- 6. Pick two users and see their discussion thread (to do)

How to work with this notebook

- 1. Download or clone the bitbucket folder
- 2. Open cmd.exe and cd (i.e. navigate) into the downloaded folder
- 3. Issue the command pipenv install. This step requires that you have python and pipenv installed in your system


Creating the environment on your own

- 1. To complete this step you have to delete both Pipfile and Pipfile.lock
- 2. Download or clone the bitbucket folder
- 3. Open cmd.exe and cd (i.e. navigate) into the downloaded folder
- 4. Issue the command pipenv install. This step requires that you have python and pipenv installed in your system
- 5. Open cmd.exe and cd (i.e. navigate) into the folder
- 6. Issue commands pipenv install. Wait for the environment to be created.
- 7. When environment creation is done, activate it by issuing the command pipenv shell
- 8. After environment activation, issue commands pipenv install jupyter, pipenv install ipykernel
- 9. To create the custom ipython kernel, issue command

```
python -m ipykernel install --user --name other-env --display-name "Hack nairaland"

python -m ipykernel install --user --display-name "Hack nairaland or whatever name you like"
```

- 10. The --user other-env argument, value pair is optional. See here for explanation
- 11. Now when you reload your <u>ipython/jupyter</u> notebooks you should see the newly created kernel listed under kernels. You can see mine in the screenshot below.



Data Structures

Every function has its own data structure. They are documented here for easy understanding of the program logic.

```
parse comment block
```

Returns a namedtuple

```
namedtuple('ParsedComment', ['focus_user_comment', 'quotes_ordered_dictionary'])
# Internal structure
('focus_user_comment', OrderedDict([('moniker', 'comment')]))
```

PostCollector()

This class is used to scrap a nairaland post.

```
PostCollector.scrap_comments_for_page_range()
```

Return type of types.generator. Yields OrderedDict() objects. Where each has structure shown below.

```
OrderedDict(['moniker', parse_comment_block function object])
```

User comment header structure - Post view

User comment text > structure - Post view

```
<div class="narrow">
          <blookquote>
             <a href="/post/68136377">
                <b>moniker</b>
             </a>
             <br>
             comment
          </blockquote>
          <br>>
          <br>
          comment
      </div>
      <br/>
<br/>
id="lpt68136427">n Likes </b>
          <br/>
<br/>
id="shb68136427">n Share</b>
```

UserCommentHistory()

User comment header > structure - Comment history view

```
<a name=""></a>
```

```
<a name=""></a>
        <a name=""></a>
        <img src="">
        <a href="/section-url">Section name</a>
       <a href="/0000/title">Re: Post title</a>
        <a href="/username" class="user" title="Location:location">username</a>
        <span class="m or f">m or f</span>
       ):
        <span class="s">
           <b>00:00pm</b>
           On
           <b>Oct 19</b>
           <b>2017</b>
        </span>
```

User comments text > structure - Comment history view

This section has a few other elements if you're logged in

```
>
   <div class="narrow">
           <blockquote> <!-- each blockquote represents a quoted comment -->
               <a href="/post/00000000">
                   <b>Moniker</b>
               </a>
               <br> <!-- there'll be as many of these as the number of enter keys</pre>
a user presses-->
               Some comment
               <img src="" alt="represents an emoticon" border="0" class="faces">
           </blockquote>
           some comment
       </div>
       <br/>
<br/>
id="lpt61581477">n Likes </b>
           <br/>
<br/>
id="shb61581477">n Share</b>
```

A supposed anomaly I found in the table

It contains nothing. Just a blank row.

```
        <a name="68130046"></a>
```

Unpacking user comments history

```
import textwrap
user = UserCommentHistory("preccy69")
for page in list(user.scrap_comments_for_page_range(start=0, stop=1)):
    for section, topic_plus_comment in page.items():
        print("\n\n", "*"*40, section, "*"*40)
        print(topic_plus_comment.topic.upper()) # for differentiation only
        parsed_comment = topic_plus_comment.parsed_comment # a namedtuple instance
        print(parsed_comment.focus_user_comment)
        quotes = parsed_comment.quotes_ordered_dict
        for username, comment in quotes.items():
            print(" "*8)
            print(textwrap.indent(username, " "))
            print(textwrap.indent(comment, "
                                                "))
        print("_"*100)
    print("\n\n")
```

TopicCollector()

Section topics > structure

```
by
            <b>
                <a href="/username">username</a>
            </b>
            <b>number of comments</b>
            posts & amp;
            <b>number of views</b>
            views.
            <b>00:00am</b>
            On
            <br/>
<b>Jun 03</b> <!-- Visible for posts older than current date -->
            <br/>
<b>2015</b> <!-- Visible for posts older than current year -->
            <b>
                <a href="/donchris921">Donchris921</a>
            </b>
        </span>
```

Unpacking Topics

```
import textwrap
p = TopicCollector(section='politics')
for page in p.scrap_topics_for_range_of_pages(end=1):
    for topic in list(page):
        print(topic.poster)
        print(textwrap.indent(topic.title, " "))
        print(textwrap.indent(topic.url, " "))
        print(textwrap.indent(str(topic.comments), " "), " comments")
        print()
```

To do

1. Show list of all sections