

结直肠癌差异甲基化区域

艾米森生命科技有限公司
生物信息部

2019-05-25

Contents

1	问题描述	5
1.1	question 1	5
1.2	question 2	5
1.3	question 3	5
1.4	question 4	5
1.5	question 5	5
1.6	question 6	5
1.7	question 7	5
1.8	question 8	5
1.9	question 9	5
1.10	question 10	5
2	Todo list	7
3	导论	9
4	Literature	11
5	Methods	13
6	Applications	15
6.1	Example one	15
6.2	Example two	15
7	Final Words	17
8	结论	19

Chapter 1

问题描述

SDC2 三个 DMR 的序列和位置已经发给您，烦请补充以下结果：首先，将 390 多例癌症样本按照部位进行分类（如直肠、乙状结肠、升结肠等等）对于每个部位的癌症，做 6 条 ROC 曲线，分别是单个 DMR 的 ROC 和两个 DMR 组合的 ROC，各三个。谢谢！

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): <https://yihui.name/tinytex/>.

1.1 question 1

1.2 question 2

1.3 question 3

1.4 question 4

1.5 question 5

1.6 question 6

1.7 question 7

1.8 question 8

1.9 question 9

1.10 question 10

Chapter 2

Todo list

Chapter 3

导论

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 3. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 5.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 3.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 3.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2019) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).




Figure 3.1: Here is a nice figure!

Table 3.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

Chapter 4

Literature

Here is a review of existing methods.

Chapter 5

Methods

We describe our methods in this chapter.

Chapter 6

Applications

Some *significant* applications are demonstrated in this chapter.

6.1 Example one

6.2 Example two

Chapter 7

Final Words

We have finished a nice book.

Chapter 8

结论


This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.    :120.00
```

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Bibliography

- Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.
- Xie, Y. (2019). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.10.